

Safety Signs



Hazard Warning Signs



Mandatory Signs



Prohibition Signs



Safe Condition Signs



Fire Equipment Signs



General & Bespoke Signs

**Safety Signs / A-Boards / Architectural / Tapes and Labels / Pipeline ID /
Safety Posters / Stencils / Road Safety / Frames and Fixings /
Lockout Tagout / Asset Management**

CUSTOM MADE SIGNS



Our bespoke sign manufacturing team have many years of experience in designing, producing and installing a massive range of signs and stencils nationwide.

From the smallest "one-off" vinyl sign to large retail signs to print runs of many thousands, we can be depended upon to provide a fast and efficient service at a reasonable price.

We understand that you may have specific requirements for your signs and our team are happy to use your own artwork, or work with you to design a sign to your exact specifications.

Some of our manufacturing methods are shown below.

Digital Printing

Digital printing is a relatively recent technique, made available by the existence of large format digital printers. These printers are similar to the ones you may have at home, except they can be many metres wide and print using a variety of specialist inks.

They are ideal for short print runs or jobs that require photo quality reproduction. Their ability to print high-resolution images on substrates such as vinyl, dibond, aluminium and canvas PVC ensures its integral position in a modern sign production workshop.



Screen Printing

This method of printing has been around (in one form or another) for hundreds of years, and was a recognised printing technique as far back as the Song Dynasty in China. Originally human hair or silk was used to create the screen, but modern day techniques use a fine steel, nylon or polyester mesh.

This method is ideal for manufacturing medium to large print runs, and as it is printed by hand it allows the printer to constantly monitor the results for quality and consistency. This is how we print the majority of safety signs within this catalogue.



Engraving

Engraving is the practice of incising a design onto a hard, usually flat surface, by cutting grooves into it. Modern day engraving utilises a machine called a router to cut a pre-set design (via computer) into the required shape.

The depth of this cut varies, but is typically deeper than chemical etching and is then filled with a colouring (usually black) to give a quality contrasting image. This method is most commonly used when working on a real metal substrate, such as steel, aluminium or brass.



Label Printing

It does not matter whether you are an individual looking for a small number of labels or a large corporation which needs fast delivery on large quantities of stickers, we are capable of dealing with any size. With no minimum order quantities our team will help you make quick work of your custom label requirements.

Ordering custom labels has never been easier!



HOW TO ORDER A CUSTOM SIGN

to order a custom sign,
this is what we need to know...

- Size and material
- Colours and symbol required
- Quantity needed
- Text required on the sign
- Any other considerations such as specific Pantone colours, fixing methods or Company logo's.

It will help if you can provide a rough sketch of the sign (like shown). If you need advice on the correct colours or symbols required, or if you require advice on specific legislation then we will be pleased to help.





Arco is the UK's leading supplier of personal protective equipment, workwear and workplace safety products offering a world-class range of over 26,000 products.

As Experts in Safety we are widely recognised as a provider of specialist advice through our branch network and this is further supported by our training and consultancy division ARC safety services. We reach our customers through an extensive product catalogue, interactive website and a 40 strong local branch network priding ourselves on providing customers, with great availability, performance and price.


Founded in 1884 Arco has a heritage spanning four generations. With traditional family values at the heart of the business we pride ourselves on our core values; respect, hard work, enterprise and excellence in reputation. In 2007 Arco was the first distributor in our industry to become a member of the Ethical Trading Initiative (ETI) and in 2010 we became a member of Sedex, the Supplier Ethical Data Exchange. Our supply chain management has recently been re-awarded a 'Big Tick Award' for Excellence from Business in the Community. At Arco we are dedicated to our Corporate Social Responsibility programme and continually demonstrate this by supporting local communities and charities donating in excess of 1% of pre-tax profits annually.



| Signs, Labels & Stencils | |
|----------------------------------|-----------|
| Fire Safety & Safe Condition | 6 - 9 |
| Photoluminescent | 10 - 12 |
| Photoluminescent Taktyle Braille | 13 - 14 |
| Fire Extinguisher & Equipment | 15 - 17 |
| No Smoking & Prohibition | 18 - 22 |
| Mandatory | 23 - 30 |
| Hazard Warning | 31 - 41 |
| Floor Graphics | 42 |
| A-Boards | 43 |
| Banners & Barriers | 44 |
| Construction | 45 - 50 |
| Multi-message | 50 |
| Mini | 51 - 54 |
| Metallic Effect | 55 |
| Architectural | 56 |
| General & Smoking Permitted | 57 |
| Taktyle Braille | 58 - 64 |
| Safety Posters & Literature | 65 - 67 |
| Visual Display | 68 - 70 |
| Road & Traffic | 71 - 78 |
| Stencils | 79 - 80 |
| Labels | 81 - 87 |
| Tapes & Floor Treads | 88 - 89 |
| Pipeline Identification | 90 - 94 |
| Warehouse & Aisle Marking | 95 - 96 |
| Lockout Tagout | 97 - 122 |
| Asset Management | 123 - 130 |
| Index | 131 - 134 |

Viewing Distances

These are suggested maximum viewing distances in the latest simplified draft format. For current formulae refer to BS5499-4:2000. This is intended as a guide only.
If you require further advice please contact your sales office.

| Max. viewing distance (m) | | Height of lower case text letters (mm) |
|---------------------------|--|--|
| 8 |  | 30 |
| 10 | | 40 |
| 15 | | 60 |
| 24 | | 95 |
| 32 | | 130 |
| 63 | | 250 |
| 79 | | 315 |
| 95 | | 380 |
| 126 | | 500 |

Sign Basics

A sign should communicate to the reader its message as clearly and in as short a time as possible, whilst ensuring the information given is complete and accurate. Do not over complicate a sign by trying to say too much, but keep to the important facts as succinctly as possible.

Generally for safety signs, if at first glance you cannot understand the message the sign is trying to convey, then the sign has failed its purpose.



The Symbol

Safety signs have a picture or diagram of some sort. In most cases this will relate directly to the message which wants to be conveyed. This helps those who perhaps cannot read, suffer from dyslexia or speak a different language.

Occasionally the message is impossible to illustrate with a simple picture, and in these cases a general symbol (be it warning or prohibition etc) will be used.

White borders

Today's signs are all designed with white borders, ensuring that there is always a contrast between the sign and the background it is placed upon.

Upper and Lower Case Text

Studies have shown signs are more legible in both upper and lower case from a distance when compared to using only capital letters.

Site Survey

If you are not sure of your legal requirements with regards to your signage our specialist team of site survey experts can help.

We can make you feel confident that all your required signs meet the latest legislation and safety practices.

Installation Service

With over twenty years of experience our team of installation experts can offer a competitive sign fitting service.

Ensuring that all our customers needs and requirements are taken into consideration our team provides a professional and reliable service.

ISO 7010

The proposed new standards covering the standardised safety sign symbols is scheduled to take place throughout Europe during 2012 becoming ISO EN 7010. This means that a fire exit sign in England will be the same as it would in Germany, France or any other EU member.

Not all pictograms will be changing, and some will have changed only slightly, but you can be assured that any sign which we supply to you will meet your safety obligations.

The new ISO 7010 symbols have been updated through parts 1 to 6. Further symbol changes will be implemented as and when required.



Symbols and Colours

Health and Safety signs can be broken down into the following categories, as specified by British Standards. General Signs (signs which are used for information purposes) are not required to meet any specific criteria.

Please note there are separate rules in place for road signs and Taktyle braille signs.



Sign Materials

Stencil

A flexible PVC material cut in house using laser.

Self Adhesive Vinyl

A thin flexible PVC material with an adhesive backing. Suitable for internal and external use.

PVC (Non-Adhesive and Self Adhesive)

1mm semi-rigid PVC material, available with or without an ultra-strong adhesive backing.

Foamex

3mm or 5mm rigid Foamex PVC material is weather resistant and won't bend in the wind.

Photoluminescent

1mm Rigid Class B photoluminescent material backed with a strong adhesive.

Self Adhesive Metallic Effect Laminates

Polished and brushed metal effect laminates: Brushed silver and gold, polished brass and polished chrome.

Dibond

Layered composite material of aluminium and rubber. Ideal for outdoor use and road signs with the benefit that it has no scrap value.

Other Materials

3mm Aluminium - Alternative to Dibond

Taktyle braille - Signs designed for the visually impaired

Banners - Banner woven flexible PVC (flexible)

Labels - Paper, vinyl or specialist labels

Prestige metals - For quality engraving work (usually black filled). Polished brass, satin anodised aluminium, polished stainless steel or satin stainless steel.



Key to material abbreviations

Our most commonly manufactured products

| | |
|-------------|--|
| SAV | Self adhesive vinyl |
| RPVC | Rigid 1mm PVC board (non-adhesive) |
| PVC | Self adhesive semi-rigid PVC |
| PHO | 1.3mm Rigid Photoluminescent Board (self adhesive) |
| STN | Polyester unprinted stencil sheet |
| TAK | Reverse printed and moulded Taktyle sheet |
| MAG | Magnetic |

For full material specifications please do not hesitate to contact our sales office.

| | | | |
|----------------|--|--------------|---|
| BAN | Flexible Banner PVC | POL | Polished Gold Effect Laminate (Self Adhesive) |
| BRG | Brushed Gold Effect Laminate (Self Adhesive) | PSS | 1.2mm Polished Stainless Steel |
| BRS | Brushed Silver Effect Laminate (Self Adhesive) | PYC | 2mm Vandal Resistant Polycarbonate |
| CHR | Polished Chrome Effect (Self Adhesive) | QSN | Q-Sign, Temporary Moulded Plastic Sign |
| CLG | Window Cling Vinyl | SAA | Satin Anodised Aluminium |
| CRU | Classic Roll-up Sign | SAP | Paper (Self Adhesive) |
| CRX | Lightweight Corrugated Plastic | SSE | Stainless Steel Effect Laminate |
| DIB | Dibond Aluminium Composite | SSS | Satin Stainless Steel |
| FLR(Ph) | Anti-slip Laminated Floor Sign (Photolum.) | TAKPh | Taktyle Photoluminescent |
| FMX | 3mm Foamex Board ('Foamed' PVC) | TAKVI | Taktyle Vinyl |
| LAM | Laminated Paper | TRU | Triflex Roll-up Sign |
| PAP | Paper | ZFM | Zintec (in a mild steel frame) |
| PB | 1.5mm Polished Brass | ZIN | Zintec (without frame) |

3 easy steps to ordering

Underneath each sign image there is a set of details which refers to the product above. Each line refers to one version of the product. In some cases, there may be multiple versions of the sign available - in these cases each line will refer to a separate product.

One

Find the sign you require from our extensive range. Use the contents and index pages to help.

Choose the size from the list beneath the sign image, as shown in the blue text.

Note this is always Width x Height.



| | | | |
|----------|-----------|------------|---------|
| D | 100 x 150 | SAV | 55F0140 |
| * | 100 x 150 | CLG | 55F0141 |
| P | 200 x 300 | PVC | 55S0550 |
| U | 400 x 600 | PVC | 55F0590 |

Available sizes

Two

Choose your material from the list below the sign image, as shown in the red text.

See below for the Key to the material abbreviations.



| | | | |
|----------|-----------|------------|---------|
| D | 100 x 150 | SAV | 55F0140 |
| * | 100 x 150 | CLG | 55F0141 |
| P | 200 x 300 | PVC | 55S0550 |
| U | 400 x 600 | PVC | 55F0590 |

Available materials

Three

Make a note of the code number shown in black text to the right of the material reference.

This code is unique to that product, please state this when ordering.



| | | | |
|----------|-----------|------------|---------|
| D | 100 x 150 | SAV | 55F0140 |
| * | 100 x 150 | CLG | 55F0141 |
| P | 200 x 300 | PVC | 55S0550 |
| U | 400 x 600 | PVC | 55F0590 |

Product Codes

For example, code 55S0550 would be a No smoking sign, 200 x 300mm in size and manufactured from our self adhesive semi-rigid PVC material (as shown on page 18).

Remember if you cannot find the exact design, size or material you require then our bespoke sign service is available to help. See the inside cover for details on how to get a quotation.

Our service

Employers have a legal duty to undertake a risk assessment relating to health and safety of the employees, contractors or visitors, and to provide safety signs on any workplace risk that is not satisfactorily controlled by other means. As the UK's leading safety experts, all of the Arco signs available through this catalogue now meet the ISO 7010 standard and customers buying signs from Arco can be confident that they are buying the most current signage which conforms to current European standards. New symbols will be phased in when they become available to meet the ISO EN 7010 standard when this comes into practice.

Site Survey

If you are unsure of your legal requirements with regards to your signage our specialist team of site survey experts can help.

We can make you feel confident that all your required signs meet the latest legislation and safety practices.

Installation Service

Our specialist installation team can offer a competitive sign fitting service. Ensuring that all of your needs and requirements are taken into consideration our team will provide a professional and reliable service.

Fire Exit & Evacuation



P 300 x 200 PVC 55S1507



P 300 x 200 PVC 55S1503
P 300 x 200 RPVC 55F2284
U 600 x 400 PVC 55F0605



P 300 x 200 PVC 55S1506
P 300 x 200 RPVC 55F2285
U 600 x 400 PVC 55F0603



P 300 x 200 PVC 55S1504
P 300 x 200 RPVC 55F2283
U 600 x 400 PVC 55F0602



P 300 x 200 PVC 55S1505
P 300 x 200 RPVC 55F2282
U 600 x 400 PVC 55F0604



P 300 x 200 PVC 55S1508



P 300 x 100 PVC 55F0384



P 300 x 100 PVC 55S1509



P 300 x 100 PVC 55F0382



P 300 x 100 PVC 55F0383




P 300 x 200 PVC 55S1502*



P 300 x 100 PVC 55F0389



P 300 x 100 PVC 55F0386



P 300 x 100 PVC 55F0388



P 300 x 100 PVC 55F0387



N 300 x 100 SAV 55F1485
T 400 x 150 SAV 55A1609
T 400 x 150 RPVC 55A1610
X 600 x 200 SAV 55A1611
X 600 x 200 RPVC 55A1612



N 300 x 100 SAV 55F1484
T 400 x 150 SAV 55A1621
T 400 x 150 RPVC 55A1622
X 600 x 200 SAV 55A1623
X 600 x 200 RPVC 55A1624



H 150 x 150 SAV 55A1633
H 150 x 150 RPVC 55A1634
* 200 x 200 SAV 55F1408
* 200 x 200 RPVC 55F4201



H 150 x 150 SAV 55A1637
H 150 x 150 RPVC 55A1638
* 200 x 200 SAV 55F1410
* 200 x 200 RPVC 55F1411



H 150 x 150 PVC 55F0471
* 200 x 200 SAV 55F2323
* 200 x 200 RPVC 55F2324



N 300 x 100 SAV 55F1482
T 400 x 150 SAV 55A1605
T 400 x 150 RPVC 55A1606
X 600 x 200 SAV 55A1607
X 600 x 200 RPVC 55A1608



N 300 x 100 SAV 55F1483
T 400 x 150 SAV 55A1601
T 400 x 150 RPVC 55A1602
X 600 x 200 SAV 55A1603
X 600 x 200 RPVC 55A1604



* 125 x 125 SAV 55A1659
* 125 x 125 RPVC 55A1660
H 150 x 150 SAV 55A1661
H 150 x 150 RPVC 55A1662
H 150 x 150 PVC 55F0469
* 200 x 200 SAV 55F2197
* 200 x 200 RPVC 55F2198



* 125 x 125 SAV 55A1665
* 125 x 125 RPVC 55F1755
H 150 x 150 SAV 55A1667
H 150 x 150 RPVC 55A1668
H 150 x 150 PVC 55F0470
* 200 x 200 SAV 55F1756
* 200 x 200 RPVC 55A1670



T 400 x 150 SAV 55A1625
T 400 x 150 RPVC 55A1626
X 600 x 200 SAV 55A1627
X 600 x 200 RPVC 55A1628



T 400 x 150 SAV 55A1617
T 400 x 150 RPVC 55A1618
X 600 x 200 SAV 55A1619
X 600 x 200 RPVC 55A1620



T 400 x 150 SAV 55A1629
T 400 x 150 RPVC 55A1630
X 600 x 200 SAV 55A1631
X 600 x 200 RPVC 55A1632



T 400 x 150 SAV 55A1613
T 400 x 150 RPVC 55A1614
X 600 x 200 SAV 55A1615
X 600 x 200 RPVC 55A1616



O 300 x 150 SAV 55F2317
O 300 x 150 RPVC 55F2318
* 400 x 200 SAV 55F2319
* 400 x 200 RPVC 55F2320



N 300 x 100 SAV 55F1487
O 300 x 150 SAV 55A1749
O 300 x 150 RPVC 55A1750
* 400 x 200 SAV 55A1751
* 400 x 200 RPVC 55A1752
X 600 x 200 RPVC 55F1486

Looking for
Taktyle Braille signs
please see page 59



* To ensure compliance with current sign regulations a running man symbol should be placed to the side of this sign



* 450 x 200 SAV 55A1803
* 450 x 200 RPVC 55A1804
X 600 x 200 SAV 55A1805
X 600 x 200 RPVC 55A1806



P 300 x 200 PVC 55F4164



P 300 x 200 PVC 55S1513



P 300 x 200 PVC 55S1516*



P 300 x 200 PVC 55F0385*
U 600 x 400 PVC 55F0610*



* 750 x 150 SAV 55A1643
* 750 x 150 RPVC 55A1644



P 300 x 200 PVC 55F0390



* 750 x 150 SAV 55A1641
* 750 x 150 RPVC 55A1642



L 200 x 50 PVC 55F0703



P 300 x 200 PVC 55S1514*



L 200 x 50 PVC 55F0702



L 200 x 50 PVC 55F0701



* 75mm Ø SAA 55F2687
* 75mm Ø PB 55F2688
* 75mm Ø SSS 55F2689
* 75mm Ø PSS 55F2690



* 75mm Ø SAA 55F2691
* 75mm Ø PB 55F2692
* 75mm Ø SSS 55F2693
* 75mm Ø PSS 55F2694



* 75mm Ø SAA 55F2683
* 75mm Ø PB 55F2684
* 75mm Ø SSS 55F2685
* 75mm Ø PSS 55F2686



* 75mm Ø SAA 55F2679
* 75mm Ø PB 55F2680
* 75mm Ø SSS 55F2681
* 75mm Ø PSS 55F2682



Custom Discs - Just ask!

We can manufacture discs to your specification, using screen printing, engraving or chemical etching to achieve your desired effect. Ask for details.



L 200 x 50 PVC 55F0700



L 200 x 50 PVC 55F0698



L 200 x 50 PVC 55F0697



L 200 x 50 PVC 55F0699



P 300 x 200 PVC 55S1529
U 600 x 400 PVC 55F0607



P 300 x 200 PVC 55S1531
U 600 x 400 PVC 55F0609



P 300 x 200 PVC 55S1530
U 600 x 400 PVC 55F0608



P 300 x 200 PVC 55S1528
U 600 x 400 PVC 55F0606

2 per sheet



P 150 x 200 PVC 55F0379

2 per sheet



P 150 x 200 PVC 55F0378



P 200 x 300 PVC 55F0381



P 200 x 300 PVC 55F0380

Refuge Fire Exit



W 450 x 150 PVC 55F0457



W 450 x 150 PVC 55F0460



W 450 x 150 PVC 55F0458



W 450 x 150 PVC 55F0459



W 450 x 150 PVC 55F0461



W 450 x 150 PVC 55F0464



W 450 x 150 PVC 55F0462



W 450 x 150 PVC 55F0463

Fire Assembly



P 200 x 300 PVC 55F0403



P 200 x 300 PVC 55F0397



P 300 x 200 PVC 55F0399



P 300 x 200 PVC 55S1527



P 200 x 300 PVC 55F0401



P 200 x 300 PVC 55S1526



N 300 x 100 SAV 55F1489
X 600 x 200 RPVC 55F1488



P 300 x 200 SAV 55A1741
P 300 x 200 RPVC 55A1742
P 300 x 200 PYC 55F0567
* 300 x 200 DIB 55F2321
U 600 x 400 SAV 55A1743
U 600 x 400 RPVC 55A1744
* 600 x 450 DIB 55F2322




N 300 x 100 SAV 55F1457
X 600 x 200 RPVC 55F1456



P 200 x 300 PVC 55F0374



P 200 x 300 PVC 55F0375



P 200 x 300 PVC 55F0376




P 200 x 300 PVC 55F0377



P 200 x 300 PVC 55F0370



P 200 x 300 PVC 55F0371



P 200 x 300 PVC 55F0372



P 200 x 300 PVC 55F0373



P 300 x 200 SAV 55A4000
P 300 x 200 RPVC 55A4100
U 600 x 400 SAV 55A4200
U 600 x 400 RPVC 55A4300



P 300 x 200 SAV 55A4001
P 300 x 200 RPVC 55A4101
U 600 x 400 SAV 55A4201
U 600 x 400 RPVC 55A4301



P 300 x 200 SAV 55A4002
P 300 x 200 RPVC 55A4102
U 600 x 400 SAV 55A4202
U 600 x 400 RPVC 55A4302



P 300 x 200 SAV 55A4003
P 300 x 200 RPVC 55A4103
U 600 x 400 SAV 55A4203
U 600 x 400 RPVC 55A4303



P 300 x 200 SAV 55A4004
P 300 x 200 RPVC 55A4104
U 600 x 400 SAV 55A4204
U 600 x 400 RPVC 55A4304




P 300 x 200 SAV 55F1412
P 300 x 200 RPVC 55A4105
U 600 x 400 SAV 55F1417
U 600 x 400 RPVC 55A4305



P 300 x 200 SAV 55F1413
P 300 x 200 RPVC 55A4106
U 600 x 400 SAV 55F1418
U 600 x 400 RPVC 55A4306



P 300 x 200 SAV 55F1414
P 300 x 200 RPVC 55A4107
U 600 x 400 SAV 55F1419
U 600 x 400 RPVC 55A4307



P 300 x 200 SAV 55F1415
P 300 x 200 RPVC 55A4108
U 600 x 400 SAV 55F4202
U 600 x 400 RPVC 55A4308



P 300 x 200 SAV 55F1416
P 300 x 200 RPVC 55A4109
U 600 x 400 SAV 55F1421
U 600 x 400 RPVC 55A4309



N 300 x 100 SAV 55A1849
N 300 x 100 RPVC 55A1850
* 600 x 100 SAV 55A1851
* 600 x 100 RPVC 55A1852
* 600 x 100 PVC 55F0396



P 300 x 200 PVC 55S1523



O 300 x 150 SAV 55A1847
O 300 x 150 RPVC 55A1848




L 200 x 50 PVC 55F0704



Nylon Armbands

Fire Marshal
Fire Warden
First Aider

Code
55F2459
55F2460
55F2458



Premium Armbands

Fire Marshal
Fire Warden
First Aider

Code
55F2462
55F2463
55F2461

Upper and lower case text provides greater legibility from a distance compared with capital letters. (That is why road signs are mainly written in upper and lower case text!)





N 300 x 100 SAV 55A1843
N 300 x 100 RPVC 55F1758




N 300 x 100 SAV 55A1841
N 300 x 100 RPVC 55F1757




D 100 x 150 SAV 55A1827
D 100 x 150 RPVC 55A1828



D 100 x 150 SAV 55A1829
D 100 x 150 RPVC 55A1830



55F0400
P 100 x 150 PVC



55F0395
P 100 x 150 PVC



L 200 x 50 PVC 55F0705



L 200 x 50 PVC 55F0706



A 300 x 75 SAV 55A1855
A 300 x 75 RPVC 55A1856



A 300 x 75 SAV 55A1853
A 300 x 75 RPVC 55A1854



L 200 x 50 PVC 55F0707



L 200 x 50 PVC 55F0712



L 200 x 50 PVC 55F0710



L 200 x 50 PVC 55F0708



D 100 x 150 SAV 55A1823
D 100 x 150 RPVC 55A1824



P 200 x 300 SAV 55A1865
P 200 x 300 RPVC 55A1866
P 200 x 300 PVC 55F4165



55F0394
P 100 x 150 PVC



55F0398
P 200 x 300 PVC



N 300 x 100 SAV 55A1839
N 300 x 100 RPVC 55A1840



P 300 x 100 PVC 55F0391



P 300 x 100 PVC 55F0392



P 300 x 100 PVC 55F0393



P 300 x 100 PVC 55F4166

First Aid & Treatment




55S1550
P 200 x 300 PVC




P 200 x 300 SAV 55A1859
P 200 x 300 RPVC 55A1860




P 200 x 300 SAV 55A1863
P 200 x 300 RPVC 55A1864



P 200 x 300 SAV 55A1861
P 200 x 300 RPVC 55A1862



55F1453
P 200 x 300 SAV



U 400 x 600 PVC 55F0612
Enlarged to show detail



P 300 x 200 PVC 55F4167



P 300 x 100 PVC 55S1553



P 300 x 200 PVC 55F0410



N 300 x 100 SAV 55A1873
N 300 x 100 RPVC 55A1874
X 600 x 200 RPVC 55F1451



N 300 x 100 SAV 55A1845
N 300 x 100 RPVC 55A1846




L 200 x 50 PVC 55F0709



P 200 x 300 SAV 55F2294
P 200 x 300 RPVC 55F2295
P 200 x 300 PVC 55F0408



P 200 x 300 PVC 55S1555
P 200 x 300 SAV 55A1867
P 200 x 300 RPVC 55A1868



P 300 x 200 PVC 55F0407



* 50 x 50 SAV 55F1440



N 300 x 100 SAV 55F1455
X 600 x 200 RPVC 55F1454



U 400 x 600 PVC 55F0613
Enlarged to show detail

In the event of a fire or emergency, the visibility of standard emergency signs can often be impaired by poor lighting, smoke or even lack of power. In these cases our photoluminescent signs can provide a cost effective solution.

- High intensity 1.3mm rigid material
- P.S.P.A class B is brighter compared to the standard class A product usually used in safety signs
- Tested to DIN 67510 part 1 - 4 for after glow performance which exceeds international standard for flammability, smoke and toxicity
- Once fully charged will glow for 10 + hours
- Visible even in complete darkness
- UV resistant - enabling use for internal and external
- Factory applied self adhesive backing

in light



in darkness



IN SAFETY

Fire Exit & Evacuation



T 400 x 150 PHO 55A5104



T 400 x 150 PHO 55A5108



T 400 x 150 PHO 55A5098



T 400 x 150 PHO 55A5110



T 400 x 150 PHO 55A5106



T 400 x 150 PHO 55A5102



T 400 x 150 PHO 55A5096



T 400 x 150 PHO 55A5100



P 300 x 200 PHO 55F0418



P 300 x 200 PHO 55S1581



P 300 x 200 PHO 55F0420



P 300 x 200 PHO 55F0419



P 300 x 200 PHO 55F0060



O 300 x 150 PHO 55A5134



O 300 x 150 PHO 55A5128
S 400 x 125 PHO 55A5130
S 600 x 150 PHO 55A5132



H 150 x 150 PHO 55F0491



H 150 x 150 PHO 55F0490



P 300 x 200 PHO 55F0061



H 150 x 150 PHO 55F0492



H 150 x 150 PHO 55A5178



H 150 x 150 PHO 55A5180



T 450 x 150 PHO 55F4255



T 450 x 150 PHO 55F4256



T 450 x 150 PHO 55F4257



T 450 x 150 PHO 55F4258



T 450 x 150 PHO 55F0479



T 450 x 150 PHO 55F0482



T 450 x 150 PHO 55F0480



T 450 x 150 PHO 55F0481


Safe Condition



P 200 x 300 PHO 55F0423



P 200 x 300 PHO 55F0431



P 100 x 150 PHO 55F0426



P 300 x 200 PHO 55F0421



N 300 x 100 PHO 55A5154
* 450 x 75 PHO 55F0424
* 450 x 100 PHO 55F0422




N 300 x 100 PHO 55A5150



T 400 x 150 PHO 55A5138



N 300 x 100 PHO 55A5172



N 300 x 100 PHO 55A5170




N 300 x 100 PHO 55A5160



N 300 x 100 PHO 55A5152




N 300 x 100 PHO 55A5162



N 300 x 100 PHO 55F1765




N 300 x 100 PHO 55F1766



N 300 x 100 PHO 55A5164





N 300 x 100 PHO 55A5158



N 300 x 100 PHO 55A5168

Photoluminescent Tapes & Floor Markings

Our photoluminescent tape is ideal for creating clear, easy to use way finding systems for use when the lights go out. Exceeds the PSPA Class B classification for longevity and brightness.



* 20mm x 10m PHO 55A5245
* 40mm x 10m PHO 55A5246
* 80mm x 10m PHO 55F2113



* 40mm x 10m (Right) PHO 55A5248
* 40mm x 10m (Left) PHO 55A5250
* 80mm x 10m (Right) PHO 55F1988
* 80mm x 10m (Left) PHO 55F1989



* 40mm x 10m PHO 55A5252
* 80mm x 10m PHO 55F1990



* 40mm x 10m PHO 55A5243
* 80mm x 10m PHO 55F1991



* 40mm x 10m PHO 55A5241
* 80mm x 10m PHO 55F1992



Please see page 88 & 89 for our range of photoluminescent floor tape, arrows, dots and footprints.

Mandatory




P 200 x 300 PHO 55F0057



P 200 x 300 PHO 55F0058



P 200 x 300 PHO 55F0059



P 200 x 300 PHO 55A5182



P 200 x 300 PHO 55A5186



P 200 x 300 PHO 55A5188




C 100 x 100 PHO 55F0062



P 200 x 300 PHO 55F0425

Safety Light Sticks



Glows for 12 hours +

CE & EN71 UN approved

* Green Light Stick 55F4251
* Orange Light Stick 55F4252
* Yellow Light Stick 55F4253
* Box of 50 (Mixed colours) 55F4254


Fire Safe Condition



* 75 x 200 PHO 55F0427
B 82 x 202 PHO 55A5228



* 75 x 200 PHO 55F0428
B 82 x 202 PHO 55A5230




* 75 x 200 PHO 55F0429
B 82 x 202 PHO 55A5226



* 75 x 200 PHO 55F0430
B 82 x 202 PHO 55A5224



* 75 x 200 PHO 55F0432



B 82 x 202 PHO 55A5232



B 82 x 202 PHO 55A5222



P 200 x 300 PHO 55F0412



P 200 x 300 PHO 55F0413



P 200 x 300 PHO 55F0414



P 200 x 300 PHO 55F0415



P 200 x 300 PHO 55F0417



P 200 x 300 PHO 55F0411



P 200 x 300 PHO 55A5206



* 200 x 300 PHO 55F1463
* 400 x 600 PHO 55F1464



P 200 x 300 PHO 55A5190



P 200 x 300 PHO 55A5212



P 200 x 300 PHO 55S1572



P 200 x 300 PHO 55F1570



C 100 x 100 PHO 55F0416



N 300 x 100 PHO 55A5208



N 300 x 100 PHO 55A5192



N 300 x 100 PHO 55A5202



N 300 x 100 PHO 55A5214

For photoluminescent custom made signs please contact the sales office with your requirements.

Our high intensity photoluminescent Taktyle braille signs have been tested to DIN 67510 Part 1 - 4 specification, which exceeds international standard for flammability, smoke and toxicity.

These signs are reverse printed on moulded matt finish plastic to prevent reflection. The patented locating ring guides the hand to the centre where the information can easily be found.

The one piece die-moulded construction ensures that the raised lettering and images have smooth contours, and do not run the risk of dropping out or being damaged from persistent use.



Green Safe Condition



55F3965
W 450 x 150 TAKPh



55F3967
W 450 x 150 TAKPh



55F3968
W 450 x 150 TAKPh



55F3970
W 450 x 150 TAKPh



55F3971
W 450 x 150 TAKPh



55F3972
W 450 x 150 TAKPh



55F3973
W 450 x 150 TAKPh



55F3975
W 450 x 150 TAKPh



55F3949
W 450 x 150 TAKPh



55F3951
W 450 x 150 TAKPh



55F3953
W 450 x 150 TAKPh



55F3955
W 450 x 150 TAKPh



55F3957
W 450 x 150 TAKPh



55F3959
W 450 x 150 TAKPh



55F3961
W 450 x 150 TAKPh



55F3963
W 450 x 150 TAKPh



55F3964
300 x 150 TAKPh



55F4122
300 x 150 TAKPh



55F3942
300 x 150 TAKPh



55F3983
150 x 225 TAKPh



55F3896
450 x 125 TAKPh



55F3898
450 x 125 TAKPh



The Disability Discrimination Act 1995 (DDA)
For more information regarding the DDA 1995 please refer to page 58.

Red Safe Condition



The Safety Signs and Signals Regulations 1996 state that non-automatic fire fighting equipment should be marked with an appropriate permanent sign.



55F3987
300 x 150 TAKPh



55F3989
300 x 150 TAKPh



55F3985
150 x 150 TAKPh



55F3984
150 x 150 TAKPh



Mandatory

These signs are to convey an action that must be carried out. The 'white on blue' colour scheme is designated by the Safety Signs and Signals Regulations 1996.



55F3981
150 x 150 TAKPh



55F3894
150 x 150 TAKPh



55F3982
150 x 150 TAKPh



55F3900
150 x 150 TAKPh

Taktile Braille Finger Plates

Taktile finger plate signs are ideal for placing next to entrances or on doors to give both safety and directional information. These finger plates have the added benefit of having a photoluminescent layer for identification in emergency situations.



55F4133
75 x 300 TAKPh



55F4135
75 x 300 TAKPh



55F4137
75 x 300 TAKPh



55F4139
75 x 300 TAKPh



55F4141
75 x 300 TAKPh



55F4143
75 x 300 TAKPh



55F4145
75 x 300 TAKPh



55F4147
75 x 300 TAKPh

Need a custom Taktile sign?


Please contact your local sales team for further information and to discuss your requirements




Fire Extinguisher



* 75 x 200 PVC 55F0345
B 82 x 202 SAV 55A1534
B 82 x 202 RPVC 55A1535



* 75 x 200 PVC 55F0347
B 82 x 202 SAV 55A1536
B 82 x 202 RPVC 55A1537



* 75 x 200 PVC 55F0346
B 82 x 202 SAV 55A1532
B 82 x 202 RPVC 55A1533



* 75 x 200 PVC 55F0348
B 82 x 202 SAV 55A1530
B 82 x 202 RPVC 55A1531




* 75 x 200 PVC 55F0349
B 82 x 202 SAV 55A1538
B 82 x 202 RPVC 55A1539



* 75 x 200 PVC 55F0351
B 82 x 202 SAV 55F1436
B 82 x 202 RPVC 55F1437



* 75 x 200 PVC 55F0350
B 82 x 202 SAV 55F1434
B 82 x 202 RPVC 55F1435



* 350 x 200 SAV 55A1501
* 350 x 200 RPVC 55A1502
* 600 x 370 SAV 55A1503
* 600 x 370 RPVC 55A1504


Did you know...

Our standard PVC signs are:

- Best quality
- UV resistant ink
- Easy to fix, simply peel and apply
- High grab adhesive



P 200 x 300 PVC 55F0340



P 200 x 300 PVC 55F0342



P 200 x 300 PVC 55F0341



P 200 x 300 PVC 55F0343



P 200 x 300 PVC 55F0344



P 200 x 300 PVC 55S1350




P 200 x 300 PVC 55F0337



P 200 x 300 PVC 55F0335



P 300 x 100 PVC 55F0334



P 300 x 100 PVC 55S1351



P 200 x 300 SAV 55A1315
P 200 x 300 RPVC 55A1316
Q 300 x 400 SAV 55A1317
Q 300 x 400 RPVC 55A1318



P 200 x 300 PVC 55F0333



* 200 x 200 SAV 55A1343
* 200 x 200 RPVC 55A1344



N 300 x 100 SAV 55A1301
N 300 x 100 RPVC 55A1302
W 450 x 150 SAV 55A1303
W 450 x 150 RPVC 55A1304




* 250 x 150 SAV 55F1432
* 250 x 150 RPVC 55F1433



L 200 x 50 PVC 55F0694



P 300 x 100 PVC 55F0336



P 300 x 100 PVC 55F0338

For photoluminescent versions of the above signage please refer to page 12.

Fire Alarm



P 200 x 300 SAV 55F1438
P 200 x 300 RPVC 55F1439
P 200 x 300 PVC 55F0352



P 200 x 300 SAV 55A1311
P 200 x 300 RPVC 55A1312
Q 300 x 400 SAV 55A1313
Q 300 x 400 RPVC 55A1314



55F0354
P 200 x 300 PVC



55F0369
P 100 x 100 PVC



C 100 x 100 SAV 55F1282
C 100 x 100 RPVC 55F1283
* 200 x 200 SAV 55A1341
* 200 x 200 RPVC 55A1342



P 300 x 100 PVC 55F0353



P 300 x 100 PVC 55F0355



* 200 x 200 SAV 55A1349
* 200 x 200 RPVC 55A1350



N 300 x 100 SAV 55A1305
N 300 x 100 RPVC 55A1306



L 200 x 50 PVC 55F0695

Taktyle Braille



55F3986
O 300 x 150 TAK



55S9519
H 150 x 150 TAK



55F3988
O 300 x 150 TAK



55S9518
H 150 x 150 TAK

Signs also available in our Taktyle braille system, from stock or custom made to your requirements.




P 200 x 300 SAV 55F2309
P 200 x 300 RPVC 55F2310



P 200 x 300 PVC 55S1451




P 300 x 200 PVC 55F0364



P 300 x 100 PVC 55F0365



P 300 x 200 PVC 55F0366




P 300 x 100 PVC 55F0367



P 300 x 200 PVC 55F0362



P 300 x 100 PVC 55F0363



P 300 x 100 PVC 55F0359



P 300 x 200 PVC 55F0356



P 300 x 200 PVC 55F0357



P 300 x 200 PVC 55F0361



* 250 x 150 SAV 55F1425
* 250 x 150 RPVC 55A1352



* 250 x 150 SAV 55F1428
* 250 x 150 RPVC 55F1429



P 200 x 300 PVC 55F0339



P 200 x 300 PVC 55S1359



P 200 x 300 PVC 55F0368



P 200 x 300 PVC 55F0358



* 200 x 150 SAV 55A1371
* 200 x 150 RPVC 55A1372



* 200 x 150 SAV 55A1367
* 200 x 150 RPVC 55A1368



L 200 x 50 PVC 55F0696



N 300 x 100 SAV 55A1333
N 300 x 100 RPVC 55A1334



* 200 x 200 SAV 55A1345
* 200 x 200 RPVC 55A1346



Fire Hose Reel



P 200 x 300 PVC 55F0360



P 200 x 300 SAV 55A1319
P 200 x 300 RPVC 55A1320
Q 300 x 400 SAV 55F1424
Q 300 x 400 RPVC 55A1322



* 250 x 150 SAV 55F1430
* 250 x 150 RPVC 55F1431



N 300 x 100 SAV 55A1335
N 300 x 100 RPVC 55A1336



N 300 x 100 SAV 55F1422
N 300 x 100 RPVC 55F1423



For all your armband requirements please refer to page 8



Projection Signs

Our Projection signs are manufactured and printed on 1.5mm PVC board, these signs are ideal for indicating the location of fire safety equipment where otherwise it may not be immediately apparent (for instance recessed cavities in a corridor). Each face 200mm x 200mm.



* 200 x 200 RPVC 55F0626



* 200 x 200 RPVC 55F0627



* 200 x 200 RPVC 55F0628



* 200 x 200 RPVC 55F0629



* 200 x 200 RPVC 55F0630



* 200 x 200 RPVC 55F0631



* 200 x 200 RPVC 55F0632



* 200 x 200 RPVC 55F0633



* 200 x 200 RPVC 55F0634




* 200 x 200 RPVC 55F0635

need a custom sign?



These projection signs are an ideal way for increasing identification awareness of an entrance or doorway down a corridor.

We can make these to your specification, please ask for further details.



Fire Extinguisher Location Panels

These panels both identify the extinguisher type and provide a visual warning if the extinguisher has been used and not replaced. The panel is reverse printed for protection and has a full adhesive backing for ease of installation. Use in conjunction with our 200 x 300mm self adhesive fire extinguisher signs (page 14). Complete with extinguisher hanging brackets - simply affix to the wall and drill through into the wall (at the area shown) to affix brackets.



* 600 x 800 PVC 55F2163



P 200 x 300 PVC 55F0341



Smoking Prohibition



D 100 x 150 SAV 55F0140
* 100 x 150 CLG 55F0141
P 200 x 300 PVC 55S0551
U 400 x 600 PVC 55F0590



F 148 x 210 SAV 55F0144
* 148 x 210 CLG 55F0145
P 200 x 300 PVC 55F0138
P 200 x 300 CLG 55F0146



D 100 x 150 SAV 55F1292
D 100 x 150 RPVC 55F1293
P 200 x 300 SAV 55F1294
P 200 x 300 RPVC 55F1295
U 400 x 600 SAV 55F1296
U 400 x 600 RPVC 55F1297



P 200 x 300 SAV 55F1312
P 200 x 300 RPVC 55F1313
U 400 x 600 SAV 55F1314
U 400 x 600 RPVC 55F1315



P 200 x 300 SAV 55F1300
P 200 x 300 RPVC 55F1301
U 400 x 600 SAV 55F4190
U 400 x 600 RPVC 55F1303



P 200 x 300 SAV 55F1316
P 200 x 300 RPVC 55F1317
U 400 x 600 SAV 55F1318
U 400 x 600 RPVC 55F1319



P 200 x 300 PVC 55F0129
* 200 x 300 CLG 55F0142



P 200 x 300 PVC 55F0132



P 200 x 300 PVC 55F0126
* 200 x 300 CLG 55F0143



J 160 x 230 PVC 55F0136
P 200 x 300 PVC 55F0134



P 200 x 300 PVC 55F0133



P 200 x 300 SAV 55F4195
P 200 x 300 RPVC 55F1321
U 400 x 600 SAV 55F1322
U 400 x 600 RPVC 55F1323



F 148 x 210 SAV 55F1468



P 200 x 300 SAV 55F1735
P 200 x 300 RPVC 55F1736



P 200 x 300 SAV 55F1298
P 200 x 300 RPVC 55F1299



F 148 x 210 SAV 55F1361
F 148 x 210 RPVC 55F1362



F 148 x 210 SAV 55F1346
F 148 x 210 RPVC 55F1347



P 200 x 300 PVC 55F0135
* 200 x 300 CLG 55F4228



* 150 x 50 SAV 55F1284
* 150 x 50 RPVC 55F1285
N 300 x 100 SAV 55F1286
N 300 x 100 RPVC 55F1287
X 600 x 200 SAV 55F1288
X 600 x 200 RPVC 55F1289



N 300 x 100 SAV 55F4191
N 300 x 100 RPVC 55F4192
X 600 x 200 SAV 55F4193
X 600 x 200 RPVC 55F1307



N 300 x 100 SAV 55F1375
N 300 x 100 RPVC 55F1376
X 600 x 200 SAV 55F1377
X 600 x 200 RPVC 55F1378



N 300 x 100 SAV 55F1308
N 300 x 100 RPVC 55F4194
X 600 x 200 SAV 55F1310
X 600 x 200 RPVC 55F1311



N 300 x 100 SAV 55F1334
N 300 x 100 RPVC 55F1335
X 600 x 200 SAV 55F1336
X 600 x 200 RPVC 55F1337



N 300 x 100 SAV 55F1367
N 300 x 100 RPVC 55F1368
X 600 x 200 SAV 55F1369
X 600 x 200 RPVC 55F1370



N 300 x 100 SAV 55F1330
N 300 x 100 RPVC 55F1331
X 600 x 200 SAV 55F1332
X 600 x 200 RPVC 55F1333



N 300 x 100 SAV 55F1737
N 300 x 100 RPVC 55F1738
X 600 x 200 SAV 55F1739
X 600 x 200 RPVC 55F1340



55F3976
O 300 x 150 TAK



55F3979
O 300 x 150 TAK



N 300 x 100 SAV 55F1363
N 300 x 100 RPVC 55F1364
X 600 x 200 SAV 55F1365
X 600 x 200 RPVC 55F1366



N 300 x 100 SAV 55F1371
N 300 x 100 RPVC 55F1372
X 600 x 200 SAV 55F1373
X 600 x 200 RPVC 55F1374



N 300 x 100 SAV 55F1290
N 300 x 100 RPVC 55F1291



55F3980
O 300 x 150 TAK



55F3977
O 300 x 150 TAK



N 300 x 100 SAV 55F1729
N 300 x 100 RPVC 55F1730



L 200 x 50 PVC 55F0668

Taktyl Braille



55F3976
O 300 x 150 TAK



55F3979
O 300 x 150 TAK



55F3980
O 300 x 150 TAK



55F3977
O 300 x 150 TAK



55F3978
O 300 x 150 TAK



Am I DDA compliant?
See Taktyl pages 58 - 64



C 100 x 100 SAV 55F1324
C 100 x 100 RPVC 55F1325
* 200 x 200 SAV 55F1326
* 200 x 200 RPVC 55F1327
* 400 x 400 SAV 55F1328
* 400 x 400 RPVC 55F1329



100mm x 100mm
* (10 pack) SAV 55F4229
* (20 pack) SAV 55F4230
* (10 pack) PVC 55F2477
* (20 pack) PVC 55F2478



P 100 x 150 PVC 55S0552



P 200 x 300 SAV 55F1731
P 200 x 300 RPVC 55F1732
U 400 x 600 SAV 55F1733
U 400 x 600 RPVC 55F1734



P 150 x 200 PVC 55S0551



C 100 x 100 SAV 55F4231
* 80 x 80 CLG 55F2476



* 75 dia. SAV 55F1360
* 85 dia. D/S SAV 55F1407



D 100 x 150 SAV 55F0137
* 100 x 150 CLG 55F0147



F 148 x 210 SAV 55F1344
F 148 x 210 RPVC 55F1345



P 150 x 200 PVC 55F0131



P 150 x 200 PVC 55F0130



* 50mm dia. SAV 55F0150
* 100mm dia. SAV 55F0151



P 100 x 100 PVC 55F0125



P 200 x 300 PVC 55F0128



P 200 x 300 PVC 55F0127



G 150 x 100 SAV 55A2144
G 150 x 100 RPVC 55A2145



* 160 x 230 D/S SAV 55F4199



* 148 x 210 D/S SAV 55F4198



* 100 x 150 D/S SAV 55F1750



* 100 x 150 D/S SAV 55F1749



F 148 x 210 SAV 55F1338
F 148 x 210 RPVC 55F1339

Bi-lingual (Welsh & English)

Welsh / English



P 200 x 300 PVC 55F0148
* 200 x 300 CLG 55F0149

Welsh / English



P 200 x 300 PVC 55F0139



J 160 x 230 SAV 55F1356
J 160 x 230 RPVC 55F1357



J 160 x 230 SAV 55F1354
J 160 x 230 RPVC 55F1355



F 148 x 210 SAV 55F1340
F 148 x 210 RPVC 55F1341



P 200 x 300 SAV 55F1278
P 200 x 300 RPVC 55F1279



J 160 x 230 SAV 55F1358
J 160 x 230 RPVC 55F1359



J 160 x 230 SAV 55F1352
J 160 x 230 RPVC 55F1353



J 160 x 230 SAV 55F1350
J 160 x 230 RPVC 55F1351



J 160 x 230 SAV 55F1348
J 160 x 230 RPVC 55F1349



P 200 x 300 SAV 55F1276
P 200 x 300 RPVC 55F1277



F 148 x 210 SAV 55F1342
F 148 x 210 RPVC 55F1343

Restricted Access



No entry

P 200 x 300 PVC 55S0600



Strictly no admittance

P 200 x 300 PVC 55S0608



**No admittance
Authorized
personnel only**

P 200 x 300 PVC 55F0169



**No unauthorised
persons beyond
this point**

P 200 x 300 PVC 55F0178
U 400 x 600 PVC 55F0591



No exit

P 200 x 300 PVC 55F0161



**No
entry**

P 200 x 300 SAV 55F2181
P 200 x 300 RPVC 55F2182
U 400 x 600 SAV 55F2183
U 400 x 600 RPVC 55F2184



**No
entry**

P 200 x 300 SAV 55F1222
P 200 x 300 RPVC 55F1223
U 400 x 600 SAV 55F1224
U 400 x 600 RPVC 55F1225



**No
exit**

P 200 x 300 SAV 55F1741
P 200 x 300 RPVC 55F1742
U 400 x 600 SAV 55F1743
U 400 x 600 RPVC 55F1744



**No
admittance
authorised
personnel
only**

P 200 x 300 SAV 55F4185
P 200 x 300 RPVC 55F4186
U 400 x 600 SAV 55F4187
U 400 x 600 RPVC 55F1207



**No
admittance
to
unauthorised
personnel**

P 200 x 300 SAV 55F1208
P 200 x 300 RPVC 55F4188
U 400 x 600 SAV 55F1210
U 400 x 600 RPVC 55F1211



**No
unauthorised
persons
allowed
beyond
this point**

P 200 x 300 SAV 55F1196
P 200 x 300 RPVC 55F1197
P 200 x 300 CRX 55A5290
U 400 x 600 SAV 55F1198
U 400 x 600 RPVC 55F1199



**Strictly
no
admittance**

P 200 x 300 SAV 55F1192
P 200 x 300 RPVC 55F1193
U 400 x 600 SAV 55F1194
U 400 x 600 RPVC 55F1195



Desk Signs



* 50 x 50 RPVC 55F3480



* 150 x 50 RPVC 55F3482



* 150 x 50 RPVC 55F3481



C 100 x 100 SAV 55F1212
C 100 x 100 RPVC 55F1213
* 200 x 200 SAV 55F1214
* 200 x 200 RPVC 55F1215
* 400 x 400 SAV 55F1216
* 400 x 400 RPVC 55F1217



**No
thoroughfare**

P 200 x 300 SAV 55F1200
P 200 x 300 RPVC 55F1201
U 400 x 600 SAV 55F4184
U 400 x 600 RPVC 55F1203



**Strictly
no admittance
to unauthorised
persons**

U 400 x 600 PVC 55S4052



**No
thoroughfare**

P 200 x 300 PVC 55F0175



**No
admittance
without
protective
clothing**

P 200 x 300 SAV 55F1226
P 200 x 300 RPVC 55F1227



**Scaffolding
incomplete
Do not use**

U 400 x 600 RPVC 55F2267

2 per sheet



P 300 x 100 PVC 55F0160

2 per sheet



P 300 x 100 PVC 55S0610

2 per sheet



P 300 x 100 PVC 55F0167

2 per sheet




P 300 x 100 PVC 55F0162

2 per sheet



P 300 x 100 PVC 55F0166



L 200 x 50 PVC 55F0672



L 200 x 50 PVC 55F0670



L 200 x 50 PVC 55F0673



L 200 x 50 PVC 55F0671



N 300 x 100 SAV 55F1242
N 300 x 100 RPVC 55F1243
X 600 x 200 SAV 55F1244
X 600 x 200 RPVC 55F1245



N 300 x 100 SAV 55F1260
N 300 x 100 RPVC 55F1261
X 600 x 200 SAV 55F1262
X 600 x 200 RPVC 55F1263



N 300 x 100 SAV 55F1246
N 300 x 100 RPVC 55F1247
X 600 x 200 SAV 55F1248
X 600 x 200 RPVC 55F1249



Children must not play on this site
* 400 x 600 CRX 55A5289
U 400 x 600 RPVC 55F2266



No children
P 200 x 300 PVC 55F0174
U 400 x 600 PVC 55F0593



X 600 x 200 RPVC 55F1478



N 300 x 100 SAV 55F1258
N 300 x 100 RPVC 55F1259
X 600 x 200 SAV 55F2288
X 600 x 200 RPVC 55F2289



N 300 x 100 SAV 55F1250
N 300 x 100 RPVC 55F1251
X 600 x 200 SAV 55F1252
X 600 x 200 RPVC 55F1253


Machine Safety



P 200 x 300 SAV 55F1264
P 200 x 300 RPVC 55F1265
U 400 x 600 SAV 55F1266
U 400 x 600 RPVC 55F1267



P 200 x 300 SAV 55F1232
P 200 x 300 RPVC 55F1233



P 300 x 100 PVC 55F0189




P 300 x 100 PVC 55F0186




P 200 x 300 PVC 55F0183




P 200 x 300 PVC 55F0179




P 300 x 100 PVC 55F0184



P 300 x 100 PVC 55F0185




P 150 x 200 PVC 55F0188



P 300 x 100 PVC 55F0187



See our pages 98 - 119 for more machine safety signs and our comprehensive range of Lockout Tagout products.



P 300 x 200 SAV 55F2296
P 300 x 200 RPVC 55F2297
P 300 x 200 PVC 55F0192

Pre-Cut Circles

Packs of pre-cut vinyl prohibition symbols. Provided loose in a polybag, 10 in a pack.



* 50mm dia. SAV 55F0150
* 100mm dia. SAV 55F0151



* 50mm dia. SAV 55F0152
* 100mm dia. SAV 55F0153



* 50mm dia. SAV 55F0156
* 100mm dia. SAV 55F0157



* 50mm dia. SAV 55F0154
* 100mm dia. SAV 55F0155



* 50mm dia. SAV 55F0158
* 100mm dia. SAV 55F0159

Parking & Miscellaneous Access



P 200 x 300 SAV 55F1218
P 200 x 300 RPVC 55F1219
U 400 x 600 SAV 55F4189
U 400 x 600 RPVC 55F1221



P 200 x 300 PVC 55S0605
U 400 x 600 PVC 55S4051



P 200 x 300 PVC 55F0176



P 200 x 300 PVC 55F0177



P 200 x 300 SAV 55F1234
P 200 x 300 RPVC 55F1235
U 400 x 600 SAV 55F1236
U 400 x 600 RPVC 55F1237



L 200 x 50 PVC 55F0674



N 300 x 100 SAV 55F1254
N 300 x 100 RPVC 55F1255
X 600 x 200 SAV 55F1256
X 600 x 200 RPVC 55F1257





55F0165
P 200 x 300 PVC




55F0191
P 200 x 300 PVC



55F0170
P 200 x 300 PVC



55F0164
P 200 x 300 PVC



P 300 x 100 PVC 55F0190



U 600 x 400 PVC 55F0592



Y 600 x 450 SAV 55F1274
Y 600 x 450 RPVC 55F1275



Y 600 x 450 SAV 55F1745
Y 600 x 450 RPVC 55F1746



For site safety and construction signs please refer to pages 45 - 50



Privacy, Hygiene & General



P 200 x 300 PVC 55F0172



P 200 x 300 PVC 55F0173




P 200 x 300 SAV 55F1230
P 200 x 300 RPVC 55F1231



P 200 x 300 SAV 55F4232
P 200 x 300 RPVC 55F4233



P 200 x 300 PVC 55S0556



P 300 x 100 PVC 55F0180



P 200 x 300 SAV 55F1228
P 200 x 300 RPVC 55F1229



* 200 x 300 PYC 55F0562



P 200 x 300 PVC 55F0163



* 200 x 300 PYC 55F0561




P 200 x 300 PVC 55F4154




* 150 x 75 SAV 55F1268
* 75 x 150 RPVC 55F1269
N 300 x 100 SAV 55F1270
N 300 x 100 RPVC 55F1271
X 600 x 200 SAV 55F1272
X 600 x 200 RPVC 55F1273




N 300 x 100 SAV 55F1238
N 300 x 100 RPVC 55F1239
P 300 x 200 SAV 55F1240
P 300 x 200 RPVC 55F1241
X 600 x 200 SAV 55F2179
X 600 x 200 RPVC 55F2180




P 200 x 300 PVC 55F0451
U 400 x 600 PVC 55F0617



P 150 x 200 CLG 55F0168



P 150 x 200 PVC 55F0182



P 300 x 100 PVC 55F0181



L 200 x 50 PVC 55F0676



L 200 x 50 PVC 55F0675



L 200 x 50 PVC 55F0669



P 300 x 200 PVC 55F0171

Personal Protective Equipment



P 200 x 300 SAV 55A1023
P 200 x 300 RPVC 55A1024
* 200 x 300 CRX 55A5284
U 400 x 600 SAV 55A1025
U 400 x 600 RPVC 55A1026



P 200 x 300 SAV 55F1154
P 200 x 300 RPVC 55F1155
U 400 x 600 SAV 55F1156
U 400 x 600 RPVC 55F1157



P 200 x 300 SAV 55A0969
P 200 x 300 RPVC 55A0970
U 400 x 600 SAV 55A0971
U 400 x 600 RPVC 55A0972



P 200 x 300 SAV 55F1170
P 200 x 300 RPVC 55F1171
U 400 x 600 SAV 55F1172
U 400 x 600 RPVC 55F1173



P 200 x 300 PVC 55S0002
U 400 x 600 PVC 55S4000



P 200 x 300 PVC 55S0016



P 200 x 300 PVC 55S0005



P 200 x 300 PVC 55S0007




P 200 x 300 PVC 55S0001



P 200 x 300 PVC 55F0008



P 100 x 100 PVC 55F0013



P 100 x 100 PVC 55F0012



P 200 x 300 SAV 55F1162
P 200 x 300 RPVC 55F1163
U 400 x 600 SAV 55F1164
U 400 x 600 RPVC 55F1165



P 200 x 300 PVC 55S0003



C 100 x 100 SAV 55A0977
C 100 x 100 RPVC 55A0978
* 200 x 200 SAV 55A0979
* 200 x 200 RPVC 55A0980



C 100 x 100 SAV 55F1091
C 100 x 100 RPVC 55F1092
* 200 x 200 SAV 55F1093
* 200 x 200 RPVC 55F1094



N 300 x 100 SAV 55A1005
N 300 x 100 RPVC 55A1006
X 600 x 200 SAV 55A1007
X 600 x 200 RPVC 55A1008



N 300 x 100 SAV 55F1125
N 300 x 100 RPVC 55F1126
X 600 x 200 SAV 55F1127
X 600 x 200 RPVC 55F1128



N 300 x 100 SAV 55A0981
N 300 x 100 RPVC 55A0982
X 600 x 200 SAV 55A0983
X 600 x 200 RPVC 55A0984



N 300 x 100 SAV 55F1137
N 300 x 100 RPVC 55F1138
X 600 x 200 SAV 55F1139
X 600 x 200 RPVC 55F1140



N 300 x 100 SAV 55F1141
N 300 x 100 RPVC 55A0950
X 600 x 200 SAV 55A0951
X 600 x 200 RPVC 55A0952



N 300 x 100 SAV 55F1133
N 300 x 100 RPVC 55F1134
X 600 x 200 SAV 55F1135
X 600 x 200 RPVC 55F1136



L 200 x 50 PVC 55F0651



L 200 x 50 PVC 55F0652



L 200 x 50 PVC 55F0666



L 200 x 50 PVC 55F0667

Cut to shape (Pack of 10)



* 50mm dia. SAV 55F0028
* 100mm dia. SAV 55F0029

Cut to shape (Pack of 10)



* 50mm dia. SAV 55F0026
* 100mm dia. SAV 55F0027

Cut to shape (Pack of 10)



* 50mm dia. SAV 55F0024
* 100mm dia. SAV 55F0025

Cut to shape (Pack of 10)



* 50mm dia. SAV 55F0022
* 100mm dia. SAV 55F0023

2 per sheet



P 300 x 100 PVC 55F0010

2 per sheet




P 300 x 100 PVC 55F0011

2 per sheet



P 300 x 100 PVC 55S0008

2 per sheet



P 300 x 100 PVC 55S0006

2 per sheet



P 300 x 100 PVC 55S0004

2 per sheet



P 200 x 300 SAV 55F1150
P 200 x 300 RPVC 55F1151
U 400 x 600 SAV 55F1152
U 400 x 600 RPVC 55F1153



P 200 x 300 SAV 55F1166
P 200 x 300 RPVC 55F1167
U 400 x 600 SAV 55F1168
U 400 x 600 RPVC 55F1169



P 200 x 300 SAV 55F1158
P 200 x 300 RPVC 55F1159
U 400 x 600 SAV 55F1160
U 400 x 600 RPVC 55F1161



P 200 x 300 PVC 55F0001



P 300 x 100 PVC 55S0011



N 300 x 100 SAV 55F1129
N 300 x 100 RPVC 55F1130
X 600 x 200 SAV 55F1131
X 600 x 200 RPVC 55F1132



L 200 x 50 PVC 55F0653



N 300 x 100 SAV 55F1121
N 300 x 100 RPVC 55F1122
X 600 x 200 SAV 55F1123
X 600 x 200 RPVC 55F1124



P 200 x 300 PVC 55S0015



P 200 x 300 RPVC 55F2281



U 400 x 600 PVC 55F0573



P 200 x 300 PVC 55F0007



P 200 x 300 PVC 55F0003



P 200 x 300 PVC 55F0002



P 200 x 300 PVC 55S0009



P 200 x 300 PVC 55S0013



N 300 x 100 SAV 55F1280
N 300 x 100 RPVC 55F1281



X 600 x 200 RPVC 55F1441



Y 600 x 450 SAV 55A1019
Y 600 x 450 RPVC 55A1020



Y 600 x 450 SAV 55A1017
Y 600 x 450 RPVC 55A1018



* 600 x 450 CRX 55A5286



U 600 x 400 RPVC 55F2269
U 600 x 400 PVC 55S4001



P 300 x 200 PVC 55F0009
U 600 x 400 PVC 55F0575



600 x 400 PVC 55F0586

For site safety and construction signs see pages 45-50

Taktyl Braille



55F3899
H 150 x 150 TAK



55S9514
H 150 x 150 TAK



55S9516
H 150 x 150 TAK



55S9515
H 150 x 150 TAK



55F4127
O 300 x 150 TAK

Have you considered using braille signs? They are a great way for your business to work towards DDA compliance!



Fire Action & First Aid Procedure



P 200 x 300 SAV 55F2164
P 200 x 300 RPVC 55F2165
P 200 x 300 PVC 55F0054



P 200 x 300 SAV 55F2166
P 200 x 300 RPVC 55F2167
P 200 x 300 PVC 55F0053



P 200 x 300 SAV 55F1182
P 200 x 300 RPVC 55F1183




P 200 x 300 PVC 55F0056



P 200 x 300 SAV 55F1180
P 200 x 300 RPVC 55F1181
P 200 x 300 PVC 55S0165



P 200 x 300 SAV 55A1401
P 200 x 300 RPVC 55A1402
U 400 x 600 SAV 55A1403
U 400 x 600 RPVC 55A1404



P 200 x 300 SAV 55A1405
P 200 x 300 RPVC 55A1406




P 200 x 300 SAV 55A1407
P 200 x 300 RPVC 55A1408



P 200 x 300 PVC 55F0047



P 300 x 200 PVC 55F0052
Fire Action Notice
(English, French & German)



P 300 x 200 PVC 55F0051
Staff Fire Action
(English & Portuguese)


Fire Door & Access




P 100 x 100 PVC 55S0151




P 100 x 100 PVC 55S0153



P 100 x 100 PVC 55F0055



P 100 x 100 PVC 55F0041




P 100 x 100 PVC 55F0045



P 100 x 100 PVC 55F0071



P 100 x 100 PVC 55F0043



P 100 x 100 PVC 55F0039



C 150 x 200 SAV 55F2286
P 200 x 300 SAV 55F1142
P 200 x 300 RPVC 55F1143
P 200 x 300 PVC 55F0066
U 400 x 600 SAV 55F1144
U 400 x 600 RPVC 55F1145



P 200 x 300 SAV 55F1146
P 200 x 300 RPVC 55F1147
P 200 x 300 PVC 55S0158
U 400 x 600 SAV 55F1148
U 400 x 600 RPVC 55F1149



P 100 x 100 PVC 55F0080



P 100 x 100 PVC 55F0079



C 100 x 100 SAV 55A1101
C 100 x 100 RPVC 55A1102
H 150 x 150 SAV 55A1103
H 150 x 150 RPVC 55A1104



C 100 x 100 SAV 55A1105
C 100 x 100 RPVC 55A1106
H 150 x 150 SAV 55A1107
H 150 x 150 RPVC 55A1108



C 100 x 100 SAV 55A1113
C 100 x 100 RPVC 55A1114
H 150 x 150 SAV 55A1115
H 150 x 150 RPVC 55A1116



C 100 x 100 SAV 55A1109
C 100 x 100 RPVC 55A1110
H 150 x 150 SAV 55A1111
H 150 x 150 RPVC 55A1112



C 100 x 100 SAV 55A1117
C 100 x 100 RPVC 55A1118
H 150 x 150 SAV 55A1119
H 150 x 150 RPVC 55A1120



C 100 x 100 SAV 55A1137
C 100 x 100 RPVC 55A1138
H 150 x 150 SAV 55A1139
H 150 x 150 RPVC 55A1140



C 100 x 100 SAV 55F4260
H 150 x 150 SAV 55F1184
H 150 x 150 RPVC 55F1185
P 200 x 200 SAV 55F1186
P 200 x 200 RPVC 55F1187
P 300 x 300 SAV 55F1188
P 300 x 300 RPVC 55F1189

Best selling industry standard door sign discs. Each is individually packed and comes complete with the appropriate screws. Note that these are real metal signs (not metal effect). Please see the key to material finishes on page 4 for full details.




* 75mm Ø SAA 55F2683
* 75mm Ø PB 55F2684
* 75mm Ø SSS 55F2685
* 75mm Ø PSS 55F2686




* 75mm Ø SAA 55F2679
* 75mm Ø PB 55F2680
* 75mm Ø SSS 55F2681
* 75mm Ø PSS 55F2682







P 150 x 200 PVC 55F0036




P 150 x 200 PVC 55F0037




P 150 x 200 PVC 55F0042



P 150 x 200 PVC 55F0040



P 150 x 200 PVC 55F0044



P 150 x 200 PVC 55F0038



N 300 x 100 SAV 55F1079
N 300 x 100 RPVC 55F1080
X 600 x 200 SAV 55F1081
X 600 x 200 RPVC 55F1082



N 300 x 100 SAV 55F1101
N 300 x 100 RPVC 55F4178
X 600 x 200 SAV 55F1103
X 600 x 200 RPVC 55F4179



N 300 x 100 SAV 55F1075
N 300 x 100 RPVC 55F1076
X 600 x 200 SAV 55F1077
X 600 x 200 RPVC 55F1078



N 300 x 100 SAV 55F1083
N 300 x 100 RPVC 55F1084
X 600 x 200 SAV 55F1085
X 600 x 200 RPVC 55F1086



L 200 x 50 PVC 55F0655



L 200 x 50 PVC 55F0656

Fire Door Strips



* 34 x 450 PVC 55F0081 55F0082 55F0083
* 34 x 450 SAV 55F0084 55F0085 55F0086

These self adhesive signs are slim enough for use on the door jamb, providing an effective and timely reminder that the door should be kept closed as a precaution against the spread of fire.



P 200 x 300 PVC 55S0259



P 200 x 300 RPVC 55F2280
P 200 x 300 PVC 55S0255
U 400 x 600 PVC 55S4003

Fire Door Multipacks



100mm x 100mm
(10 pack) SAV 55F2466
(20 pack) SAV 55F2467
(10 pack) PVC 55F2464
(20 pack) PVC 55F2466



100mm x 100mm
(10 pack) SAV 55F2470
(20 pack) SAV 55F2471
(10 pack) PVC 55F2468
(20 pack) PVC 55F2469



70mm x 70mm
(10 pack) PVC 55F2472
(20 pack) PVC 55F2473




70mm x 70mm
(10 pack) PVC 55F2474
(20 pack) PVC 55F2475




P 200 x 300 PVC 55S0353




P 100 x 100 PVC 55F0074



P 300 x 100 PVC 55F0069



P 300 x 100 PVC 55F0068



P 300 x 100 PVC 55F0067




P 100 x 100 PVC 55F0091



P 100 x 100 PVC 55F0073



Y 600 x 450 SAV 55A1021
Y 600 x 450 RPVC 55A1022



P 150 x 200 PVC 55F0090



N 300 x 100 SAV 55F1087
N 300 x 100 RPVC 55F1088
X 600 x 200 SAV 55F1089
X 600 x 200 RPVC 55F1090



L 200 x 50 PVC 55F0662



L 200 x 50 PVC 55F0663




L 200 x 50 PVC 55F0657




L 200 x 50 PVC 55F0658

6 per sheet




Gangway Keep clear

P 200 x 300 PVC 55F0078




6 per sheet

P 100 x 100 PVC 55F0077




Gangway Keep clear

N 300 x 100 SAV 55F4180
N 300 x 100 RPVC 55F4181
X 600 x 200 SAV 55F1107
X 600 x 200 RPVC 55F1108




Close this door at night

L 200 x 50 PVC 55F0659




Close these doors at night

C 100 x 100 SAV 55A1133
C 100 x 100 RPVC 55A1134
H 150 x 150 SAV 55F1095
H 150 x 150 RPVC 55F1096



This staircase and exit way to remain clear at all times


P 200 x 300 PVC 55S0163



Keep this door locked when not in use


L 200 x 50 PVC 55F0660

2 per sheet



Gangway Keep clear


P 150 x 200 PVC 55F0076



Gangway Keep clear


P 150 x 200 PVC 55F0075

2 per sheet



Close this door at night


P 150 x 200 PVC 55F0072



Close this door at night


P 150 x 200 PVC 55S0263

2 per sheet




This door is alarmed

P 150 x 200 PVC 55S0355




This door is alarmed

P 150 x 200 PVC 55F0046




All visitors and drivers must report to reception

P 300 x 200 PVC 55F0017




All deliveries must report to Goods In

P 300 x 200 PVC 55F0018




All workers must be inducted before commencing work

P 300 x 200 PVC 55F0019




All visitors must report to reception

Y 600 x 450 SAV 55A1035
Y 600 x 450 RPVC 55A1036



All drivers and visitors must report to site office

Y 600 x 450 SAV 55A1031
Y 600 x 450 RPVC 55A1032
X 600 x 450 CRX 55A5285



All visitors and drivers must report to reception

P 300 x 200 PVC 55F0065



All drivers and visitors must report to site office

P 200 x 300 PVC 55F0064
U 400 x 600 PVC 55S4002

2 per sheet




Keep this door closed

P 150 x 200 PVC 55F0070




For our complete range of Tag It products please refer to pages 123 - 130




Safe Practice & Procedure

6 per sheet




6 per sheet

P 100 x 100 PVC 55F0021




Guards must be in position before starting

P 200 x 300 PVC 55F0030




Stop machine before removing guards

P 200 x 300 PVC 55F0033



Guards must be in position before starting


P 200 x 300 PVC 55F0031



Use guards

P 200 x 300 PVC 55S0100


2 per sheet



Use guards


P 300 x 100 PVC 55S0101

2 per sheet




Guards must be in position before starting

P 300 x 100 PVC 55F0032




Use guards

L 200 x 50 PVC 55F0654




Seatbelts must be worn on this vehicle

P 200 x 300 PVC 55F0020




CODE OF PRACTICE FOR THE USE OF BANDSAWS

P 200 x 300 PVC 55F0118




Lift correctly

P 200 x 300 PVC 55S0018



Lift correctly Protect your back

P 200 x 300 PVC 55F0016



Stack correctly

P 200 x 300 PVC 55F0004

| | | | | |
|--|---|--|---|---|
| PTO GUARDS MUST BE IN POSITION BEFORE STARTING P 300 x 100 PVC 55F0122 | NO PASSENGERS ARE ALLOWED ON THIS VEHICLE P 300 x 100 PVC 55F0123 | CHECK OIL, WATER AND FUEL DAILY P 300 x 100 PVC 55S0500 | Switch off when not in use P 300 x 100 PVC 55F0088 | Report faulty machinery to the supervisor or person in charge P 300 x 200 PVC 55S0107 |
| Sound horn 55F0063 P 200 x 300 PVC | In case of fire sound alarm 55F0050 P 200 x 300 PVC | In case of an emergency telephone 55F0048 P 200 x 300 PVC | Use handrail P 300 x 200 SAV 55F4319 P 300 x 200 RPVC 55F4320 | Fire prevention Please remove plug from socket when not in use P 300 x 200 PVC 55F0049 |
| Dangerous machine 55F0035 P 200 x 300 PVC | Switch off when not in use C 100 x 100 SAV 55A1145 C 100 x 100 RPVC 55A1146 H 150 x 150 SAV 55A1147 H 150 x 150 RPVC 55A1148 | Switch off when not in use 55F0087 P 200 x 300 PVC | Switch off your computer terminal before leaving work 55F0089 P 200 x 300 PVC | Switch off when not in use L 200 x 50 PVC 55F0661 |
| | | | | This door is alarmed L 200 x 50 PVC 55F0663 |
| | | | VDU Safety 1. Keep wrists level and above keyboard 2. Adjust screen to reduce neck strain 3. Adjust chair height for proper posture 4. Check your posture regularly P 300 x 200 PVC 55F0006 | Health and Safety at Work Act 1974 Persons entering these premises must comply with all safety regulations under the above act P 300 x 200 PVC 55S0019 |

complete sign confidence

- The UV resistant inks, aggressive adhesive and durable semi-rigid plastic ensure a long life cycle of the sign.
- Durable PVC substrate and total encapsulation means it can with stand modern deep cleans.
- Aggressive full contact adhesive reduces the areas available to bacteria where they can multiply.



Hygiene & Food Preparation

| | | | | | |
|--|---|--|--|---|--|
| Wear hairnet P 200 x 300 PVC 55F0095 | Hair protection must be worn in this area P 200 x 300 PVC 55F0098 | Hair protection must be worn P 300 x 200 SAV 55A2110 P 300 x 200 RPVC 55A2111 | For hygiene reasons wash only hands here P 300 x 200 SAV 55A2124 P 300 x 200 RPVC 55A2125 | Now wash your hands P 300 x 100 PVC 55S0404 | Wash only food equipment here P 300 x 100 PVC 55F0111 |
| Now wash your hands P 200 x 300 SAV 55A2118 P 200 x 300 RPVC 55A2119 P 200 x 300 PVC 55F0093 | Hand wash only P 200 x 300 PVC 55F4155 | Wash your hands before commencing work P 200 x 300 PVC 55F0094 | Wash hands only P 300 x 200 SAV 55A2104 P 300 x 200 RPVC 55A2105 | Instant hand sanitiser Use between hand washing P 300 x 200 PVC 55F4152 | Wash & sanitise your hands routinely P 300 x 200 PVC 55F0097 |
| | | | | Clean hands are safe hands P 300 x 200 PVC 55F0110 | Now wash your hands N 300 x 100 SAV 55A2116 N 300 x 100 RPVC 55A2117 X 600 x 200 SAV 55A2120 X 600 x 200 RPVC 55F1176 |



P 300 x 200 SAV 55F1113
P 300 x 200 RPVC 55F1114
U 400 x 600 SAV 55F1115
U 400 x 600 RPVC 55F1116



P 300 x 200 SAV 55F4182
P 300 x 200 RPVC 55F1110
U 400 x 600 SAV 55F1111
U 400 x 600 RPVC 55F1112



P 200 x 300 PVC 55S0401



P 200 x 300 PVC 55F0092



L 200 x 50 PVC 55F0665



L 200 x 50 PVC 55F0664



N 300 x 100 SAV 55F1117
N 300 x 100 RPVC 55F1118
X 600 x 200 SAV 55F1119
X 600 x 200 RPVC 55F4183



P 200 x 300 PVC 55F0112



P 300 x 200 SAV 55A2108
P 300 x 200 RPVC 55F1175



D 100 x 150 SAV 55A2148
D 100 x 150 RPVC 55A2149



D 100 x 150 SAV 55A2146
D 100 x 150 RPVC 55A2147



P 300 x 200 SAV 55F1174
P 300 x 200 RPVC 55A2107



P 300 x 200 SAV 55A2150
P 300 x 200 RPVC 55A2151



P 300 x 200 SAV 55A2102
P 300 x 200 RPVC 55A2103



P 200 x 300 PVC 55F4153



P 200 x 300 PVC 55F0015



P 200 x 300 PVC 55F0014



P 200 x 300 PVC 55F0124



P 300 x 200 SAV 55A2126
P 300 x 200 RPVC 55A2127




N 300 x 100 SAV 55A2138
N 300 x 100 RPVC 55A2139




N 300 x 100 SAV 55A2134
N 300 x 100 RPVC 55F1177



P 300 x 200 PVC 55F0100



P 300 x 200 PVC 55F0099




P 300 x 200 PVC 55F0096




P 300 x 200 PVC 55F0101



P 300 x 200 PVC 55F0103




P 300 x 100 PVC 55F0116




P 300 x 100 PVC 55F0113



P 300 x 100 PVC 55F0115



P 300 x 100 PVC 55F0117



P 300 x 100 PVC 55F0114

Metal Detectable Products

For everyone involved in the pharmaceutical or food industries, contamination can cost money and reputation. Minimise the risk and show use of 'all due diligence' with the use of metal detectable products. These can be detected by conventional metal detectors, and ensures that broken components can be detected and rejected. Detectable products can be used as part of HACCP process.

For further details and information on the comprehensive range available, please contact our sales office.





55F0326
P 200 x 300 PVC




55F0331
P 200 x 300 PVC




55F4154
P 200 x 300 PVC



55F0453
P 200 x 300 PVC



2 per sheet
P 150 x 200 PVC 55F0182



2 per sheet
P 300 x 100 PVC 55F0180




55F0107
P 200 x 300 PVC



P 300 x 200 SAV 55A2140
P 300 x 200 RPVC 55F1178



55F0450
P 200 x 300 PVC



55F0454
P 200 x 300 PVC



P 300 x 200 PVC 55F0449




P 300 x 200 PVC 55F0409




P 300 x 200 PVC 55F0108



P 300 x 200 PVC 55F0109




55F0455
P 200 x 300 PVC



55F0456
P 200 x 300 PVC



55F0120
P 200 x 300 PVC



55F0119
P 200 x 300 PVC



D 150 x 100 SAV 55A2144
D 150 x 100 RPVC 55A2145



* 200 x 100 SAV 55A2142
* 200 x 100 RPVC 55F1179

CUSTOM MADE SIGNS



Our bespoke sign manufacturing team have many years of experience in designing, producing and installing a massive range of signs and stencils nationwide.

From the smallest "one-off" vinyl sign to large retail signs to print runs of thousands of own branded safety signs, we can be depended upon to provide a fast, efficient service at a reasonable price.

We are happy to work with you to design a sign to your exact specifications. We can work with artwork provided or design new artwork as desired.

Please contact our sales office to discuss the options available.









Hazard Warning signs are to advise and warn staff and visitors of a potential hazard which could arise in the vicinity. The methods of instruction are as follows:


- Danger signs** - notifying of a high level or immediate risk, which may result in serious injury or death if not avoided.
- Warning signs** - notifying of a potentially hazardous situation, which may result in serious injury if not avoided.
- Caution signs** - notifying of a potentially hazardous situation, which may result in minor injury if not avoided.



Electrical Safety

| | | | |
|---|--|--|---|
|  Danger 110 volts P 200 x 300 PVC 55F4159 |  Danger 110 volts P 100 x 150 PVC 55F0208 |  Danger 230 volts P 200 x 300 PVC 55F0227 |  Danger 230 volts P 100 x 150 PVC 55F0229 |
|  Danger 240 volts P 200 x 300 PVC 55F0209 |  Danger 240 volts P 100 x 150 PVC 55F0211 |  Danger 400 volts P 200 x 300 PVC 55F0230 |  Danger 400 volts P 100 x 150 PVC 55F0232 |
|  Danger 415 volts P 200 x 300 PVC 55S0772 |  Danger 415 volts P 100 x 150 PVC 55F0213 |  Danger 440 volts P 200 x 300 PVC 55F0214 |  Danger 440 volts P 100 x 150 PVC 55F0216 |
|  Danger 6600 volts P 200 x 300 PVC 55F0217 |  Danger 6600 volts P 100 x 150 PVC 55F0219 |  Danger 11,000 volts P 200 x 300 PVC 55F0220 |  Danger 11,000 volts P 100 x 150 PVC 55F0222 |
|  Danger 240 Volts C 100 x 100 SAV 55F0857 C 100 x 100 RPVC 55F0858 * 200 x 200 SAV 55F0859 * 200 x 200 RPVC 55F0860 * 400 x 400 SAV 55F0861 * 400 x 400 RPVC 55F0862 |  Danger 415 Volts P 200 x 300 SAV 55F0837 P 200 x 300 RPVC 55F0838 U 400 x 600 SAV 55F0839 U 400 x 600 RPVC 55F0840 |  Danger 440 Volts P 200 x 300 SAV 55F0841 P 200 x 300 RPVC 55F0842 U 400 x 600 SAV 55F0843 U 400 x 600 RPVC 55F0844 |  Danger 440 Volts P 200 x 300 SAV 55F0845 P 200 x 300 RPVC 55F0846 U 400 x 600 SAV 55F0847 U 400 x 600 RPVC 55F0848 |


| |
|---|
|  Danger 110 volts P 150 x 200 PVC 55F0207 |
|  Danger 230 volts P 150 x 200 PVC 55F0228 |
|  Danger 240 volts P 150 x 200 PVC 55F0210 |
|  Danger 400 volts P 150 x 200 PVC 55F0231 |
|  Danger 415 volts P 150 x 200 PVC 55F0212 |
|  Danger 440 volts P 150 x 200 PVC 55F0215 |
|  Danger 6600 volts P 150 x 200 PVC 55F0218 |
|  Danger 11,000 volts P 150 x 200 PVC 55F0221 |




P 200 x 300 SAV 55F0849
P 200 x 300 RPVC 55F0850
U 400 x 600 SAV 55F0851
U 400 x 600 RPVC 55F0852



P 200 x 300 SAV 55F0865
P 200 x 300 RPVC 55F0866



P 200 x 300 SAV 55F0867
P 200 x 300 RPVC 55F0868
U 400 x 600 SAV 55F0869
U 400 x 600 RPVC 55F0870



P 200 x 300 SAV 55F0853
P 200 x 300 RPVC 55F0854
U 400 x 600 SAV 55F0855
U 400 x 600 RPVC 55F0856



N 300 x 100 SAV 55F0897
N 300 x 100 RPVC 55F0898
X 600 x 200 SAV 55F0899
X 600 x 200 RPVC 55F0900



N 300 x 100 SAV 55F0901
N 300 x 100 RPVC 55F0902
X 600 x 200 SAV 55F0903
X 600 x 200 RPVC 55F0904



N 300 x 100 SAV 55F0905
N 300 x 100 RPVC 55F0906
X 600 x 200 SAV 55F0907
X 600 x 200 RPVC 55F0908



N 300 x 100 SAV 55F0921
N 300 x 100 RPVC 55F0922
X 600 x 200 SAV 55F0923
X 600 x 200 RPVC 55F0924



N 300 x 100 SAV 55F0925
N 300 x 100 RPVC 55F0926
X 600 x 200 SAV 55F0927
X 600 x 200 RPVC 55F0928



N 300 x 100 SAV 55F0909
N 300 x 100 RPVC 55F0910
X 600 x 200 SAV 55F0911
X 600 x 200 RPVC 55F0912




N 300 x 100 SAV 55F0913
N 300 x 100 RPVC 55F0914
X 600 x 200 SAV 55F0915
X 600 x 200 RPVC 55F0916



N 300 x 100 SAV 55F0917
N 300 x 100 RPVC 55F0918
X 600 x 200 SAV 55F0919
X 600 x 200 RPVC 55F0920




N 300 x 100 SAV 55F0929
N 300 x 100 RPVC 55F0930




P 200 x 300 PVC 55F0193




P 200 x 300 PVC 55S0761




P 100 x 100 PVC 55F0236



P 200 x 300 PVC 55F0198



P 100 x 150 PVC 55F0195




P 100 x 150 PVC 55F0203




P 200 x 300 PVC 55S0753




P 100 x 150 PVC 55F0197




P 150 x 200 PVC 55F0194



P 150 x 200 PVC 55F4156




P 150 x 200 PVC 55F0199




P 150 x 200 PVC 55F0196




For electrical labels please refer to pages 85 & 86




Custom labels service also available




P 200 x 300 PVC 55S0758



P 100 x 150 PVC 55F0201



P 150 x 200 PVC 55F0200



L 200 x 50 PVC 55F0678



L 200 x 50 PVC 55F0677



Warning
Buried high voltage cables

X 600 x 200 RPVC 55F1471



Warning
High voltage cables overhead

X 600 x 200 RPVC 55F1470



Danger
Buried cables

P 200 x 300 SAV 55F0871
P 200 x 300 RPVC 55F0872
U 400 x 600 SAV 55F0873
U 400 x 600 RPVC 55F0874



Danger
High voltage cables overhead

P 200 x 300 PVC 55F0223



Danger
Overhead live wires

P 200 x 300 RPVC 55F2308



Danger
Overhead live wires

P 200 x 300 PVC 55F0300



Danger
Isolate main supply before opening

P 200 x 300 SAV 55F0863
P 200 x 300 RPVC 55F0864



Danger
Live busbars

P 200 x 300 PVC 55F0225



Danger
Static electricity

P 200 x 300 PVC 55F0224



Danger
Electric fence

P 200 x 300 PVC 55F4157



Danger
Overhead live wires

Y 600 x 450 SAV 55F0965
Y 600 x 450 RPVC 55F0966




Danger
Electric fence

2 per sheet
P 150 x 200 PVC 55F4158


Taktyl Braille

Have you considered using braille signs? They are a great way for your business to work towards DDA compliance!




Slippery when wet

55S9520
O 300 x 150 TAK




Caution
Forklift trucks

55F4123
O 300 x 150 TAK




Danger
Automatic machinery

55F4124
O 300 x 150 TAK



Danger
Very hot water


55F4126
O 300 x 150 TAK



Danger
Risk of electric shock


55F4125
O 300 x 150 TAK

Chemical Safety




Danger
Acid

P 200 x 300 PVC 55S0850




Danger
Acid

P 100 x 150 PVC 55S0852




Danger
Toxic

P 200 x 300 PVC 55S0862




Danger
Toxic

P 100 x 150 PVC 55F0254




Danger
Harmful fumes

P 200 x 300 PVC 55S0872




Danger
Harmful fumes

P 100 x 150 PVC 55F0263




Danger
Acid

P 150 x 200 PVC 55F0249




Danger
Toxic

P 150 x 200 PVC 55F0253




Danger
Harmful fumes

P 150 x 200 PVC 55F0262




Dangerous
chemicals

P 150 x 200 PVC 55F0257




Dangerous
chemicals

P 200 x 300 SAV 55F0981
P 200 x 300 RPVC 55F0982
U 400 x 600 SAV 55F0983
U 400 x 600 RPVC 55F0984




Dangerous
chemicals

P 100 x 150 PVC 55F0258




Dangerous
chemicals

P 200 x 300 PVC 55F0256




Dangerous
chemicals

P 100 x 100 PVC 55F0234



Dangerous
chemicals

N 300 x 100 SAV 55F1039
N 300 x 100 RPVC 55F1040
X 600 x 200 SAV 55F1041
X 600 x 200 RPVC 55F1042



Danger
Harmful fumes

L 200 x 50 PVC 55F0680



P 200 x 300 PVC 55F0260



P 200 x 300 PVC 55F0261



P 200 x 300 PVC 55S0859



P 200 x 300 PVC 55F0251



P 200 x 300 PVC 55F0255



P 200 x 300 PVC 55S0856



P 200 x 300 SAV 55F1001
P 200 x 300 RPVC 55F4172



P 200 x 300 PVC 55S0860



P 200 x 300 SAV 55F1007
P 200 x 300 RPVC 55F1008



P 200 x 300 PVC 55F0259



P 200 x 300 SAV 55F1003
P 200 x 300 RPVC 55F4173




P 200 x 300 PVC 55S0861



P 200 x 300 SAV 55F4174
P 200 x 300 RPVC 55F4175



P 200 x 300 PVC 55S0853




P 150 x 200 PVC 55F0250



P 200 x 300 PVC 55S0854



P 100 x 100 PVC 55F0233




N 300 x 100 SAV 55F1035
N 300 x 100 RPVC 55F1036
X 600 x 200 SAV 55F1037
X 600 x 200 RPVC 55F1038



Flammable & Gaseous




P 200 x 300 PVC 55S0901



P 100 x 150 PVC 55S0903




P 200 x 300 PVC 55S0907




P 100 x 150 PVC 55F0269



P 200 x 300 SAV 55F0971
P 200 x 300 RPVC 55F0972
U 400 x 600 SAV 55F0973
U 400 x 600 RPVC 55F0974



P 150 x 200 PVC 55F0265



P 150 x 200 PVC 55F0268



L 200 x 50 PVC 55F0683



N 300 x 100 SAV 55F1023
N 300 x 100 RPVC 55F1024
X 600 x 200 SAV 55F1025
X 600 x 200 RPVC 55F1026



N 300 x 100 SAV 55F1476
X 600 x 200 RPVC 55F1475



P 200 x 300 SAV 55F1011
P 200 x 300 RPVC 55F1012




P 200 x 300 PVC 55S0910




P 200 x 300 SAV 55F1013
P 200 x 300 RPVC 55F1014




P 200 x 300 PVC 55S0904




P 150 x 200 PVC 55F0266




P 150 x 200 PVC 55F0270



P 150 x 200 PVC 55F0273



P 100 x 150 PVC 55F0271



P 100 x 100 PVC 55F0235



P 100 x 150 PVC 55F0267



P 200 x 300 PVC 55F0264



L 200 x 50 PVC 55F0684



L 200 x 50 PVC 55F0682



L 200 x 50 PVC 55F0680



L 200 x 50 PVC 55F0681



L 200 x 50 PVC 55F0685



L 200 x 50 PVC 55F0679



P 200 x 300 PVC 55S0915



P 200 x 300 PVC 55S0916



P 200 x 300 PVC 55F0272



P 200 x 300 SAV 55F1772
P 200 x 300 RPVC 55F1773



P 200 x 300 SAV 55F4176
P 200 x 300 RPVC 55F1010



P 200 x 300 PVC 55F0252

CCTV Security

Since 1st March 2000 businesses operating a CCTV system must comply to the Data Protection Act 1998. This means that individuals are able to exercise their rights under the act and **'appropriately sized signs should be placed in and around areas where CCTV cameras are to be located.'**

The signs should **'Identify the owner/operator of the system and the purpose for which the data may be used.'** If the correct signs are not used, businesses will be in breach of the law and a counter claim may be launched when CCTV evidence is used in a prosecution.



P 200 x 300 SAV 55F1051
P 200 x 300 RPVC 55F1052
U 400 x 600 SAV 55F1053
U 400 x 600 RPVC 55F1054



P 200 x 300 PVC 55F0323
P 200 x 300 PVC 55F0566



P 200 x 300 PVC 55F0324



Q 300 x 400 SAV 55F1069
Q 300 x 400 RPVC 55F1070



P 300 x 200 PVC 55S1607



L 200 x 50 PVC 55F0717



P 200 x 300 PVC 55F0325



Q 300 x 400 SAV 55F1067
Q 300 x 400 RPVC 55F1068



Q 300 x 400 SAV 55F1071
Q 300 x 400 RPVC 55F1072



Q 300 x 400 SAV 55F1073
Q 300 x 400 RPVC 55F1074

These two signs below are supplied with your details already printed. Please remember to supply this information when ordering.



* 300 x 400 SAV 55F1751
* 300 x 400 RPVC 55F1752



* 300 x 400 SAV 55F1753
* 300 x 400 RPVC 55F1754

Access & Situational Awareness



P 200 x 300 SAV 55F0931
P 200 x 300 RPVC 55F0932
U 400 x 600 SAV 55F0933
U 400 x 600 RPVC 55F0934



P 200 x 300 SAV 55F0935
P 200 x 300 RPVC 55F0936
U 400 x 600 SAV 55F0937
U 400 x 600 RPVC 55F0938



P 200 x 300 SAV 55F0961
P 200 x 300 RPVC 55F0962
U 400 x 600 SAV 55F0963
U 400 x 600 RPVC 55F0964



P 200 x 300 SAV 55F0879
P 200 x 300 RPVC 55F0880
U 400 x 600 SAV 55F0881
U 400 x 600 RPVC 55F0882



P 200 x 300 PVC 55F0297



P 200 x 300 PVC 55S1104
U 400 x 600 PVC 55F0601



✱ 200 x 300 CRX 55A5287
U 400 x 600 PVC 55F0599



P 200 x 300 PVC 55S1105



P 200 x 300 PVC 55F0298



P 200 x 300 PVC 55F4160



U 400 x 600 PVC 55F0600



P 200 x 300 PVC 55F0301



P 200 x 300 SAV 55F0967
P 200 x 300 RPVC 55F0968
U 400 x 600 SAV 55F0969
U 400 x 600 RPVC 55F0970



P 200 x 300 PVC 55F0276



P 200 x 300 PVC 55F0275



P 200 x 300 PVC 55S0954
U 400 x 600 PVC 55F0594



P 200 x 300 PVC 55S0953
U 400 x 600 PVC 55S4100



P 200 x 300 PVC 55F0288



P 200 x 300 PVC 55S1103



P 200 x 300 PVC 55S1100



P 200 x 300 PVC 55F0290



P 200 x 300 PVC 55F0319



U 400 x 600 PVC 55S4107



P 200 x 300 PVC 55F0287



N 300 x 100 SAV 55F0945
N 300 x 100 RPVC 55F0946
X 600 x 200 SAV 55F0947
X 600 x 200 RPVC 55F0948



L 200 x 50 PVC 55F0687



X 600 x 200 RPVC 55F1474




Y 600 x 450 SAV 55F0957
Y 600 x 450 RPVC 55F0958



N 300 x 100 SAV 55F0943
N 300 x 100 RPVC 55F0944



L 200 x 50 PVC 55F0686



U 600 x 400 PVC 55F0574



L 200 x 50 PVC 55F0689



N 300 x 100 SAV 55F1019
N 300 x 100 RPVC 55F4177
X 600 x 200 SAV 55F1021
X 600 x 200 RPVC 55F1022





P 200 x 300 SAV 55F0985
P 200 x 300 RPVC 55F0986
U 400 x 600 SAV 55F0987
U 400 x 600 RPVC 55F0988



P 200 x 300 PVC 55F0292



P 200 x 300 SAV 55F0993
P 200 x 300 RPVC 55F0994
U 400 x 600 SAV 55F0995
U 400 x 600 RPVC 55F0996



P 200 x 300 PVC 55F0293



P 200 x 300 PVC 55F2168




P 200 x 300 PVC 55F0296



P 200 x 300 PVC 55F0294



N 300 x 100 SAV 55F1043
N 300 x 100 RPVC 55F1044
X 600 x 200 SAV 55F1045
X 600 x 200 RPVC 55F1046




U 600 x 400 PVC 55S4005
U 600 x 400 RPVC 55F2273



U 600 x 400 PVC 55F0571



U 600 x 400 PVC 55F0572



* 600 x 450 CRX 55A5288



N 300 x 100 SAV 55F1443
X 600 x 200 RPVC 55F1442



N 300 x 100 SAV 55F1445
X 600 x 200 RPVC 55F1444



P 200 x 300 SAV 55F1063
P 200 x 300 RPVC 55F1064
U 400 x 600 SAV 55F1065
U 400 x 600 RPVC 55F1066



P 200 x 300 RPVC 55F2307
P 200 x 300 PVC 55F0291
U 400 x 600 RPVC 55F2272
U 400 x 600 PVC 55S4103



P 200 x 300 PVC 55S1203
U 400 x 600 PVC 55F0598



Y 600 x 450 SAV 55F1059
Y 600 x 450 RPVC 55F1060



P 200 x 300 PVC 55F0277



U 400 x 600 PVC 55F0595



P 200 x 300 RPVC 55F2279
P 200 x 300 PVC 55F0277



Y 600 x 450 SAV 55F1459
Y 600 x 450 RPVC 55F1460




P 200 x 300 RPVC 55F2271



X 600 x 200 RPVC 55F1472



X 600 x 200 RPVC 55F1469



Y 600 x 450 SAV 55F1461
Y 600 x 450 RPVC 55F1462

If you have any requirements for specialist inks or materials please contact our sales team for assistance



P 200 x 300 PVC 55S1200
U 400 x 600 PVC 55F0596



P 200 x 300 SAV 55F1031
P 200 x 300 RPVC 55F1032
U 400 x 600 SAV 55F1033
U 400 x 600 RPVC 55F1034



P 200 x 300 SAV 55F0949
P 200 x 300 RPVC 55F0950
U 400 x 600 SAV 55F0951
U 400 x 600 RPVC 55F0952



P 200 x 300 PVC 55F4162



P 200 x 300 PVC 55F0299
U 400 x 600 PVC 55F0597



P 200 x 300 PVC 55F4161



*For our
full range
of labels
see pages
81 - 87*



X 600 x 200 RPVC 55F1473



Y 600 x 450 SAV 55F0959
Y 600 x 450 RPVC 55F0960



Y 600 x 450 SAV 55F1061
Y 600 x 450 RPVC 55F1062

Asbestos Hazard



P 200 x 300 SAV 55F0975
P 200 x 300 RPVC 55F0976
U 400 x 600 SAV 55F0977
U 400 x 600 RPVC 55F0978



P 200 x 300 PVC 55F0312




P 200 x 300 PVC 55F0313



P 200 x 300 PVC 55F0330



N 300 x 100 SAV 55F1027
N 300 x 100 RPVC 55F1028
X 600 x 200 SAV 55F1029
X 600 x 200 RPVC 55F1030




P 150 x 200 PVC 55F0329



P 200 x 300 PVC 55F0316



P 100 x 150 PVC 55F0328




P 100 x 150 PVC 55F0321



L 200 x 50 PVC 55F0691



L 200 x 50 PVC 55F0690



P 150 x 200 PVC 55F0317



P 200 x 300 PVC 55F0318



P 200 x 300 PVC 55S1301




P 200 x 300 PVC 55F0314



L 200 x 50 PVC 55F0692



L 200 x 50 PVC 55F0693



P 150 x 200 PVC 55F0320



L 200 x 50 PVC 55F0669




L 200 x 50 PVC 55F0710



* 75 x 50 SAV 55F0999
* 75 x 50 RPVC 55F1000



* 75 x 50 SAV 55F0997
* 75 x 50 RPVC 55F0998



P 150 x 200 PVC 55F0327



P 200 x 300 SAV 55F0893
P 200 x 300 RPVC 55F0894
U 400 x 600 SAV 55F0895
U 400 x 600 RPVC 55F0896



P 200 x 300 PVC 55S1306
P 200 x 300 PYC 55F0565



P 200 x 300 SAV 55F1015
P 200 x 300 RPVC 55F1016
U 400 x 600 SAV 55F1017
U 400 x 600 RPVC 55F1018



P 200 x 300 PVC 55F0315



P 200 x 300 PVC 55F0307



P 200 x 300 PVC 55F0303



P 200 x 300 SAV 55F0991
P 200 x 300 RPVC 55F0992



P 200 x 300 SAV 55F0989
P 200 x 300 RPVC 55F0990



P 100 x 100 PVC 55F0237



C 100 x 100 SAV 55F0883
C 100 x 100 RPVC 55F0884
* 200 x 200 SAV 55F0885
* 200 x 200 RPVC 55F0886
* 400 x 400 SAV 55F0887
* 400 x 400 RPVC 55F0888



P 200 x 300 SAV 55F2298
P 200 x 300 RPVC 55F2299



P 200 x 300 PVC 55S0951



P 200 x 300 PVC 55F0308



N 300 x 100 SAV 55F1047
N 300 x 100 RPVC 55F1048
X 600 x 200 SAV 55F1049
X 600 x 200 RPVC 55F1050

Noise Hazards



P 300 x 200 PVC 55F0311



P 300 x 200 PVC 55F0310



P 200 x 300 PVC 55F0309

Cleaning Hazards



P 200 x 300 SAV 55F0889
P 200 x 300 RPVC 55F0890
U 400 x 600 SAV 55F0891
U 400 x 600 RPVC 55F0892
Y 600 x 450 SAV 55F1190
Y 600 x 450 RPVC 55F1191



P 200 x 300 SAV 55F0875
P 200 x 300 RPVC 55F0876
U 400 x 600 SAV 55F0877
U 400 x 600 RPVC 55F0878



P 200 x 300 PVC 55S1107



P 200 x 300 PVC 55F0289



N 300 x 100 SAV 55F0939
N 300 x 100 RPVC 55F0940
X 600 x 200 SAV 55F0941
X 600 x 200 RPVC 55F0942



P 200 x 300 PVC 55F0295



P 200 x 300 PVC 55F0226




P 200 x 300 PVC 5F0322



P 200 x 300 PVC 55S1106



N 300 x 100 SAV 55F0953
N 300 x 100 RPVC 55F0954
X 600 x 200 SAV 55F0955
X 600 x 200 RPVC 55F0956



L 200 x 50 PVC 55F0688

2 styles of A-Boards available

Our 200 x 300mm PVC hazard warning signs are ideal for use with our Economy A-Boards. Fitting a sign on one or both sides provides an effective and economical portable sign stand.

Alternatively our Heavy Duty A-Boards come pre-printed with a selection of the most common legends. Manufactured from heavy duty polypropylene these fold flat for easy storage.

Economy

Heavy Duty

Hospital & Radiology



P 200 x 300 PVC 55F0239



P 200 x 300 PVC 55F0240



P 200 x 300 PVC 55F0241



P 200 x 300 PVC 55F0238



P 200 x 300 PVC 55F0247



P 200 x 300 PVC 55F0248




P 200 x 300 PVC 55F0284




P 200 x 300 SAV 55F0979
P 200 x 300 RPVC 55F0980




P 200 x 300 PVC 55F0246



P 200 x 300 PVC 55F0245



P 150 x 200 PVC 55F0285



P 150 x 200 PVC 55F0286



P 300 x 200 PVC 55F0244



P 300 x 200 PVC 55F0243

Metal Detectable Products

For everyone involved in the pharmaceutical or food industries, contamination can cost money and reputation.

Minimise the risk and show use of 'all due diligence' with the use of metal detectable products.

These can be detected by conventional metal detectors, and ensures that broken components can be detected and rejected.

Detectable products can be used as part of HACCP process.

For further details and information on the comprehensive range available, please contact our sales office.



Parking Hazards



P 200 x 300 PVC 55F0442



P 200 x 300 PVC 55F0441



P 300 x 200 PVC 55F0568



P 300 x 200 PVC 55F0569



P 200 x 300 PVC 55F0439



P 200 x 300 SAV 55F1055
P 200 x 300 RPVC 55F1056
U 400 x 600 SAV 55F1057
U 400 x 600 RPVC 55F1058



P 300 x 200 PVC 55F0570

Agricultural



P 200 x 300 PVC 55F2138
* 200 x 300 CRX 55F2139



P 200 x 300 PVC 55F2140
* 200 x 300 CRX 55F2141



P 200 x 300 PVC 55F2142
* 200 x 300 CRX 55F2143



P 200 x 300 SAV 55F2122
P 200 x 300 RPVC 55F2123
U 400 x 600 SAV 55F2124
U 400 x 600 RPVC 55F2125



P 200 x 300 SAV 55F2118
P 200 x 300 RPVC 55F2119
U 400 x 600 SAV 55F4218
U 400 x 600 RPVC 55F2121



P 200 x 300 PVC 55F0283



Bull in field

P 200 x 300 PVC 55F2128
* 200 x 300 CRX 55F2129



Bull Keep out

P 200 x 300 PVC 55F2130
* 200 x 300 CRX 55F2131



Beware of the bull

P 200 x 300 PVC 55F0282
* 200 x 300 CRX 55F2132




Cattle

P 200 x 300 PVC 55F2133
* 200 x 300 CRX 55F2134



Caution Cattle grid

P 200 x 300 PVC 55F2135
* 200 x 300 CRX 55F2136



Cattle crossing

P 200 x 300 PVC 55F2144
* 200 x 300 CRX 55F2145



Danger Grain silo

P 200 x 300 RPVC 55F2146
* 200 x 300 CRX 55F2147




Danger Agrochemicals

P 200 x 300 PVC 55F2137



Danger Electric fence

P 200 x 300 PVC 55F4157



Danger Electric fence

P 100 x 150 PVC 55F2159



Danger Chemical store

P 200 x 300 PVC 55S0861



Pesticide

P 200 x 300 SAV 55F1003
P 200 x 300 RPVC 55F4173



Caution Chemical spraying in progress

P 200 x 300 PVC 55F0278



Danger Agricultural chemicals

P 200 x 300 PVC 55F0281



Danger Pesticides

P 200 x 300 PVC 55F0280



Clean up all spillages immediately

P 200 x 300 PVC 55F0331



Warning Agricultural machinery operating

P 200 x 300 PVC 55F0279



Danger Moving machinery

P 200 x 300 PVC 55S0950



Caution Automatic machinery may start without Warning

P 200 x 300 PVC 55S0952



Danger Dust hazard

P 200 x 300 PVC 55F4163



Danger Barbed wire

P 200 x 300 PVC 55F0296



Caution Tractors turning Please drive carefully

P 200 x 300 SAV 55F2148
P 200 x 300 RPVC 55F2149



Caution Farm vehicles crossing

P 200 x 300 SAV 55F2150
P 200 x 300 RPVC 55F2151



Mud on road


P 200 x 300 SAV 55F2152
P 200 x 300 RPVC 55F2153



Beware of the bull

N 300 x 100 SAV 55F2126
N 300 x 100 RPVC 55F2127

2 per sheet



Isolate machine before removing guards

P 150 x 200 PVC 55F0274



Danger Electric fence

L 200 x 50 PVC 55F2154



Danger Electric fence

N 300 x 100 SAV 55F2155
N 300 x 100 RPVC 55F2156
X 600 x 200 SAV 55F2157
X 600 x 200 RPVC 55F2158



Need diamond labels see pages 81-83



These floor graphics will adhere to most smooth, clean flat surfaces and will provide a durable long lasting safety message. Each sign is backed with a high-strength adhesive and is over laminated with a NFSI certified 'High Traction' coating, providing a superior non-slip and non-abrasive face.



* 400 dia. FLR 55F1511



* 400 dia. FLR 55F1512



* 400 dia. FLR 55F1513



* 400 dia. FLR 55F1514



* 400 dia. FLR 55F1519



* 400 dia. FLR 55F1515



* 400 dia. FLR 55F1516



* 400 dia. FLR 55F1517



* 400 dia. FLR 55F1518



* 400 dia. FLR 55F4208



* 400 dia. FLR 55F1521



* 400 dia. FLR 55F1522



* 400 dia. FLR 55F1523



* 400 dia. FLR 55F1524



* 400 dia. FLR 55F1525



* 400 dia. FLR 55F1526



* 400 dia. FLR 55F1527



* 400 dia. FLR 55F1528



* 400 dia. FLR 55F1529



* 400 dia. FLR 55F1530



* 400 dia. FLR 55F1531



* 400 dia. FLR 55F1532



need a custom design?
any style...
any size...
any graphic...



Economy A-Boards

Our A-Boards are manufactured from 4mm Corex board, precision die cut and creased to provide a lightweight but sturdy A-Board. Available in yellow, this unit is provided without any signs allowing you to choose your own for maximum versatility.

TOP TIP!

When using this A-Board externally, you can weigh down the board with a brick or sandbag.



* 55F0638



Sign (55S0605) and A-Board (55F0638) in use.

Heavy Duty Pre-Printed A-Boards

A Heavy Duty polypropylene A-Board pre-printed with the most common legends in use today. Printed both sides, this A-Board folds flat for easy storage.

Height (face): 620mm
Width (top): 210mm
Width (bottom): 300mm
Depth (flat): 30mm
Depth (opened): Up to 450mm



Sign 55F0641 in use



* 55F0639



* 55F0640



* 55F0641



* 55F0642



* 55F0643



* 55F0644



* 55F0645



* 55F0646



* 55F0647



* 55F0648



* 55F0649



* 55F0650

Custom A-Boards



We can print your own logo directly onto these A-Boards, please ask for details.

Scaffolding Banner Signs

Designed for the same purpose as our Composite site signs, our banner composites are printed on a flexible reinforced banner PVC and welded for an extra strong seal.

The banner can either be attached using the 4 eyelets or scaffolding poles can be slid through the stitched 'tunnel' (see inset picture).




Barrier Banner Signs

These single sided banners are designed to be fitted to the entrance and exits of work area's, using the integral sprung poles to allow fast temporary fixing.

Manufactured from flexible banner PVC these signs would provide an obvious barrier to a dangerous area, whilst being lightweight enough so as not to pose a danger in the workplace.

The banners can be rolled up for transport and storage, and be re-used multiple times.



bespoke barriers...

Ideal for the sole worker and larger workforce alike, these barrier banners provide the ideal mix of unmissable safety message and barrier to entry.

They can be supplied with any message you require and branded with a company logo or message.

We can also manufacture double-sided, with separate or differing messages on each side.





There is a requirement under The Construction Health, Safety and Welfare Regulations 1996 to install signs on construction sites indicating traffic routes, emergency routes and exits, fire fighting equipment and general health and safety information.

In the construction industry it is vital to make employees and members of the public aware of the dangers of a construction site. Safety signs are a visual way of doing this.



Site Office

N 300 x 100 SAV 55F2202
X 300 x 100 RPVC 55F2261
X 600 x 200 RPVC 55F1446

Site Office

N 300 x 100 SAV 55F2204

Site Office

N 300 x 100 SAV 55F2203

Site Agent


N 300 x 100 SAV 55F2199

Site Agent

N 300 x 100 SAV 55F2201

Site Agent

N 300 x 100 SAV 55F2200



* 250 x 200 SAV 55F1495



* 250 x 200 SAV 55F1496

Drying room

N 300 x 100 RPVC 55F2262

Canteen

N 300 x 100 RPVC 55F2263



N 300 x 100 RPVC 55F2264



N 300 x 100 RPVC 55F2265



SITE PEDESTRIAN ENTRANCE

U 600 x 400 RPVC 55F2326
U 600 x 400 FMX 55F2325

Caution Site entrance

U 600 x 400 RPVC 55F2240
U 600 x 400 FMX 55F2239

Caution Site traffic

U 600 x 400 RPVC 55F2242
U 600 x 400 FMX 55F2241

Caution Mud on road

U 600 x 400 RPVC 55F2244
U 600 x 400 FMX 55F2243

Caution Heavy plant crossing

U 600 x 400 RPVC 55F2246
U 600 x 400 FMX 55F2245

No access to construction traffic

U 600 x 400 RPVC 55F2248
U 600 x 400 FMX 55F2247

Site access

U 600 x 400 RPVC 55F2250
U 600 x 400 FMX 55F2249

ROAD CLOSED

U 600 x 400 RPVC 55F2252
U 600 x 400 FMX 55F2251

CONCEALED ENTRANCE

U 600 x 400 RPVC 55F2254
U 600 x 400 FMX 55F2253

Pedestrians please use other footpath

U 600 x 400 RPVC 55F2256
U 600 x 400 FMX 55F2255

PEDESTRIAN WALKWAY

U 600 x 400 RPVC 55F2293
U 600 x 400 FMX 55F2292

CAUTION SPEED RAMPS

* 600 x 400 FMX 55S4350



PEDESTRIANS



U 600 x 400 RPVC 55F2258
U 600 x 400 FMX 55F2257

PEDESTRIANS



U 600 x 400 RPVC 55F2260
U 600 x 400 FMX 55F2259

PEDESTRIAN CROSSING POINT

U 600 x 400 RPVC 55F2291
U 600 x 400 FMX 55F2290

Please note that these signs are not reflective and therefore are suitable for use on private land such as work premises and private access roads.




* 400 x 400 FMX 55S4321




* 400 x 400 FMX 55S4322
* 400 x 400 RPVC 55F2237



* 400 x 400 FMX 55S4323
* 400 x 400 RPVC 55F2238



* 400 x 400 FMX 55S4330



* 400 x 400 FMX 55S4331



* 600 x 400 FMX 55S4500



U 600 x 400 PVC 55F0618



U 600 x 400 PVC 55F0619



* 600 x 400 FMX 55S4340



* 600 x 400 FMX 55S4341



* 600 x 400 FMX 55F0622



* 600 x 400 FMX 55F0623



* 600 x 400 FMX 55F0624




* 600 x 400 FMX 55F0625



*Looking for
temporary and
permanent
traffic signs...*




Please refer to pages 71-78




U 600 x 400 RPVC 55F2274



U 600 x 400 PVC 55F0616



P 300 x 200 RPVC 55F2327



U 600 x 400 PVC 55F0615



U 600 x 400 PVC 55F0614



U 400 x 300 RPVC 55F2270
U 600 x 400 PVC 55F0611
U 600 x 400 RPVC 55F2287

MOTORWAY MAINTENANCE

| | | |
|--------------|-----|---------|
| * 600 x 75 | SAV | 55F0472 |
| * 600 x 75 | PVC | 55F0473 |
| * 600 x 75 | CLG | 55F0474 |
| * 600 x 75 | MAG | 55F0475 |
| * 700 x 75 | SAV | 55F0476 |
| * 600 x 300 | SAV | 55F0477 |
| * 890 x 100 | SAV | 55F1491 |
| * 890 x 100 | MAG | 55F1492 |
| * 890 x 100 | CLG | 55F1493 |
| * 1000 x 350 | SAV | 55F0478 |

HIGHWAY MAINTENANCE

| | | |
|--------------|-----|---------|
| * 600 x 75 | SAV | 55F0483 |
| * 600 x 75 | PVC | 55F0484 |
| * 600 x 75 | CLG | 55F0485 |
| * 600 x 75 | MAG | 55F0486 |
| * 700 x 75 | SAV | 55F0487 |
| * 600 x 300 | SAV | 55F0488 |
| * 1000 x 350 | SAV | 55F0489 |



With the numerous and compound dangers found on a modern day construction site, it has become harder and harder for a site safety manager to effectively demonstrate (through the use of safety signs) the relevant safety procedures and methods of work which is a lawful requirement in recent times.

These signs have been specifically designed to provide safety managers with the information they need to display on one sign. We can also create a bespoke site safety sign with specific logo's or company branding.



800 x 600 RPVC 55A5282



800 x 600 RPVC 55A5283



800 x 600 CRX 55A5291
800 x 600 FMX 55A5280



800 x 600 CRX 55A5292
800 x 600 FMX 55A5281



800 x 600 FMX 55A5550



800 x 600 FMX 55F2721
(Irish version)



800 x 600 FMX 55F0636
800 x 600 RPVC 55F1467



600 x 800 FMX 55F0637



Own branded Composite Safety Signs

If you would like your company logo on our Composite Site safety sign, choose if you would like it at the top or at the bottom and send through the details to our sales office.




Custom Composite Safety Signs

We can also help if you would like a totally bespoke solution. Your own graphics, logos and messages can be used to design a sign to your exact specifications.






* 75 x 200 PVC 55F0345
B 82 x 202 SAV 55A1534
B 82 x 202 RPVC 55A1535



* 75 x 200 PVC 55F0347
B 82 x 202 SAV 55A1536
B 82 x 202 RPVC 55A1537



* 75 x 200 PVC 55F0346
B 82 x 202 SAV 55A1532
B 82 x 202 RPVC 55A1533



* 75 x 200 PVC 55F0348
B 82 x 202 SAV 55A1530
B 82 x 202 RPVC 55A1531



P 200 x 300 SAV 55F2309
P 200 x 300 RPVC 55F2310



* 200 x 200 SAV 55A1349
* 200 x 200 RPVC 55A1350



N 300 x 100 SAV 55F1485
T 400 x 150 SAV 55A1609
T 400 x 150 RPVC 55A1610
X 600 x 200 SAV 55A1611
X 600 x 200 RPVC 55A1612



N 300 x 100 SAV 55F1484
T 400 x 150 SAV 55A1621
T 400 x 150 RPVC 55A1622
X 600 x 200 SAV 55A1623
X 600 x 200 RPVC 55A1624



N 300 x 100 SAV 55F1482
T 400 x 150 SAV 55A1605
T 400 x 150 RPVC 55A1606
X 600 x 200 SAV 55A1607
X 600 x 200 RPVC 55A1608



N 300 x 100 SAV 55F1483
T 400 x 150 SAV 55A1601
T 400 x 150 RPVC 55A1602
X 600 x 200 SAV 55A1603
X 600 x 200 RPVC 55A1604



N 300 x 100 SAV 55F1487
O 300 x 150 SAV 55A1749
O 300 x 150 RPVC 55A1750
* 400 x 200 SAV 55A1751
* 400 x 200 RPVC 55A1752
X 600 x 200 RPVC 55F1486



N 300 x 100 SAV 55F1489
X 600 x 200 RPVC 55F1488



N 300 x 100 SAV 55F1457
X 600 x 200 RPVC 55F1456



P 300 x 200 SAV 55A1741
P 300 x 200 RPVC 55A1742
* 300 x 200 DIB 55F2321
U 600 x 400 SAV 55A1743
U 600 x 400 RPVC 55A1744
* 600 x 450 DIB 55F2322



N 300 x 100 SAV 55A1849
N 300 x 100 RPVC 55A1850
* 600 x 100 SAV 55A1851
* 600 x 100 RPVC 55A1852
* 600 x 100 PVC 55F0396



N 300 x 100 SAV 55F1455
X 600 x 200 RPVC 55F1454



* 50 x 50 SAV 55F1440



N 300 x 100 SAV 55A1873
N 300 x 100 RPVC 55A1874
X 600 x 200 RPVC 55F1451



D 100 x 150 SAV 55F1292
D 100 x 150 RPVC 55F1293
P 200 x 300 SAV 55F1294
P 200 x 300 RPVC 55F1295
U 400 x 600 SAV 55F1296
U 400 x 600 RPVC 55F1297



P 200 x 300 SAV 55F1200
P 200 x 300 RPVC 55F1201
U 400 x 600 SAV 55F1294
U 400 x 600 RPVC 55F1203



U 400 x 600 PVC 55S4052



* 150 x 50 SAV 55F1284
* 150 x 50 RPVC 55F1285
N 300 x 100 SAV 55F1286
N 300 x 100 RPVC 55F1287
X 600 x 200 SAV 55F1288
X 600 x 200 RPVC 55F1289



N 300 x 100 SAV 55F1260
N 300 x 100 RPVC 55F1261
X 600 x 200 SAV 55F1262
X 600 x 200 RPVC 55F1263



N 300 x 100 SAV 55F1246
N 300 x 100 RPVC 55F1247
X 600 x 200 SAV 55F1248
X 600 x 200 RPVC 55F1249



N 300 x 100 SAV 55F1254
N 300 x 100 RPVC 55F1255
X 600 x 200 SAV 55F1256
X 600 x 200 RPVC 55F1257



U 400 x 600 RPVC 55F2267



P 200 x 300 PVC 55F0174
U 400 x 600 PVC 55F0593



P 200 x 300 PVC 55S0605
U 400 x 600 PVC 55S4051



Y 600 x 450 SAV 55F1274
Y 600 x 450 RPVC 55F1275



U 600 x 400 PVC 55F0592



P 200 x 300 CRX 55A5284
P 200 x 300 PVC 55S0002
U 400 x 600 PVC 55S4000



P 200 x 300 SAV 55F1154
P 200 x 300 RPVC 55F1155
U 400 x 600 SAV 55F1156
U 400 x 600 RPVC 55F1157



U 400 x 600 PVC 55F0573



P 200 x 300 RPVC 55F2280
P 200 x 300 PVC 55S0255
U 400 x 600 PVC 55S4003



P 200 x 300 PVC 55F0064
U 400 x 600 PVC 55S4002



P 200 x 300 SAV 55F1182
P 200 x 300 RPVC 55F1183



C 150 x 200 SAV 55F2286
P 200 x 300 SAV 55F1142
P 200 x 300 RPVC 55F1143
P 200 x 300 PVC 55F0066
U 400 x 600 SAV 55F1144
U 400 x 600 RPVC 55F1145



C 100 x 100 SAV 55A1101
C 100 x 100 RPVC 55A1102
H 150 x 150 SAV 55A1103
H 150 x 150 RPVC 55A1104



C 100 x 100 SAV 55F4260
H 150 x 150 SAV 55F1184
H 150 x 150 RPVC 55F1185
* 200 x 200 SAV 55F1186
* 200 x 200 RPVC 55F1187
* 300 x 300 SAV 55F1188
* 300 x 300 RPVC 55F1189



Y 600 x 450 SAV 55A1019
Y 600 x 450 RPVC 55A1020



Y 600 x 450 SAV 55A1031
Y 600 x 450 RPVC 55A1032
* 600 x 450 CRX 55A5285



U 600 x 400 PVC 55F0586



N 300 x 100 SAV 55A1005
N 300 x 100 RPVC 55A1006
X 600 x 200 SAV 55A1007
X 600 x 200 RPVC 55A1008



N 300 x 100 SAV 55A0981
N 300 x 100 RPVC 55A0982
X 600 x 200 SAV 55A0983
X 600 x 200 RPVC 55A0984



N 300 x 100 SAV 55F1125
N 300 x 100 RPVC 55F1126
X 600 x 200 SAV 55F1127
X 600 x 200 RPVC 55F1128



N 300 x 100 SAV 55F1137
N 300 x 100 RPVC 55F1138
X 600 x 200 SAV 55F1139
X 600 x 200 RPVC 55F1140



X 600 x 200 RPVC 55F1441



N 300 x 100 SAV 55F1133
N 300 x 100 RPVC 55F1134
X 600 x 200 SAV 55F1135
X 600 x 200 RPVC 55F1136



N 300 x 100 SAV 55F1280
N 300 x 100 RPVC 55F1281



X 600 x 200 RPVC 55F1448



P 300 x 200 PVC 55F0009
U 600 x 400 PVC 55F0575



U 600 x 400 RPVC 55F2269
U 600 x 400 PVC 55S4001



Y 600 x 450 SAV 55A1017
Y 600 x 450 RPVC 55A1018



* 600 x 450 CRX 55A5286



P 200 x 300 RPVC 55F2279
P 200 x 300 PVC 55F0277



U 400 x 600 PVC 55F0595



P 200 x 300 RPVC 55F2271



Y 600 x 450 SAV 55F1459
Y 600 x 450 RPVC 55F1460



X 600 x 200 RPVC 55F1473



X 600 x 200 RPVC 55F1474



N 300 x 100 SAV 55F1443
X 600 x 200 RPVC 55F1442



X 600 x 200 RPVC 55F1469



N 300 x 100 SAV 55F1445
X 600 x 200 RPVC 55F1444



X 600 x 200 RPVC 55F1472

1 sign per sheet



* 600 x 450 CRX 55A5288

1 sign per sheet



U 600 x 400 PVC 55S4005
U 600 x 400 RPVC 55F2273

1 sign per sheet



U 600 x 400 PVC 55F0571




P 200 x 300 SAV 55F1013
P 200 x 300 RPVC 55F1014



N 300 x 100 SAV 55F1476
X 600 x 200 RPVC 55F1475



N 300 x 100 SAV 55F1019
N 300 x 100 RPVC 55F4177
X 600 x 200 SAV 55F1021
X 600 x 200 RPVC 55F1022



X 600 x 200 RPVC 55F1470



X 600 x 200 RPVC 55F1471



N 300 x 100 SAV 55F0921
N 300 x 100 RPVC 55F0922
X 600 x 200 SAV 55F0923
X 600 x 200 RPVC 55F0924



NON-LEAD FLASHING
HAS BEEN USED
THROUGHOUT

P 300 x 200 RPVC 55F2328

Please contact our sales team to discuss your bespoke construction safety sign requirements



Multi-message Signs



U 600 x 400 PVC 55F0576



U 600 x 400 PVC 55F0577




U 600 x 400 PVC 55F0578



U 600 x 400 PVC 55F0579




U 600 x 400 PVC 55F0580



U 600 x 400 PVC 55F0581




U 600 x 400 PVC 55F0582



U 600 x 400 PVC 55F0583



U 600 x 400 PVC 55F0584




U 600 x 400 PVC 55F0585




U 600 x 400 PVC 55F0587



U 600 x 400 PVC 55F0588



U 600 x 400 PVC 55F0589



A brief guide to sizes

This diagram gives you an idea of the comparative sizes between our main sizes.

Standard Signs (200 x 300mm)


Approximately A4 in size, used commonly both indoors and outside, where signs do not have to be read from a distance.

Jumbo Signs (400 x 600mm)

Approximately A2 in size, used where signs need to be read from a distance (and therefore require larger text).

Goliath Signs (600 x 800mm)

Our largest non-custom signs, these are used to display many safety messages on one board.



L 200 x 50 PVC 55F0651



L 200 x 50 PVC 55F0652



L 200 x 50 PVC 55F0653



L 200 x 50 PVC 55F0654



L 200 x 50 PVC 55F0655



L 200 x 50 PVC 55F0666



L 200 x 50 PVC 55F0667




L 200 x 50 PVC 55F0656



L 200 x 50 PVC 55F0657



L 200 x 50 PVC 55F0658



L 200 x 50 PVC 55F0659



L 200 x 50 PVC 55F0661



L 200 x 50 PVC 55F0660



L 200 x 50 PVC 55F0662



L 200 x 50 PVC 55F0663



L 200 x 50 PVC 55F0664



L 200 x 50 PVC 55F0665



L 200 x 50 PVC 55F0668



L 200 x 50 PVC 55F0669



L 200 x 50 PVC 55F0670



L 200 x 50 PVC 55F0671



L 200 x 50 PVC 55F0672



L 200 x 50 PVC 55F0673



L 200 x 50 PVC 55F0674



L 200 x 50 PVC 55F0675



L 200 x 50 PVC 55F0676



Wondering how big a sign actually is? Below is a brief guide to sizes

This diagram gives you an idea of the comparative sizes between our main sizes.

Mini Signs (200 x 50mm)


Ideal for areas where space is at a premium, and a commonly used size for door signs.

Standard Signs (200 x 300mm)

Approximately A4 in size, used commonly both indoors and outside, where signs do not have to be read from distance.

Jumbo Signs (400 x 600mm)

Approximately A2 in size, used where signs need to be read from a distance (and therefore require larger text).



L 200 x 50 PVC 55F0694



L 200 x 50 PVC 55F0696



L 200 x 50 PVC 55F0677



L 200 x 50 PVC 55F0678



L 200 x 50 PVC 55F0679



L 200 x 50 PVC 55F0695



L 200 x 50 PVC 55F0713



L 200 x 50 PVC 55F0680



L 200 x 50 PVC 55F0681




L 200 x 50 PVC 55F0682



L 200 x 50 PVC 55F0714



L 200 x 50 PVC 55F0715



L 200 x 50 PVC 55F0683



L 200 x 50 PVC 55F0684



L 200 x 50 PVC 55F0685




L 200 x 50 PVC 55F0716



L 200 x 50 PVC 55F0717



L 200 x 50 PVC 55F0686



L 200 x 50 PVC 55F0687




L 200 x 50 PVC 55F0688

enlarged to show detail

**IMPORTANT - DO NOT LET STRANGERS INTO YOUR HOME
FIRST - CHECK identification - CHECK account number**
Gas Account. No: _____ Tel. Account. No: _____
Electricity Account. No: _____ Water Ac. No: _____
IF IN DOUBT - KEEP THEM OUT

L 200 x 50 PVC 55F0718

Sign for the elderly to write down their utilities account numbers to check the caller is genuine.



L 200 x 50 PVC 55F0689



L 200 x 50 PVC 55F0690



L 200 x 50 PVC 55F0691



* 200 x 50 SAV / CLG 55F0719



L 200 x 50 PVC 55F0693



L 200 x 50 PVC 55F0692



L 200 x 50 PVC 55F0697



L 200 x 50 PVC 55F0698



L 200 x 50 PVC 55F0699


Note 1: See below



L 200 x 50 PVC 55F0700



L 200 x 50 PVC 55F0703



L 200 x 50 PVC 55F0701*

Note 1: See below



L 200 x 50 PVC 55F0702*



L 200 x 50 PVC 55F0704



L 200 x 50 PVC 55F0707



L 200 x 50 PVC 55F0705



L 200 x 50 PVC 55F0706



L 200 x 50 PVC 55F0708



L 200 x 50 PVC 55F0712



L 200 x 50 PVC 55F0709



L 200 x 50 PVC 55F0710



L 200 x 50 PVC 55F0711

* This sign should be accompanied by an appropriate running man symbol.


Our mini signs are ideal for use in areas where space constraints make larger signs impractical or unsightly. Manufactured from self adhesive PVC, they are quick to fix and are commonly used throughout offices and commercial establishments.

Their small size also makes them ideal for placement near to - or even on the area or equipment to which they are appertaining to, ensuring that staff and public receive the appropriate message at the most opportune time.


If you need a specific message not shown on these pages, then we can custom make it - ask our sales office.



Stainless Steel Effect



L 200 x 50 SSE 55F0780




L 200 x 50 SSE 55F0781



L 200 x 50 SSE 55F0786



L 200 x 50 SSE 55F0782




L 200 x 50 SSE 55F0783



L 200 x 50 SSE 55F0784




L 200 x 50 SSE 55F0785



L 200 x 50 SSE 55F0787




L 200 x 50 SSE 55F0788




L 200 x 50 SSE 55F0792




L 200 x 50 SSE 55F0793




L 200 x 50 SSE 55F0791




L 200 x 50 SSE 55F0794




L 200 x 50 SSE 55F0795




L 200 x 50 SSE 55F4259




L 200 x 50 SSE 55F2177



L 200 x 50 SSE 55F0796




L 200 x 50 SSE 55F2169




L 200 x 50 SSE 55F2170




L 200 x 50 SSE 55F0789




L 200 x 50 SSE 55F2171



L 200 x 50 SSE 55F2172




L 200 x 50 SSE 55F2173



L 200 x 50 SSE 55F2174




L 200 x 50 SSE 55F2175



L 200 x 50 SSE 55F2176



L 200 x 50 SSE 55F0790



Polished Gold Effect



L 200 x 50 POL 55F0720



L 200 x 50 POL 55F0721



L 200 x 50 POL 55F0724



L 200 x 50 POL 55F0722



L 200 x 50 POL 55F0723



L 200 x 50 POL 55F0771



L 200 x 50 POL 55F0725



L 200 x 50 POL 55F0726



L 200 x 50 POL 55F0730



L 200 x 50 POL 55F0731



L 200 x 50 POL 55F0728



L 200 x 50 POL 55F0727



L 200 x 50 POL 55F0729



L 200 x 50 POL 55F0734



L 200 x 50 POL 55F0735



L 200 x 50 POL 55F0773



L 200 x 50 POL 55F0732



L 200 x 50 POL 55F0733



L 200 x 50 POL 55F0736



L 200 x 50 POL 55F0755



L 200 x 50 POL 55F0756



L 200 x 50 POL 55F0774



L 200 x 50 POL 55F0775



L 200 x 50 POL 55F0769



L 200 x 50 POL 55F0765



L 200 x 50 POL 55F0764



L 200 x 50 POL 55F0757



L 200 x 50 POL 55F0737



L 200 x 50 POL 55F0742



L 200 x 50 POL 55F0740



L 200 x 50 POL 55F0741



L 200 x 50 POL 55F0738



L 200 x 50 POL 55F0739



L 200 x 50 POL 55F0745



L 200 x 50 POL 55F0747



L 200 x 50 POL 55F0776



L 200 x 50 POL 55F0746



L 200 x 50 POL 55F0744



L 200 x 50 POL 55F0770



L 200 x 50 POL 55F0748



L 200 x 50 POL 55F0772



L 200 x 50 POL 55F0777



L 200 x 50 POL 55F0749



L 200 x 50 POL 55F0758



L 200 x 50 POL 55F0779



L 200 x 50 POL 55F0743



L 200 x 50 POL 55F0750



L 200 x 50 POL 55F0759



L 200 x 50 POL 55F0752



L 200 x 50 POL 55F0762



L 200 x 50 POL 55F0760



L 200 x 50 POL 55F0761



L 200 x 50 POL 55F0750



L 200 x 50 POL 55F0754



L 200 x 50 POL 55F0778



L 200 x 50 POL 55F0768




L 200 x 50 POL 55F0751



L 200 x 50 POL 55F0766



L 200 x 50 POL 55F0763




L 200 x 50 POL 55F0767



Chrome Effect



L 200 x 50 CHR 55F2722



L 200 x 50 CHR 55F2723



L 200 x 50 CHR 55F2726



L 200 x 50 CHR 55F2724



L 200 x 50 CHR 55F2725



L 200 x 50 CHR 55F2773



L 200 x 50 CHR 55F2727



L 200 x 50 CHR 55F2728



L 200 x 50 CHR 55F2732



L 200 x 50 CHR 55F2733



L 200 x 50 CHR 55F2730



L 200 x 50 CHR 55F2729



L 200 x 50 CHR 55F2731



L 200 x 50 CHR 55F2736



L 200 x 50 CHR 55F2737



L 200 x 50 CHR 55F2775



L 200 x 50 CHR 55F2734



L 200 x 50 CHR 55F2735



L 200 x 50 CHR 55F2738



L 200 x 50 CHR 55F2757



L 200 x 50 CHR 55F2758



L 200 x 50 CHR 55F2776



L 200 x 50 CHR 55F2777



L 200 x 50 CHR 55F2771



L 200 x 50 CHR 55F2767




L 200 x 50 CHR 55F2766




L 200 x 50 CHR 55F2759



L 200 x 50 CHR 55F2739



L 200 x 50 CHR 55F2744



L 200 x 50 CHR 55F2742



L 200 x 50 CHR 55F2743



L 200 x 50 CHR 55F2740



L 200 x 50 CHR 55F2741



L 200 x 50 CHR 55F2747



L 200 x 50 CHR 55F2749



L 200 x 50 CHR 55F2778



L 200 x 50 CHR 55F2748



L 200 x 50 CHR 55F2746



L 200 x 50 CHR 55F2772



L 200 x 50 CHR 55F2750




L 200 x 50 CHR 55F2774



L 200 x 50 CHR 55F2779



L 200 x 50 CHR 55F2751



L 200 x 50 CHR 55F2760



L 200 x 50 POL 55F2781




L 200 x 50 CHR 55F2745



L 200 x 50 CHR 55F2752



L 200 x 50 CHR 55F2761



L 200 x 50 CHR 55F2762



L 200 x 50 CHR 55F2763



L 200 x 50 CHR 55F2755

L 200 x 50 CHR 55F2754



L 200 x 50 CHR 55F2780



L 200 x 50 CHR 55F2770




L 200 x 50 CHR 55F2753



L 200 x 50 CHR 55F2768



L 200 x 50 CHR 55F2765



L 200 x 50 CHR 55F2769


L 200 x 50 CHR 55F2756



Brushed Gold Metallic Effect

This metal coated plastic has been manufactured to show a soft grain, similar to stainless steel but without the cost.

These signs are ideal for marking of entrances and doors, and can be used both indoors and outdoors.



55F0495

E 120 x 122 BRG



55F0497

E 120 x 122 BRG

LADIES

M 220 x 60 BRG 55F0494

GENTLEMEN

M 220 x 60 BRG 55F0496



55F0498

E 120 x 122 BRG



55F0509

E 120 x 122 BRG

TOILET

M 220 x 60 BRG 55F0508



55F0514

M 60 x 220 BRG



55F0515

M 60 x 220 BRG

TOILETS

M 220 x 60 BRG 55F0499

RECEPTION

M 220 x 60 BRG 55F0508

NO SMOKING

M 220 x 60 BRG 55F0493

NO ENTRY

M 220 x 60 BRG 55F0510

OFFICE

M 220 x 60 BRG 55F4168

BATHROOM

M 220 x 60 BRG 55F0500

MIND YOUR HEAD

M 220 x 60 BRG 55F0513

MIND THE STEP

M 220 x 60 BRG 55F0512

PRIVATE

M 220 x 60 BRG 55F0503



M 220 x 60 BRG 55F0511

STAFF ROOM

M 220 x 60 BRG 55F4169

STAFF ONLY

M 220 x 60 BRG 55F4170

KITCHEN


M 220 x 60 BRG 55F4171

**PLEASE RING
FOR ATTENTION**

M 220 x 60 BRG 55F0507

Brushed Silver Metallic Effect

In addition this material is also ideal for engraving, and will provide a prestige and lasting sign without the expense of a stainless steel substrate.



55F0518

E 120 x 122 BRS



55F0520

E 120 x 122 BRS

LADIES

M 220 x 60 BRS 55F0517

GENTLEMEN

M 220 x 60 BRS 55F0519



55F0521

E 120 x 122 BRS



55F0532

E 120 x 122 BRS

TOILET

M 220 x 60 BRS 55F0531



55F0537

M 60 x 220 BRS



55F0538

M 60 x 220 BRS

TOILETS

M 220 x 60 BRS 55F0499

RECEPTION

M 220 x 60 BRS 55F0524

NO SMOKING

M 220 x 60 BRS 55F0516

NO ENTRY

M 220 x 60 BRS 55F0533

OFFICE

M 220 x 60 BRS 55F0525

BATHROOM

M 220 x 60 BRS 55F0523

MIND YOUR HEAD

M 220 x 60 BRS 55F0536

MIND THE STEP

M 220 x 60 BRS 55F0535

PRIVATE

M 220 x 60 BRS 55F0526



M 220 x 60 BRS 55F0534

STAFF ROOM

M 220 x 60 BRS 55F0527

STAFF ONLY

M 220 x 60 BRS 55F0528


KITCHEN

M 220 x 60 BRS 55F0529


**PLEASE RING
FOR ATTENTION**

M 220 x 60 BRS 55F0530


Finger Plates




Door Sign Discs



Key to material finishes



Door Sign Plates



General

NOTICE
It is illegal to sell
alcohol to anyone
under the age of 18

P 300 x 200 PVC 55F0433

NOTICE
It is illegal to sell
tobacco products
to persons under 18

P 300 x 200 PVC 55F0434

NOTICE
Concealed CCTV
cameras operate on
these premises

P 300 x 200 PVC 55S1607

DRUGS
Any person found either
possessing, using or
distributing any type of
drug will be reported to
the police and banned
from these premises

P 300 x 200 PVC 55F0435

CAR PARK
Vehicles & contents
are left entirely
at owner's risk

P 300 x 200 PVC 55F0436

Disclaimer Notice
Vehicles and their contents are left
here entirely at owner or driver risk.
Management do not accept
responsibility whatsoever for any
loss or damage to vehicles or
their contents.
The Management

P 300 x 200 PVC 55F0452

WARNING
Vehicles parked here
without authorisation
will be wheel clamped

P 300 x 200 PVC 55F0437

**CUSTOMER
PARKING
ONLY**

P 300 x 200 PVC 55F0438

**Please ask
for assistance**

P 300 x 200 PVC 55F4225

**Site
office**

P 300 x 200 PVC 55F0440

**THIS SHOP
IS SECURITY
PATROLLED**

P 300 x 200 PVC 55F4226

**TRESPASSERS
WILL BE
PROSECUTED**

P 300 x 200 PVC 55F0446

**Please keep
this gate
shut**

P 300 x 200 PVC 55F2162

**PRIVATE
PROPERTY
KEEP OUT**

P 300 x 200 PVC 55S1652

**SHOPLIFTERS
WILL BE
PROSECUTED**

P 300 x 200 PVC 55F0447

**THESE
PREMISES
ARE ALARMED**

P 300 x 200 PVC 55F0448

**Disabled
parking
only**

* 300 x 200 PVC 55F0564

**Please
keep off
the grass**

* 200 x 300 PVC 55F0563

WARNING
Concealed CCTV cameras
operate on these premises

L 200 x 50 PVC 55F0717

**PLEASE SHUT
THE GATE**

L 200 x 50 PVC 55F0713

KEEP DRIVEWAY CLEAR

L 200 x 50 PVC 55F0715

**Beware
OF THE DOG**

L 200 x 50 PVC 55F0714

Window sticker & vinyl sign

WARNING
Property at these premises
has been security marked
and recorded for identification

L 200 x 50 PVC 55F0716

**NO TOOLS OR EQUIPMENT
ARE STORED IN THIS
VEHICLE OVERNIGHT**

* 200 x 50 SAV / CLG 55F0719

Smoking Permitted

**Cigarettes
only**

D 100 x 150 SAV 55F1399
D 100 x 150 RPVC 55F1400

**Smoking
area**

N 300 x 100 SAV 55F1387
N 300 x 100 RPVC 55F1388

**Place all cigarette
ends in the bin
provided**

N 300 x 100 SAV 55F1385
N 300 x 100 RPVC 55F1386

**Designated
smoking area.
Please discard
cigarette ends
in the bins
provided.**

P 200 x 300 PVC 55F0444

**This company
promotes a smoke
free environment**

N 300 x 100 SAV 55F1389
N 300 x 100 RPVC 55F1390

**Designated
smoking
area**

P 300 x 200 SAV 55F1401
P 300 x 200 RPVC 55F4196

**This is a
designated
smoking
area**

P 200 x 300 PVC 55F0443

**A smoking shelter
is located at**

N 300 x 100 SAV 55F1395
N 300 x 100 RPVC 55F1396

**Designated
smoking area**

P 300 x 200 PVC 55F0445

**Smoking is permitted
in this area**

L 200 x 50 PVC 55F0711

**Extinguish your
cigarettes here**

N 300 x 100 SAV 55F1383
N 300 x 100 RPVC 55F1384

**Smoking
shelter
located at**

P 300 x 200 SAV 55F1403
P 300 x 200 RPVC 55F4197

**Leolir lloches ymgy yn
A smoking shelter is located at**

N 300 x 100 SAV 55F1397
N 300 x 100 RPVC 55F1398

enlarged to show detail
IMPORTANT - DO NOT LET STRANGERS INTO YOUR HOME
FIRST - CHECK identification - CHECK account number
Gas Account. No: Tel. Account. No:
Electricity Account. No: Water Ac. No:
IF IN DOUBT - KEEP THEM OUT

L 200 x 50 PVC 55F0718

Sign for the elderly to write down their utilities account numbers
to check the caller is genuine.

**Smoking shelters
available on
request please ask
for details.**



For information on giving up
smoking contact the NHS helpline
on - 0800 169 0169 or
www.givingupsmoking.co.uk

O 300 x 150 SAV 55F1379
O 300 x 150 RPVC 55F1380

The company accepts no liability
for any illness contracted through
smoking while using this shelter.

O 300 x 150 SAV 55F1381
O 300 x 150 RPVC 55F1382

Smoking shelter

N 300 x 100 SAV 55F1391
N 300 x 100 RPVC 55F1392

Smoking shelter

N 300 x 100 SAV 55F1393
N 300 x 100 RPVC 55F1394



› Signs for the visually impaired

The 'Taktype' Signs brand name is a range of vacuum formed braille signs for the visually impaired. 'Taktype' is the leading brand of braille sign, making them the preferred choice wherever signs are specified.

Taktype Signs started to operate in 1994 and have worked with the Royal National Institute for the Blind, Centre for Accessible Environments, Sensory Advisory Council, schools for the visually impaired, resource centres and homes for the elderly. The culmination of this has been the production of a 'definitive design' to meet the demands of all these sectors.

- Made from moulded matt finish plastic to prevent reflection
- Patented locating ring - guides the hand to the centre where the information can easily be found
- Smooth contour lettering and pictograms
- Self adhesive backing for instant fixing
- One piece die-moulded construction provides high quality at a low cost
- Light and Dark colour backgrounds available to highlight colour contrast of background walls

› The Disability Discrimination Act 1995 (DDA)

On the 1st October 2004 the Government implemented Part III of the Disability Discrimination Act (DDA).

Part III of the act applies to any person or any organisation or entity which is concerned with the provision in the United Kingdom of services (including goods and facilities) to the public or a section of the public.

This will mean that physical adaptations, such as the provision for auxiliary aids such as Braille and embossed signs will now be required and service providers should plan for this implementation now to avoid potentially long lead times.

Fire Exit & Safe Condition



55F3948
W 450 x 150 TAK



55S9500
W 450 x 150 TAK



55F3951
W 450 x 150 TAK



55F3966
W 450 x 150 TAK



55F3952
W 450 x 150 TAK



55S9501
W 450 x 150 TAK



55F3954
W 450 x 150 TAK



55F3969
W 450 x 150 TAK



55F3956
W 450 x 150 TAK



55S9502
W 450 x 150 TAK



55F3958
W 450 x 150 TAK



55S9505
W 450 x 150 TAK



55F3960
W 450 x 150 TAK



55S9503
W 450 x 150 TAK



55F3962
W 450 x 150 TAK



55F3974
W 450 x 150 TAK



55F3896
V 450 x 125 TAK



55F3898
V 450 x 125 TAK



55S9510
O 300 x 150 TAK



55S9506
O 300 x 150 TAK



55S9509
O 300 x 150 TAK



55S9508
I 300 x 150 TAK

Fire Extinguisher & Equipment



55F3986
O 300 x 150 TAK



55F3988
O 300 x 150 TAK



55S9519
H 150 x 150 TAK



55S9518
H 150 x 150 TAK

Prohibition



55F3978
O 300 x 150 TAK



55F3976
O 300 x 150 TAK



55F3980
O 300 x 150 TAK



55F3977
O 300 x 150 TAK



55F3979
O 300 x 150 TAK

Mandatory




55F3899
H 150 x 150 TAK



55S9514
H 150 x 150 TAK



55S9516
H 150 x 150 TAK



55F4127
O 300 x 150 TAK



55S9515
H 150 x 150 TAK

Hazard Warning



55S9520
O 300 x 150 TAK



55F4123
O 300 x 150 TAK



55F4124
O 300 x 150 TAK



55F4126
O 300 x 150 TAK



55F4125
O 300 x 150 TAK



55F3924

O 300 x 150 TAK



55F3926

O 300 x 150 TAK



55F4005

I 225 x 150 TAK



55F4011

I 225 x 150 TAK



55F3891

I 225 x 150 TAK



55F3893

I 225 x 150 TAK



55F3918

O 300 x 150 TAK



55S9553

O 300 x 150 TAK



55F3885

I 225 x 150 TAK



55F4091

I 225 x 150 TAK



55F4061

I 225 x 150 TAK



55F4065

I 225 x 150 TAK



55F3932

O 300 x 150 TAK



55F3934

O 300 x 150 TAK



55F4067

I 225 x 150 TAK



55F4069

I 225 x 150 TAK



55F4071

I 225 x 150 TAK



55F4073

I 225 x 150 TAK



55F4077

O 300 x 150 TAK



55F4079

O 300 x 150 TAK



55F3908

I 225 x 150 TAK



55F4075

I 225 x 150 TAK



55F3910

I 225 x 150 TAK



55F3943

I 225 x 150 TAK



55F4081

O 300 x 150 TAK



55F4105

O 300 x 150 TAK



55F3945

I 225 x 150 TAK



55F3947

I 225 x 150 TAK



55F3936

I 225 x 150 TAK



55F4103

I 225 x 150 TAK



55F4083

O 300 x 150 TAK



55F4085

O 300 x 150 TAK



55F4111

I 225 x 150 TAK



55F3938

I 225 x 150 TAK



55F4107

I 225 x 150 TAK



55F4093

I 225 x 150 TAK



55F4121

O 300 x 150 TAK



55F4117

O 300 x 150 TAK



55F4119

I 225 x 150 TAK



55F3875

H 150 x 150 TAK



55F4101

O 300 x 150 TAK



55F3940

O 300 x 150 TAK



55F4059

H 150 x 150 TAK



55F4063

H 150 x 150 TAK



55F4113

O 300 x 150 TAK



55F3930

* 100 x 75 TAK



55F4021

H 150 x 150 TAK



55F4023

H 150 x 150 TAK



55F4025

H 150 x 150 TAK



55F4027

H 150 x 150 TAK



55F3928

* 100 x 75 TAK



55F4031

H 150 x 150 TAK



55F4033

H 150 x 150 TAK



55F4035

H 150 x 150 TAK



55F4037

H 150 x 150 TAK



55F4109

P 300 x 200 TAK

As we manufacture all of our Takhtyle signs in house, we can manufacture them to suit your exact requirements.



55S9523
H 150 x 150 TAK



55S9525
H 150 x 150 TAK



55F3997
H 150 x 150 TAK



55F3995
H 150 x 150 TAK



55F4013
H 150 x 150 TAK



55F3873
H 150 x 150 TAK



55F3999
H 150 x 150 TAK



55S9533
H 150 x 150 TAK



55F3883
H 150 x 150 TAK



55F4015
H 150 x 150 TAK



55F3991
H 150 x 150 TAK



55F3993
H 150 x 150 TAK



55F4001
H 150 x 150 TAK



55F4003
H 150 x 150 TAK



55F4087
H 150 x 150 TAK



55F4017
H 150 x 150 TAK



55F4019
H 150 x 150 TAK



55F3912
H 150 x 150 TAK



55S9541
H 150 x 150 TAK



55F4089
H 150 x 150 TAK



55F4095
H 150 x 150 TAK



55F4097
H 150 x 150 TAK



55F4099
H 150 x 150 TAK



55F3904
H 150 x 150 TAK



55F3906
H 150 x 150 TAK



55F3920
H 150 x 150 TAK



55F3922
H 150 x 150 TAK



55F3914
H 150 x 150 TAK



55F3916
H 150 x 150 TAK



55F3902
H 150 x 150 TAK



55F4043
O 300 x 150 TAK



55F4041
O 300 x 150 TAK



55F4047
O 300 x 150 TAK



55F4057
O 300 x 150 TAK



55F4045
O 300 x 150 TAK



55F4049
O 300 x 150 TAK



55F4053
O 300 x 150 TAK



55F4051
O 300 x 150 TAK



55F4055
O 300 x 150 TAK



55F4115
H 150 x 150 TAK



55F4009
I 225 x 150 TAK



55F4007
I 225 x 150 TAK

Looking for a bespoke Taktyle braille sign?

As manufacturers we have total control of our production process for our Taktyle braille signs. If you have a specific request, including custom colours or logo's, please give our sales office a call and we will be pleased to help.



55F3881
I 150 x 225 TAK



55F3887
I 150 x 225 TAK



55F3889
I 150 x 225 TAK



55F3869
I 150 x 225 TAK



55F3871
I 150 x 225 TAK



55F3877
I 150 x 225 TAK



55F3879
I 150 x 225 TAK



Way In

55F3923

300 x 150 TAK



Way Out

55F3925

300 x 150 TAK



Toilets

55F4004

225 x 150 TAK



55F4010

225 x 150 TAK



55F3890

225 x 150 TAK



55F3892

225 x 150 TAK



Entrance

55F3917

300 x 150 TAK



Reception

55S9552

300 x 150 TAK



55F3884

225 x 150 TAK



Creche

55F4090

225 x 150 TAK



Basement

55F4060

225 x 150 TAK



Ground

55F4064

225 x 150 TAK



Main Entrance

55F3931

300 x 150 TAK



Main Entrance

55F3933

300 x 150 TAK



First Floor

55F4066

225 x 150 TAK



Second Floor

55F4068

225 x 150 TAK



Third Floor

55F4070

225 x 150 TAK



Fourth Floor

55F4072

225 x 150 TAK



Reception

55F4076

300 x 150 TAK



Reception

55F4078

300 x 150 TAK



Stairs

55F3907

225 x 150 TAK



Level

55F4074

225 x 150 TAK



Steps

55F3909


225 x 150 TAK



Exit

55F3941

225 x 150 TAK



Enquiries

55F4080

300 x 150 TAK



Please Ring for Assistance

55F4104

300 x 150 TAK



Exit

55F3944

225 x 150 TAK



Exit

55F3946

225 x 150 TAK



No Entry

55F3935

225 x 150 TAK



Staff Room

55F4102


225 x 150 TAK



Enquiries

55F4082

300 x 150 TAK



Enquiries

55F4084

300 x 150 TAK



Staff Only

55F4110

225 x 150 TAK



No Public Access

55F3937

225 x 150 TAK



Private

55F4106

225 x 150 TAK



Braille Room

55F4092

225 x 150 TAK



Press for Exit

55F4120

300 x 150 TAK



No Admittance

55F4116

300 x 150 TAK



Alarm Pull Cord

55F4118

225 x 150 TAK



55F3874

150 x 150 TAK



Please ask for assistance

55F4108

300 x 200 TAK

One colour



55S9521

150 x 150 TAK



Waiting Room

55F4100

300 x 150 TAK



Mind The Step

55F3939

300 x 150 TAK



SB

55F4058

150 x 150 TAK



LG

55F4062

150 x 150 TAK



Staff Only

55F4112

300 x 150 TAK



55F3929

100 x 75 TAK



55F3927

100 x 75 TAK



1

55F4020

150 x 150 TAK



2

55F4022

150 x 150 TAK



3

55F4024

150 x 150 TAK



4

55F4026

150 x 150 TAK



5

55F4028

150 x 150 TAK



6

55F4030


150 x 150 TAK



7

55F4032

150 x 150 TAK



8

55F4034

150 x 150 TAK



9

55F4036

150 x 150 TAK



10

55F4038

150 x 150 TAK

- Made from moulded matt finish plastic to prevent reflection
- Patented locating ring - guides the hand to the centre where the information can easily be found
- Smooth contour lettering and pictograms
- Self adhesive backing
- One piece die-moulded construction provides
- Light and dark colour backgrounds available to highlight colour contrast



55S9522
H 150 x 150 TAK



55S9524
H 150 x 150 TAK



55F3996
H 150 x 150 TAK



55F3994
H 150 x 150 TAK



55F4012
H 150 x 150 TAK



55F3872
H 150 x 150 TAK



55F3998
H 150 x 150 TAK



55S9532
H 150 x 150 TAK



55F3882
H 150 x 150 TAK



55F4014
H 150 x 150 TAK



55F3990
H 150 x 150 TAK



55F3992
H 150 x 150 TAK



55F4000
H 150 x 150 TAK



55F4002
H 150 x 150 TAK



55F4086
H 150 x 150 TAK




55F4016
H 150 x 150 TAK



55F4018
H 150 x 150 TAK



55F3911
H 150 x 150 TAK



55S9540
H 150 x 150 TAK



55F4088
H 150 x 150 TAK




55F4094
H 150 x 150 TAK




55F4096
H 150 x 150 TAK



55F4098
H 150 x 150 TAK



55F3903
H 150 x 150 TAK



55F3905
H 150 x 150 TAK



55F3919
H 150 x 150 TAK



55F3921
H 150 x 150 TAK




55F3913
H 150 x 150 TAK



55F3915
H 150 x 150 TAK



55F3901
H 150 x 150 TAK



55F4042
O 300 x 150 TAK



55F4040
O 300 x 150 TAK



55F4046
O 300 x 150 TAK



55F4056
O 300 x 150 TAK



55F4044
O 300 x 150 TAK



55F4048
O 300 x 150 TAK



55F4052
O 300 x 150 TAK



55F4050
O 300 x 150 TAK



55F4054
O 300 x 150 TAK




55F4114
H 150 x 150 TAK



55F4008
I 225 x 150 TAK



55F4006
I 225 x 150 TAK



55F3880
I 150 x 225 TAK



55F3886
I 150 x 225 TAK




55F3888
I 150 x 225 TAK




55F3868
I 150 x 225 TAK



55F3870
I 150 x 225 TAK



55F3876
I 150 x 225 TAK



55F3878
I 150 x 225 TAK

Taktyle Braille Finger Plates

Taktyle finger plate signs are ideal for placing next to entrances or onto the doors themselves to give both safety and directional information.

Reverse printed for lasting image quality even when used as a finger plate, the braille lettering on the sign allows the message to be read by partially sighted persons. Each sign comes with a self adhesive backing for instant fixing.



55F4140
A 75 x 300 TAK



55F4142
A 75 x 300 TAK



55F4136
A 75 x 300 TAK



55F4138
A 75 x 300 TAK



55F4144
A 75 x 300 TAK



55F4146
A 75 x 300 TAK



55F4132
A 75 x 300 TAK



55F4134
A 75 x 300 TAK



55F4150
A 75 x 300 TAK



55F4151
A 75 x 300 TAK



55F4148
A 75 x 300 TAK



55F4149
A 75 x 300 TAK



55F4128
A 75 x 300 TAK



55F4129
A 75 x 300 TAK



55F4130
A 75 x 300 TAK




55F4131
A 75 x 300 TAK


Contract Braille Labels

The technology behind these labels was developed in conjunction with the RNIB. Our production process ensures that the height of the raised dots is always between 0.25 and 0.5mm, which is the approved standard for braille labels.


- Manufactured from tough polypropylene.
- Printed using lightfast inks.
- Strong, permanent adhesive.
- Matt varnished to reduce glare.
- Complete with 'locator'.
- Available in packs of 10.



* 100 x 100 TAKVI 55F0556



* 100 x 100 TAKVI 55F0557



With locator to help 'lead' the fingers onto the braille.

65

Safety Posters



✱ 590 x 420 LAM 55F1690



✱ 590 x 420 LAM 55F1691



✱ 590 x 420 LAM 55F1692



✱ 590 x 420 LAM 55F1693



✱ 590 x 420 LAM 55F1694



✱ 590 x 420 LAM 55F1695



✱ 590 x 420 LAM 55F1696



✱ 590 x 420 LAM 55F1697



✱ 590 x 420 LAM 55F1698



✱ 590 x 420 LAM 55F1699



✱ 590 x 420 LAM 55A3009



✱ 590 x 420 LAM 55A3008



✱ 590 x 420 LAM 55F1700



✱ 590 x 420 LAM 55F1701



✱ 590 x 420 LAM 55F1702



✱ 590 x 420 LAM 55A3004



✱ 590 x 420 LAM 55A3003



✱ 590 x 420 LAM 55A3005



✱ 590 x 420 LAM 55F1703



✱ 590 x 420 LAM 55A3013



✱ 590 x 420 LAM 55F1704



✱ 590 x 420 LAM 55F1705



✱ 590 x 420 LAM 55F1706



✱ 590 x 420 LAM 55A3001



✱ 590 x 420 LAM 55F2276



✱ 590 x 420 LAM 55F2277



✱ 590 x 420 LAM 55F2278



55A5301 - Accident Book
55F1707 - Accident Book Folder

By law every business must record accidents to employees and visitors, this book provides a quick and easy system for recording these incidents.

- Accident Book enables compliance with all requirements of the Social Security Administration Act 1992 and Data Protection Act 1996.
- Holds up to 53 incidents
- Folder provides secure storage and indexing for Book.
- Folder includes useful guidance notes for completing and storing accident records.

Fire Safety Log Book



55F1708 - Fire Safety Log Book

- Keeps critical Fire Safety information in one place.
- Includes tips on
 - Staff Training
 - Fire Drills
 - Fire Alarms
 - Fire Extinguishers
 - Emergency Lighting
 - Fire Doors
- Easy to use format

RoSPA Safety Posters

A range of posters specially designed by The Royal Society for the Prevention of Accidents (RoSPA) to highlight hazards and safe practice procedures in everyday life.

Each poster is available in standard paper or with a hard-wearing laminated face.



* 508 x 672 PAP 55F1709
* 508 x 672 LAM 55F1710




* 508 x 672 PAP 55F1711
* 508 x 672 LAM 55F1712



* 508 x 672 PAP 55F1713
* 508 x 672 LAM 55F1714




* 508 x 672 PAP 55F1715
* 508 x 672 LAM 55F1716




* 508 x 672 PAP 55F1717
* 508 x 672 LAM 55F1718



* 508 x 672 PAP 55F1719
* 508 x 672 LAM 55F1720




* 508 x 672 PAP 55F1721
* 508 x 672 LAM 55F1722



* 508 x 672 PAP 55F1723
* 508 x 672 LAM 55F1724



* 508 x 672 PAP 55F1725
* 508 x 672 LAM 55F1726



* 508 x 672 PAP 55F1727
* 508 x 672 LAM 55F1728

Snap Frames

Our 'Snap Open, Snap Shut' Frames are manufactured from aluminium, in a range of popular sizes. Each has a 25mm extruded and self coloured frame, and comes complete with fixings.

Other colours, profile sizes and finishes are also available - please contact the sales office for further details.

| Display Size | Code |
|------------------|---------|
| A4 (210 x 297mm) | 55F1497 |
| A3 (297 x 420mm) | 55F1498 |
| A2 (420 x 594mm) | 55F1499 |
| A1 (594 x 841mm) | 55F1500 |



Lockable Poster Frames

Secure, waterproof and vandal resistant which are suitable for indoor and outdoor use. These frames have a 45mm self colour extruded aluminium frame and a 2mm thick clear plastic front face to protect its contents.

| Display Size | Code |
|---------------------------|---------|
| A4 (210 x 297mm) | 55F1501 |
| A3 (297 x 420mm) | 55F4203 |
| A2 (420 x 594mm) | 55F1503 |
| A1 (594 x 841mm) | 55F4204 |
| A0 (841 x 1189mm) | 55F4205 |
| 20" x 30" (508 x 762mm) | 55F4206 |
| 30" x 40" (762 x 1016mm) | 55F1507 |
| 40" x 60" (1016 x 1524mm) | 55F1508 |



Pin Boards



High quality felt pin boards with a silver anodised aluminium frame. The 8mm thick softboard back is flame resistant and available in a range of colours.

| Display Size | Code | Colour |
|--------------|---------|--------|
| 900 x 600mm | 55F2376 | Blue |
| 900 x 600mm | 55F2377 | Red |
| 900 x 600mm | 55F2378 | Grey |
| 900 x 600mm | 55F2379 | Green |
| 1200 x 900mm | 55F2380 | Blue |
| 1200 x 900mm | 55F2381 | Red |
| 1200 x 900mm | 55F2382 | Grey |
| 1200 x 900mm | 55F2383 | Green |

Each board comes complete with fixing kit.

Please contact the sales office with any special requirements.

Lockable Pin Boards

Our quality pin boards as displayed opposite but supplied with a locking mechanism.

Available in grey only.

| Display Size | Code |
|------------------|---------|
| A4 (210 x 297mm) | 55F2361 |
| A3 (297 x 420mm) | 55F2362 |
| A2 (420 x 594mm) | 55F2363 |



Dry Wipe Magnetic Boards

These aluminium framed Dry Wipe Boards have a lacquered steel face, which can be used as a magnetic board as well as a dry wipe board.

The quality of the lacquer means that these boards can be wiped clean time after time without any smudging or discolouration.



| Display Size | Code |
|--------------|---------|
| 900 x 600mm | 55F2373 |
| 1200 x 900mm | 55F2374 |

Each board comes complete with fixing kit

Pavement Signs



A-Board



Swinger Pavement Sign

A-board - with an easy snap open aluminium frame on a steel back panel. Complete with anti glare poster cover and locking leg stays.

Swinger Sign - constructed with a heavy duty recycled PVC base and heat treated aluminium face.

We can supply the sign with your own designs, please ask our sales department for details.

| Size | Code |
|--------------------------|---------|
| A2 Silver A-Board | 55F2364 |
| A1 Silver A-Board | 55F2365 |
| 430 x 625mm Swinger Sign | 55F2366 |

Aluminium Hanging Frame

Our double sided 25mm extruded aluminium hanging frames can take a 4mm interior graphic (enough for 2 signs back-to-back).

The hanging kit comes complete with ceiling clips, hooks and 100mm chain.



| Size | Code |
|-------------|---------|
| 400 x 150mm | 55F2114 |
| 450 x 150mm | 55F2115 |
| 600 x 200mm | 55F2116 |


Literature Holder



Manufactured from injection moulded crystal clear acrylic these holders are ideal for displaying a range of brochures and leaflets. Available in desktop and wall mounted options.

| Size | Code |
|-------------------|---------|
| A5 Desktop Holder | 55F2369 |
| A4 Desktop Holder | 55F2370 |
| A5 Wallfix Holder | 55F2371 |
| A4 Wallfix Holder | 55F2372 |

Menu Frame Stands



A free standing display stand with telescopic pole.

The snap frame is adjustable for both angle and rotation, providing both portrait and landscape options.

| Size | Code |
|----------|---------|
| A4 Frame | 55F2367 |
| A3 Frame | 55F2368 |

Miscellaneous Fixings and Hanging Kits



| Display Size | Code |
|--------------------------|---------|
| 100mm Chain Hanging Kit | 55F2117 |
| 100mm Wire Hanging Kit | 55F2185 |
| 150mm Wire Hanging Kit | 55F2186 |
| 310ml Caulking Gun | 55F3200 |
| 290ml Adhesive Cartridge | 55F4261 |


Door Slider Systems

These aluminium door signs and slider systems are ideal for room identification. Satin anodised aluminium with black plastic end caps. Supplied with black text of your choice. Available with drill holes or adhesive backing please specify when ordering.

Custom sizes also available please contact the sales office with your requirements.



| Display Size | Code |
|--------------|---------|
| 220 x 90mm | 55F2394 |
| 320 x 120mm | 55F2395 |



| Display Size | Code |
|--------------|---------|
| 220 x 90mm | 55F2391 |
| 220 x 75mm | 55F2392 |



| Display Size | Code |
|--------------|---------|
| 220 x 30mm | 55F2393 |

*Looking for a directory sign?
This system is ideal please contact
the sales office with your
requirements.*



Vista Signs

Our vista wall signs are a curved aluminium construction with either black plastic or aluminium end caps designed for interchanging your sign message on a regular basis.

- Satin Anodised Finish
- Anti - glare polycarbonate cover
- Cover removal suction cup tool
- Ideal to display our custom Taktyle Braille Signs
- Custom sizes also available

Please contact our sales office with your requirements .

| Display Size | Code |
|---|---------|
| 148 x 210mm with black plastic end caps | 55F2397 |
| 210 x 297mm with black plastic end caps | 55F2396 |
| 148 x 210mm with aluminium end caps | 55F2399 |
| 210 x 297mm with aluminium end caps | 55F2398 |



Permanent Road Signs

These road signs conform to the Traffic Signs Regulations and General Directions 2002 and BS EN 12899-1:2001 (which has replaced BS 873 parts 5 and 6).

Our road signs are manufactured on Dibond, an aluminium composite providing excellent strength, light weight and durability. Each sign is available with and without channelling on the reverse.

All our road signs have a Class Reference 1 reflective facing, Hi-intensity Class Reference 2 facing is available on request. If you require a sign not shown here, or a customised road sign please contact us for a quotation.



* 450 dia. DIBC 55F2329
* 450 dia. DIB 55F2606
* 600 dia. DIBC 55F1533
* 600 dia. DIB 55F2482



* 450 dia. DIBC 55F2330
* 450 dia. DIB 55F2607
* 600 dia. DIBC 55F1534
* 600 dia. DIB 55F2483



* 450 dia. DIBC 55F2331
* 450 dia. DIB 55F2608
* 600 dia. DIBC 55F1535
* 600 dia. DIB 55F2484



* 450 dia. DIBC 55F2332
* 450 dia. DIB 55F2609
* 600 dia. DIBC 55F1536
* 600 dia. DIB 55F2485




* 450 dia. DIBC 55F2333
* 450 dia. DIB 55F2610
* 600 dia. DIBC 55F1537
* 600 dia. DIB 55F2486



* 450 dia. DIBC 55F2334
* 450 dia. DIB 55F2611
* 600 dia. DIBC 55F1538
* 600 dia. DIB 55F2487



* 450 dia. DIBC 55F2335
* 450 dia. DIB 55F2612
* 600 dia. DIBC 55F1539
* 600 dia. DIB 55F2488



* 450 dia. DIBC 55F2336
* 450 dia. DIB 55F2613
* 600 dia. DIBC 55F1540
* 600 dia. DIB 55F2489

Add text of your choice




* 450 dia. DIBC 55F2337
* 450 dia. DIB 55F2614
* 600 dia. DIBC 55F1541
* 600 dia. DIB 55F2490



* 450 dia. DIBC 55F2338
* 450 dia. DIB 55F2615
* 600 dia. DIBC 55F1542
* 600 dia. DIB 55F2491



* 450 dia. DIBC 55F2339
* 450 dia. DIB 55F2616
* 600 dia. DIBC 55F1543
* 600 dia. DIB 55F2492



* 450 dia. DIBC 55F2340
* 450 dia. DIB 55F2617
* 600 dia. DIBC 55F1544
* 600 dia. DIB 55F2493



* 600 dia. DIBC 55F1545
* 600 dia. DIB 55F2494



* 600 dia. DIBC 55F1546
* 600 dia. DIB 55F2495



* 600 dia. DIBC 55F1547
* 600 dia. DIB 55F2496



* 600 dia. DIB 55F1548
* 600 dia. DIB 55F2497



* 600 dia. DIBC 55F1549
* 600 dia. DIB 55F2498



* 600 dia. DIBC 55F1550
* 600 dia. DIB 55F2499




* 600 dia. DIBC 55F1551
* 600 dia. DIB 55F2500



* 600 dia. DIBC 55F1552
* 600 dia. DIB 55F2501

Material: Dibond



Dibond is an aluminum composite material made of two lightweight sheets of aluminum with a solid black thermo-plastic core.

Low in weight but extremely rigid, it is ideal for outdoor use due to its excellent resistance to adverse weather and zero scrap value.


Material: Aluminium



Aluminium has traditionally been the preferred material for permanent signs due to its light weight, strength and resistance to corrosion.

In recent years the price of aluminium has soared, making these signs much more expensive to buy and replace (if stolen for its scrap value). Many now consider Dibond as a practical alternative where cost is an important factor to specification.

Material: Zintec



Zintec is a steel sheet that has been electro-coated with zinc. This coating protects the sign from corrosion.

Due to its light weight zintec is not as durable as the dibond or aluminium, and this combined with its low cost usually means it is used as temporary signage in a standing frame.

These signs are either riveted into the frame or held using clips (allowing new signs to be fitted as needed).

These signs are available with or without channel on the reverse. Codes with the 'DIBC' material have channelling and 'DIB' is without, eg. 55F2329 has channel 55F2606 has no channel



Reflective Material Classifications

CLASS Ref 1
Engineering Grade

Engineering grade reflective facing, lower reflective specifications than Class Ref 2


CLASS Ref 2
High Intensity

High levels of initial brightness with good continued reflectivity over 10 years



These signs are available with or without channel on the reverse.
Codes with the 'DIBC' material have channelling and 'DIB' is without, eg. 55F1553 has channel 55F2502 has no channel

Posts and Caps



Can be used in conjunction with our Road Signs and either post clips or banding (with the appropriate buckles below).

Each post is manufactured from grey plastic coated steel for excellent durability and is a standard 76mm (3") diameter.

We recommend that the posts are sunk into the ground at least 400mm (for the 1.5m post) and 600mm (for the 3m post).

A post cap should be used for the post end to prevent water filling the inside of the post and to give it the finishing touch.

| Description | Code |
|-------------|---------|
| 1.5m Post | 55F1580 |
| 1.8m Post | 55F1581 |
| 3m Post | 55F1689 |
| Post cap | 55F1582 |

Anti-Rotation Post Clips



These clips are to be used in conjunction with our standard 76mm posts and the channelling on the back of our signs. Supplied in pairs complete with fixings.

| Description | Code |
|-------------------|---------|
| Post Clips (pair) | 55F1583 |

Banding & Accessories



For fixing signs which have channel on the back. The channel adaptors fit into the channelling, through which the banding is fed, tightened and fixed with the banding tool and buckles.

Banding straps are like a oversized hose clip that passes through a buckle and is then tightened by hand.

| Description | Code |
|------------------------|---------|
| Channel Adaptors (ea.) | 55F1584 |
| Banding (12mm x 100m) | 55F1585 |
| Buckles (100) | 55F1586 |
| Banding Tool | 55F1587 |
| Banding Straps (pair) | 55F2342 |



* 600 tri. DIBC 55F1553
* 600 tri. DIB 55F2502



* 600 tri. DIBC 55F1554
* 600 tri. DIB 55F2503



* 600 tri. DIBC 55F1555
* 600 tri. DIB 55F2504



* 600 tri. DIBC 55F1556
* 600 tri. DIB 55F4220



* 600 tri. DIBC 55F1557
* 600 tri. DIB 55F2506



* 600 tri. DIBC 55F1558
* 600 tri. DIB 55F2507



* 600 tri. DIBC 55F1559
* 600 tri. DIB 55F2508



* 600 tri. DIBC 55F1560
* 600 tri. DIB 55F2509



* 600 tri. DIBC 55F1561
* 600 tri. DIB 55F2510



* 600 tri. DIBC 55F1562
* 600 tri. DIB 55F2511



* 600 tri. DIBC 55F1563
* 600 tri. DIB 55F2512



* 600 tri. DIBC 55F1564
* 600 tri. DIB 55F2513



* 600 x 450 DIBC 55F1573
* 600 x 450 DIB 55F2522



* 600 x 450 DIBC 55F1574
* 600 x 450 DIB 55F2523



* 600 x 450 DIBC 55F1565
* 600 x 450 DIB 55F2514



* 600 x 450 DIBC 55F1566
* 600 x 450 DIB 55F2515



* 480 x 480 DIBC 55F1579
* 480 x 480 DIB 55F2528



* 480 x 480 DIBC 55F1577
* 480 x 480 DIB 55F2526



* 600 x 450 DIBC 55F1567
* 600 x 450 DIB 55F2516



* 600 x 450 DIBC 55F1568
* 600 x 450 DIB 55F2517



* 700 x 800 DIBC 55F1578
* 700 x 800 DIB 55F2527



* 600 x 450 DIBC 55F1569
* 600 x 450 DIB 55F2518




* 600 x 450 DIBC 55F1570
* 600 x 450 DIB 55F2519



* 600 x 450 DIBC 55F1571
* 600 x 450 DIB 55F2520



* 600 x 450 DIBC 55F1572
* 600 x 450 DIB 55F2521



* 600 x 450 DIBC 55F1575
* 600 x 450 DIB 55F2524



* 300 x 450 DIBC 55F1576
* 300 x 450 DIB 55F2525

Many other types of fixings can be supplied. If the ones shown do not meet your needs, give us a call and we can go through the other options available.





* 600 x 450 DIBC 55F1588
* 600 x 450 DIB 55F4262



* 600 x 450 DIBC 55F1589
* 600 x 450 DIB 55F2529



* 600 x 450 DIBC 55F1590
* 600 x 450 DIB 55F2530



* 600 x 450 DIBC 55F1591
* 600 x 450 DIB 55F4263



* 600 x 450 DIBC 55F1592
* 600 x 450 DIB 55F4264



* 600 x 450 DIBC 55F1593
* 600 x 450 DIB 55F4265



* 600 x 450 DIBC 55F1594
* 600 x 450 DIB 55F4266



* 600 x 450 DIBC 55F1595
* 600 x 450 DIB 55F4267



* 600 x 450 DIBC 55F1596
* 600 x 450 DIB 55F2531



* 600 x 450 DIBC 55F1597
* 600 x 450 DIB 55F2532



* 600 x 450 DIBC 55F1598
* 600 x 450 DIB 55F4268



* 600 x 450 DIBC 55F1599
* 600 x 450 DIB 55F2533



* 600 x 450 DIBC 55F1600
* 600 x 450 DIB 55F4234



* 600 x 450 DIBC 55F1601
* 600 x 450 DIB 55F4235




* 600 x 450 DIBC 55F1602
* 600 x 450 DIB 55F4236




* 600 x 450 DIBC 55F1603
* 600 x 450 DIB 55F4237



* 600 x 450 DIBC 55F1604
* 600 x 450 DIB 55F4238



* 600 x 450 DIBC 55F1605
* 600 x 450 DIB 55F4239



* 600 x 450 DIBC 55F1606
* 600 x 450 DIB 55F4240



* 600 x 450 DIBC 55F1607
* 600 x 450 DIB 55F4241



* 600 x 450 DIBC 55F1608
* 600 x 450 DIB 55F4242



* 600 x 450 DIBC 55F1609
* 600 x 450 DIB 55F4243



* 600 x 450 DIBC 55F1610
* 600 x 450 DIB 55F4244



* 600 x 450 DIBC 55F1611
* 600 x 450 DIB 55F4245



* 320 x 250 DIBC 55F1612
* 320 x 250 DIB 55F4246



* 320 x 160 DIBC 55F1614
* 320 x 160 DIB 55F4247



* 320 x 160 DIBC 55F1615
* 320 x 160 DIB 55F4248



* 320 x 250 DIBC 55F1613
* 320 x 250 DIB 55F4249



* 360 x 155 DIBC 55F1616
* 360 x 155 DIB 55F4250



Custom Made Road Signs

We can manufacture road signs to your exact specification. Send us the full details of your requirements (including size, a description of the sign, diagrams if possible and the material you want) and we will come back to you with a competitive price.


Alternatively, we can arrange a site survey to be carried out on your premises. Please ask for details.

what is channelling?

Channel is a formed strip, welded onto the rear of a sign to provide fixing anchorage for either anti-rotational clamps or banding (with buckles).

Our signs come with either 1 or 2 strips of channel, depending on the size of the sign. The larger the sign, the more strips of channel is required.

The channel itself is always welded on horizontally across the back of the sign, that's why we list signs like the arrow (below) at pre-set rotations as although the face can be rotated the channel on the back always has to be horizontal.



Temporary Road Signs

Our temporary road signs have been manufactured with a Class Ref 1 engineering grade reflective face onto a Zintec plate. Each sign is available pre-set into a stanchion or as a plain sign.



* 600 tri. ZFM 55F1617
* 600 tri. ZIN 55F2534
* 750 tri. ZFM 55F1618
* 750 tri. ZIN 55F2535



* 600 tri. ZFM 55F1619
* 600 tri. ZIN 55F2536
* 750 tri. ZFM 55F1620
* 750 tri. ZIN 55F2537




* 600 tri. ZFM 55F1621
* 600 tri. ZIN 55F2538
* 750 tri. ZFM 55F1622
* 750 tri. ZIN 55F2539




* 600 tri. ZFM 55F1623
* 600 tri. ZIN 55F2540
* 750 tri. ZFM 55F1624
* 750 tri. ZIN 55F2541



* 600 tri. ZFM 55F1625
* 600 tri. ZIN 55F2542
* 750 tri. ZFM 55F1626
* 750 tri. ZIN 55F2543



* 600 x 600 ZFM 55F2304
* 600 x 600 ZIN 55F2601
* 750 x 750 ZFM 55F1631
* 750 x 750 ZIN 55F2548



* 600 x 600 ZFM 55F2341
* 600 x 600 ZIN 55F2618
* 750 x 750 ZFM 55F1632
* 750 x 750 ZIN 55F2549



* 600 tri. ZFM 55F1627
* 600 tri. ZIN 55F2544
* 750 tri. ZFM 55F1628
* 750 tri. ZIN 55F2545



* 600 tri. ZFM 55F1629
* 600 tri. ZIN 55F2546
* 750 tri. ZFM 55F1630
* 750 tri. ZIN 55F2547

If you cannot find what you need then speak to our custom sign team who will be pleased to advise you the bespoke options which are available!



* 600 x 450 ZFM 55F1633
* 600 x 450 ZIN 55F2550
* 1050 x 750 ZFM 55F1634
* 1050 x 750 ZIN 55F2551



* 600 x 450 ZFM 55F1635
* 600 x 450 ZIN 55F2552
* 1050 x 750 ZFM 55F1636
* 1050 x 750 ZIN 55F2553



* 600 x 450 ZFM 55F1637
* 600 x 450 ZIN 55F2554
* 1050 x 750 ZFM 55F1638
* 1050 x 750 ZIN 55F2555



* 600 x 450 ZFM 55F1639
* 600 x 450 ZIN 55F2556
* 1050 x 750 ZFM 55F1640
* 1050 x 750 ZIN 55F2557



* 600 x 450 ZFM 55F1641
* 600 x 450 ZIN 55F2558
* 1050 x 750 ZFM 55F1642
* 1050 x 750 ZIN 55F2559



* 1050 x 750 ZFM 55F2306
* 1050 x 750 ZIN 55F2603



* 600 x 450 ZFM 55F1643
* 600 x 450 ZIN 55F2560
* 1050 x 750 ZFM 55F1644
* 1050 x 750 ZIN 55F2561



* 600 x 450 ZFM 55F1645
* 600 x 450 ZIN 55F2562
* 1050 x 750 ZFM 55F1646
* 1050 x 750 ZIN 55F2563



* 600 x 450 ZFM 55F1647
* 600 x 450 ZIN 55F2564
* 1050 x 750 ZFM 55F1648
* 1050 x 750 ZIN 55F2565



* 600 x 450 ZFM 55F1649
* 600 x 450 ZIN 55F2566
* 1050 x 750 ZFM 55F1650
* 1050 x 750 ZIN 55F2567



* 600 x 450 ZFM 55F1653
* 600 x 450 ZIN 55F2570
* 1050 x 750 ZFM 55F1654
* 1050 x 750 ZIN 55F2571



* 600 x 450 ZFM 55F1655
* 600 x 450 ZIN 55F2572
* 1050 x 750 ZFM 55F1656
* 1050 x 750 ZIN 55F2573



* 600 x 450 ZFM 55F1657
* 600 x 450 ZIN 55F2574
* 1050 x 750 ZFM 55F1658
* 1050 x 750 ZIN 55F2575



* 600 x 450 ZFM 55F1659
* 600 x 450 ZIN 55F2576
* 1050 x 750 ZFM 55F1660
* 1050 x 750 ZIN 55F2577

Road Sign Frames (Stanchions)

Our road sign frames are manufactured from mild steel in a range of standard sizes.

1m leg versions and non-standard sizes are also available, please contact our sales office.

Description

600mm triangle
600mm triangle with supplementary plate
750mm triangle
750mm triangle with supplementary plate
750 x 750mm
600 x 450mm
600 x 400mm
600 x 600mm
1050 x 450mm
1050 x 750mm
Frame fixing clips (Pack of 100)

Code

55F1683
55F2302
55F1684
55F2301
55F1685
55F1686
55F2178
55F2314
55F2300
55F1687
55F1688





- * 600 x 450 ZFM 55F1651
- * 600 x 450 ZIN 55F2568
- * 1050 x 750 ZFM 55F1652
- * 1050 x 750 ZIN 55F2569



- * 600 x 450 ZFM 55F1661
- * 600 x 450 ZIN 55F2578
- * 1050 x 750 ZFM 55F1662
- * 1050 x 750 ZIN 55F2579



- * 600 x 450 ZFM 55F1671
- * 600 x 450 ZIN 55F2588
- * 1050 x 750 ZFM 55F1672
- * 1050 x 750 ZIN 55F2589



- * 1050 x 450 ZFM 55F2305
- * 1050 x 450 ZIN 55F2602



- * 600 x 450 ZFM 55F1663
- * 600 x 450 ZIN 55F2580
- * 1050 x 750 ZFM 55F1664
- * 1050 x 750 ZIN 55F2581



- * 600 x 450 ZFM 55F1665
- * 600 x 450 ZIN 55F2582
- * 1050 x 750 ZFM 55F1666
- * 1050 x 750 ZIN 55F2583



- * 600 x 450 ZFM 55F2303
- * 600 x 450 ZIN 55F2600



- * 600 x 450 ZFM 55F2311
- * 600 x 450 ZIN 55F2604



- * 600 x 450 ZFM 55F1667
- * 600 x 450 ZIN 55F2584
- * 1050 x 750 ZFM 55F1668
- * 1050 x 750 ZIN 55F2585



- * 600 x 450 ZFM 55F1669
- * 600 x 450 ZIN 55F2586
- * 1050 x 750 ZFM 55F1670
- * 1050 x 750 ZIN 55F2587

with rotating arrow



- * 600 x 450 ZFM 55F1673
- * 600 x 450 ZIN 55F2590
- * 1050 x 750 ZFM 55F1674
- * 1050 x 750 ZIN 55F2591



- * 1050 x 750 ZFM 55F2312
- * 1050 x 750 ZIN 55F2605

with rotating arrow



- * 600 x 450 ZFM 55F1675
- * 600 x 450 ZIN 55F2592
- * 1050 x 750 ZFM 55F1676
- * 1050 x 750 ZIN 55F2593



- * 600 x 450 ZFM 55F1677
- * 600 x 450 ZIN 55F2594
- * 1050 x 750 ZFM 55F1678
- * 1050 x 750 ZIN 55F2595



- * 600 x 450 ZFM 55F1679
- * 600 x 450 ZIN 55F2596
- * 1050 x 750 ZFM 55F1680
- * 1050 x 750 ZIN 55F2597



- * 600 x 450 ZFM 55F1681
- * 600 x 450 ZIN 55F2598
- * 1050 x 750 ZFM 55F1682
- * 1050 x 750 ZIN 55F2599



- * 675 x 275 ZIN 55F2316

Traffic Cone



500mm (20") manufactured in one piece from recycled thermoplastic and with reflective sleeves fitted as standard.

Description Code
500mm (20") traffic cone 55F3479



For permanent line marking aerosols and applicators please see page 80.

Motorway / Highway Maintenance Signs

MOTORWAY MAINTENANCE

- * 600 x 75 SAV 55F0472
- * 600 x 75 PVC 55F0473
- * 600 x 75 CLG 55F0474
- * 600 x 75 MAG 55F0475
- * 700 x 75 SAV 55F0476
- * 600 x 300 SAV 55F0477
- * 890 x 100 SAV 55F0491
- * 890 x 100 MAG 55F1492
- * 890 x 100 CLG 55F1493
- * 1000 x 350 SAV 55F0478

HIGHWAY MAINTENANCE

- * 600 x 75 SAV 55F0483
- * 600 x 75 PVC 55F0484
- * 600 x 75 CLG 55F0485
- * 600 x 75 MAG 55F0486
- * 700 x 75 SAV 55F0487
- * 600 x 300 SAV 55F0488
- * 1000 x 350 SAV 55F0489

Hazchem Holders & Signs

Hazchem warning signs are used to give information to the emergency services in the event of a fire or spillage. These signs have an orange reflective face with black text of your choice.



Holder (400 x 300mm) 55F2388



Aluminium panel (400 x 300mm) Self Adhesive 55F2389 55F2390



Q-signs - Temporary plastic road signs

The Q Signs are manufactured from recycled plastic and come complete with a class 1 reflective face. Although light they are very strong and are designed to fold away and stack for easy transportation.



* 600 tri. QSN 55F2445
* 750 tri. QSN 55F2453



* 600 tri. QSN 55F2446
* 750 tri. QSN 55F2454



* 600 tri. QSN 55F2447
* 750 tri. QSN 55F2455

with rotating arrow



* 600 x 450 QSN 55F2450



* 600 x 450 QSN 55F2451



* 600 x 450 QSN 55F2452



* 600 dia. QSN 55F2449
* 750 dia. QSN 55F2457



* 600 dia. QSN 55F2448
* 750 dia. QSN 55F2456



Roll-up Signs - Classic

These roll-up road signs fully comply with all the appropriate regulations for temporary road signs.

- Very fast to erect
- Lightweight, foldable for ease of storage and transport
- Standard grade reflective face
- Supplementary plates are interchangeable

An extended range of standard symbols and sizes are available on request. We also offer a bespoke service on these signs, please contact the sales office for further information.



* 600 tri. CRU 55F2400
* 750 tri. CRU 55F2401



* 600 tri. CRU 55F2402
* 750 tri. CRU 55F2403



* 600 tri. CRU 55F2404
* 750 tri. CRU 55F4219



Tree cutting

* 600 tri. CRU 55F2406
* 750 tri. CRU 55F2407




Surveying

* 600 tri. CRU 55F2408
* 750 tri. CRU 55F2409



End


* 600 tri. CRU 55F2410
* 750 tri. CRU 55F2411



* 600 dia. CRU 55F2412
* 750 dia. CRU 55F2413



* 600 dia. CRU 55F2414
* 750 dia. CRU 55F2415



Roll-up Signs - TriFlex

These roll-up road signs fully comply with all the appropriate regulations for temporary road signs.

- Very fast to erect
- Lightweight, foldable for ease of storage and transport
- Standard grade reflective face
- Supplementary plates are interchangeable

An extended range of standard symbols and sizes are available on request. We also offer a bespoke service on these signs, please contact the sales office for further information.



Non-reflective Road Signs

These signs are manufactured from non-reflective materials and are suitable for private land, work and building sites and private access roads.



U 600 x 400 RPVC 55F2250
U 600 x 400 FMX 55F2249



U 600 x 400 RPVC 55F2252
U 600 x 400 FMX 55F2251



U 600 x 400 RPVC 55F2254
U 600 x 400 FMX 55F2253



U 600 x 400 RPVC 55F2248
U 600 x 400 FMX 55F2247



U 600 x 400 RPVC 55F2240
U 600 x 400 FMX 55F2239



U 600 x 400 RPVC 55F2256
U 600 x 400 FMX 55F2255



U 600 x 400 RPVC 55F2242
U 600 x 400 FMX 55F2241



U 600 x 400 RPVC 55F2258
U 600 x 400 FMX 55F2257



U 600 x 400 RPVC 55F2260
U 600 x 400 FMX 55F2259



U 600 x 400 RPVC 55F2290
U 600 x 400 FMX 55F2291



U 600 x 400 RPVC 55F2293
U 600 x 400 FMX 55F2292



U 600 x 400 RPVC 55F2244
U 600 x 400 FMX 55F2243



U 600 x 400 RPVC 55F2246
U 600 x 400 FMX 55F2245



* 600 x 400 FMX 55S4340



* 600 x 400 FMX 55S4341



* 600 x 400 FMX 55F0622



* 600 x 400 FMX 55F0623



* 600 x 400 FMX 55F0624




* 600 x 400 FMX 55F0625



* 600 x 400 FMX 55S4350



* 600 x 400 FMX 55F0621



* 400 x 400 FMX 55F0620




* 400 x 400 FMX 55S4321



* 400 x 400 FMX 55S4322
* 400 x 400 RPVC 55F2237



* 400 x 400 FMX 55S4323
* 400 x 400 RPVC 55F2238



* 400 x 400 FMX 55S4330



* 400 x 400 FMX 55S4331

Mirrors



These safety mirrors are easy to install, unbreakable, very light and are able to withstand extremes of weather. The mirrors, frames and packaging are all manufactured in recyclable materials. Cleaning is simply a matter of hosing down with water.



600mm Diameter green framed mirror
400mm Diameter standard security mirror
600mm Diameter standard security mirror
500mm Diameter convex mirror
800mm Diameter convex mirror
600mm x 400mm internal convex mirror
225mm x 40mm x 120mm forklift 180° rear mirror



55F3185
55F3186
55F3187
55F3188
55F3189
55F3190
55F3191

Our stencils are manufactured from a calendered rigid PVC. Each is laser-cut for accuracy, with a transparent anti-glare finish and is naturally scratch resistant. If properly cared for, our stencils can be used time and again, making them very economical.

We also manufacture custom stencils to your exact requirements please call our sales office with your requirements.



KEEP OUT

K 190 x 300 STN 55F0811
Q 300 x 400 STN 55F2793
U 400 x 600 STN 55F2792
Z 600 x 800 STN 55F2791

KEEP CLEAR

K 190 x 300 STN 55F0812
Q 300 x 400 STN 55F2796
U 400 x 600 STN 55F2795
Z 600 x 800 STN 55F2794

LOADING BAY KEEP CLEAR

K 190 x 300 STN 55F0820
Q 300 x 400 STN 55F2820
U 400 x 600 STN 55F2819
Z 600 x 800 STN 55F2818

NO PARKING

K 190 x 300 STN 55F0815
Q 300 x 400 STN 55F2805
U 400 x 600 STN 55F2804
Z 600 x 800 STN 55F2803

CUSTOMER PARKING ONLY

K 190 x 300 STN 55F0816
Q 300 x 400 STN 55F2808
U 400 x 600 STN 55F2807
Z 600 x 800 STN 55F2806

PRIVATE PARKING

K 190 x 300 STN 55F0819
Q 300 x 400 STN 55F2817
U 400 x 600 STN 55F2816
Z 600 x 800 STN 55F2815

DISABLED

K 190 x 300 STN 55F0817
Q 300 x 400 STN 55F2811
U 400 x 600 STN 55F2810
Z 600 x 800 STN 55F2809

VISITOR RESERVED

K 190 x 300 STN 55F0818
Q 300 x 400 STN 55F2814
U 400 x 600 STN 55F2813
Z 600 x 800 STN 55F2812

IN

K 190 x 300 STN 55F0813
Q 300 x 400 STN 55F2799
U 400 x 600 STN 55F2798
Z 600 x 800 STN 55F2797

OUT

K 190 x 300 STN 55F0814
Q 300 x 400 STN 55F2802
U 400 x 600 STN 55F2801
Z 600 x 800 STN 55F2800

SLOW 5 MPH

K 190 x 300 STN 55F0821
Q 300 x 400 STN 55F2823
U 400 x 600 STN 55F2822
Z 600 x 800 STN 55F2821

SLOW 10 MPH

K 190 x 300 STN 55F0822
Q 300 x 400 STN 55F2826
U 400 x 600 STN 55F2825
Z 600 x 800 STN 55F2824

NO ENTRY

K 190 x 300 STN 55F0823
Q 300 x 400 STN 55F2829
U 400 x 600 STN 55F2828
Z 600 x 800 STN 55F2827

NO EXIT

K 190 x 300 STN 55F0824
Q 300 x 400 STN 55F2832
U 400 x 600 STN 55F2831
Z 600 x 800 STN 55F2830

PRIVATE PROPERTY KEEP OUT


K 190 x 300 STN 55F0809
Q 300 x 400 STN 55F2787
U 400 x 600 STN 55F2786
Z 600 x 800 STN 55F2785

NO SMOKING


K 190 x 300 STN 55F0808
Q 300 x 400 STN 55F2784
U 400 x 600 STN 55F2783
Z 600 x 800 STN 55F2782



K 190 x 300 STN 55F0828
Q 300 x 400 STN 55F2844
U 400 x 600 STN 55F2843
Z 600 x 800 STN 55F2842



K 190 x 300 STN 55F0825
Q 300 x 400 STN 55F2835
U 400 x 600 STN 55F2834
Z 600 x 800 STN 55F2833



K 190 x 300 STN 55F0826
Q 300 x 400 STN 55F2838
U 400 x 600 STN 55F2837
Z 600 x 800 STN 55F2836



K 190 x 300 STN 55F0827
Q 300 x 400 STN 55F2841
U 400 x 600 STN 55F2840
Z 600 x 800 STN 55F2839




K 190 x 300 STN 55F0836
Q 300 x 400 STN 55F2868
U 400 x 600 STN 55F2867
Z 600 x 800 STN 55F2866



K 190 x 300 STN 55F4269
Q 300 x 400 STN 55F4270
U 400 x 600 STN 55F4271
Z 600 x 800 STN 55F4272




International Pictorial




K 190 x 300 STN 55F0829
Q 300 x 400 STN 55F2847
U 400 x 600 STN 55F2846
Z 600 x 800 STN 55F2845



K 190 x 300 STN 55F0830
Q 300 x 400 STN 55F2850
U 400 x 600 STN 55F2849
Z 600 x 800 STN 55F2848



K 190 x 300 STN 55F0831
Q 300 x 400 STN 55F2853
U 400 x 600 STN 55F2852
Z 600 x 800 STN 55F2851




K 190 x 300 STN 55F0832
Q 300 x 400 STN 55F2856
U 400 x 600 STN 55F2855
Z 600 x 800 STN 55F2854



K 190 x 300 STN 55F0833
Q 300 x 400 STN 55F2859
U 400 x 600 STN 55F2858
Z 600 x 800 STN 55F2857



K 190 x 300 STN 55F0834
Q 300 x 400 STN 55F2862
U 400 x 600 STN 55F2861
Z 600 x 800 STN 55F2860



K 190 x 300 STN 55F0835
Q 300 x 400 STN 55F2865
U 400 x 600 STN 55F2864
Z 600 x 800 STN 55F2863




Letter and Number Kits

Our laser cut stencil packs are ideal when you need to create your own message 'on the fly'. Each letter comes on a separate sheet of PVC - engraved spacer marks on corners allow you to line accurately to the next character. The smaller packs include A-Z and 0-9, whereas the larger packs are split into letters and numbers.

Note that size refers to the character height, with the width varying depending on the individual character.

Custom sized packs available please contact our sales office.



Industrial Stencil Aerosols

Survey Line Cannister (700ml)

A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Trafficable in 1 hour at normal temperatures. Designed to be used with Trafficline Applicator or by hand. Code: 55F3475

Trafficline Cannister (700ml)

A spray applied marking paint for contractors or surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Code: 55F3476



Industrial Stencil Applicators

Hand Held Applicator

Unique hand held applicator for use with Surveyline aerosols. This durable, easy to use applicator helps eliminate finger stain and will last for years. Box contains 1 x applicator. Code: 55F3477

Wheeled Applicator

Sturdy 4 wheel line marking applicator for use with Trafficline aerosols. Carries up to 12 aerosols for convenience when changing canisters. Code: 55F3478



Our range of labels has been extended to ensure that we can cater for almost any requirement.

New ranges include our Hazardous Substances, UN Placards and Storage Area Marking. We also introduced label rolls covering electrical applications, self-lamination messages and asbestos concerns.

We have the facilities to supply any label you may require - if you cannot see exactly what you need please contact our custom label department who will be pleased to help.



Hazardous Substances Labels (ADR, RID, IMDG, IATA, ICAO)

Single Labels

New requirements following the UN Model Regulations no longer make a distinction between primary and subsidiary warning labels for ADR, RID, IMDG, IATA and ICAO. In the future both will require the Class number. Please ensure you choose a label with the class number shown if this is required.



100 x 100 SAV 55F2621
200 x 200 SAV 55F2626



100 x 100 SAV 55F2619
200 x 200 SAV 55F2624



100 x 100 SAV 55F2620
200 x 200 SAV 55F2625



100 x 100 SAV 55F2623
200 x 200 SAV 55F2628



100 x 100 SAV 55F2622
200 x 200 SAV 55F2627



100 x 100 SAV 55F2639
200 x 200 SAV 55F2640



100 x 100 SAV 55F2629
200 x 200 SAV 55F2634



100 x 100 SAV 55F2630
200 x 200 SAV 55F2635



100 x 100 SAV 55F2631
200 x 200 SAV 55F2636



100 x 100 SAV 55F2632
200 x 200 SAV 55F2637



100 x 100 SAV 55F2633
200 x 200 SAV 55F2638



100 x 100 SAV 55F2059
200 x 200 SAV 55F2060



100 x 100 SAV 55F2061
200 x 200 SAV 55F2062



100 x 100 SAV 55F2077
200 x 200 SAV 55F2078



100 x 100 SAV 55F2075
200 x 200 SAV 55F2076



100 x 100 SAV 55F2063
200 x 200 SAV 55F2064



100 x 100 SAV 55F2065
200 x 200 SAV 55F2066



100 x 100 SAV 55F2067
200 x 200 SAV 55F2068



100 x 100 SAV 55F2081
200 x 200 SAV 55F2082



100 x 100 SAV 55F2079
200 x 200 SAV 55F2080



100 x 100 SAV 55F2069
200 x 200 SAV 55F2070



100 x 100 SAV 55F2071
200 x 200 SAV 55F2072



100 x 100 SAV 55F2073
200 x 200 SAV 55F2074



100 x 100 SAV 55F2083
200 x 200 SAV 55F2084



100 x 100 SAV 55F2085
200 x 200 SAV 55F2086



100 x 100 SAV 55F2089
200 x 200 SAV 55F2090



100 x 100 SAV 55F2091
200 x 200 SAV 55F2092



100 x 100 SAV 55F2093
200 x 200 SAV 55F2094



100 x 100 SAV 55F2095
200 x 200 SAV 55F2096



100 x 100 SAV 55F2087
200 x 200 SAV 55F2088

Labels on a Roll / Label Packs


These labels are manufactured from polypropylene with a polypropylene laminate, both of which are certified to BS 5609:1986. The 100mm² labels are supplied in rolls, with the 250mm² labels supplied in a pack.



Quantity of labels on a roll

All the 100 x 100mm labels are supplied on rolls of 250, whereas the 250 x 250mm labels are supplied in packs of 10.

* in addition, 55F3438 is supplied in a roll of 500.




100 x 100 SAV 55F2097
200 x 200 SAV 55F2098



100 x 100 SAV 55F3459



100 x 100 SAV 55A5313



100 x 100 SAV 55F3437
100 x 100 SAV 55F3438*
250 x 250 SAV 55F3460



100 x 100 SAV 55F3439
250 x 250 SAV 55F3461



100 x 100 SAV 55F3454
250 x 250 SAV 55F4273



100 x 100 SAV 55F3440
250 x 250 SAV 55F3462



100 x 100 SAV 55F3441
250 x 250 SAV 55F3463



100 x 100 SAV 55F3442
250 x 250 SAV 55F3464



100 x 100 SAV 55F3443
250 x 250 SAV 55F3465



100 x 100 SAV 55F3444
250 x 250 SAV 55F3466



100 x 100 SAV 55F3446
250 x 250 SAV 55F4274



100 x 100 SAV 55F3445
250 x 250 SAV 55F4275



100 x 100 SAV 55F3447
250 x 250 SAV 55F3467



100 x 100 SAV 55F3448
250 x 250 SAV 55F3468



100 x 100 SAV 55F3449
250 x 250 SAV 55F3469



100 x 100 SAV 55A5341
250 x 250 SAV 55F3470



100 x 100 SAV 55F3450
250 x 250 SAV 55F3471




100 x 100 SAV 55F3452
250 x 250 SAV 55F4276



100 x 100 SAV 55F3451
250 x 250 SAV 55F3472



100 x 100 SAV 55A5317
250 x 250 SAV 55F3473




100 x 100 SAV 55F3453
250 x 250 SAV 55F3474





100 x 100 SAV 55A5319
250 x 250 SAV 55A5347

Hazardous Substances Sheets

Each sheet displays 3 vinyl labels which can be easily cut and used when required.
1 x 200mm² and 2 x 100mm² labels per sheet.




with Class numbers



UN Placards to IMDG Code

UN substance numbering is a requirement on road and rail tanks, freight wagons/vehicles and containers. You can display this by using these diamond shaped placards.
Supplied with a blank space allowing you to fill in the appropriate numbers (must be 65mm high and in black) - alternatively we can print them for you at additional cost.



MAGNETIC
VERSIONS
AVAILABLE
Just ask!



Quality Control Labels

50 x 25mm labels, supplied in rolls of 250.

PASSED
FOR ELECTRICAL SAFETY

BY:

DATE:

✱ 50 x 25 SAV 55F3391

CALIBRATED

BY:

DATE:

✱ 50 x 25 SAV 55A5306

CHECKED

BY:

DATE:

✱ 50 x 25 SAV 55F3392

DO NOT USE

✱ 50 x 25 SAV 55A5308

LUBRICATED

BY:

DATE:

✱ 50 x 25 SAV 55F3393

QA PASSED

BY:

DATE:

✱ 50 x 25 SAV 55F3394

FAILED - DO NOT USE

BY:

DATE:

✱ 50 x 25 SAV 55A5310

PROPERTY OF:

ASSET NO:

✱ 50 x 25 SAV 55F3395

NOT CALIBRATED

DO NOT USE

✱ 50 x 25 SAV 55F3396

PROPERTY OF

✱ 50 x 25 SAV 55F3397

SERIAL NO.

✱ 50 x 25 SAV 55F3398

ASSET NO.

✱ 50 x 25 SAV 55F3399

CALIBRATION NOT REQUIRED

✱ 50 x 25 SAV 55F3400

USE BY

DATE:

✱ 50 x 25 SAV 55F3401

PASSED
comments

signed:
dated:

✱ 50 x 25 SAV 55F3402

TESTED
comments

signed:
dated:

✱ 50 x 25 SAV 55F3403

CALIBRATED
comments

signed:
dated:

✱ 50 x 25 SAV 55F3404

REJECTED
comments

signed:
dated:

✱ 50 x 25 SAV 55F3405

QUARANTINE
comments

signed:
dated:

✱ 50 x 25 SAV 55F3406

INSPECTED
comments

signed:
dated:

✱ 50 x 25 SAV 55F3407



Self Laminating Labels

Protect important information from malicious damage and the weather with these self-laminating labels. After writing, use the overlaminates to ensure text cannot be changed. Supplied in rolls of 250 labels.



PASSED
FOR ELECTRICAL SAFETY

BY:

DATE:

✱ 50 x 25 SAV 55F1978

CALIBRATED

BY:

DATE:

✱ 50 x 25 SAV 55F1979

FAILED - DO NOT USE

BY:

DATE:

✱ 50 x 25 SAV 55F1980

PROPERTY OF:

ASSET NO:

✱ 50 x 25 SAV 55F1981

PAT Testing Labels

50 x 25mm labels, supplied in rolls of 500.



* 50 x 25 SAV 55F3408



* 50 x 25 SAV 55F3409

Door Labels



* 150 x 150 SAV 55F2193




* 150 x 150 SAV 55F2194



* 150 x 150 SAV 55F2195

Maintenance Labels

These PAT testing labels are printed on self adhesive paper, allowing you to write the correct compliance details directly onto the label. Supplied in sheet format.




* 51 x 15 SAP 55F0554



* 51 x 15 SAP 55F0555

Printed on self adhesive vinyl allowing you to write the correct compliance details directly onto the label. Supplied in sheet format.



* 96 x 38 SAV 55F0539

Electrical Label Sheets



* 49 x 20 SAV 55F0544



* 49 x 20 SAV 55F0540



* 49 x 20 SAV 55F0545



* 49 x 20 SAV 55F0542



* 49 x 20 SAV 55F0543



* 49 x 20 SAV 55F0541



* 96 x 38 SAV 55F0550



* 96 x 38 SAV 55F0546



* 96 x 38 SAV 55F4277



* 96 x 38 SAV 55F4278



* 96 x 38 SAV 55F0549



* 96 x 38 SAV 55F0547




* 96 x 38 SAV 55F0548



* 96 x 38 SAV 55F0551


Harmonised Electrical Labels

Electrical installation work must now use the new harmonised cable colours or the pre-existing colours, but not a mix of the two. All labels are printed on weather resistant vinyl and supplied on a sheet.




* Various SAV 55F0558

Sheet contents:
1 colour set of 40mm x 120mm
2 colour sets of 10mm x 69mm
4 colour sets of 5mm x 69mm
16 colour sets of 3mm x 33mm



* 95 x 45 SAV 55F0560

New Build Installations
In these cases an appropriate label should be placed next to the distribution board or consumer unit to notify any future electricians of the standard used.



* 95 x 45 SAV 55F0559

Extensions or alterations to existing installations

When extending or altering an existing installation (using the old cable colours) with wiring of the new harmonised type, you do not have to notify this at each interface between the two - although this is recommended. However a label should be affixed to the distribution board or consumer unit.

Label Rolls



Quantity of labels on a roll

The 50 x 25mm labels are supplied in rolls of 250, 500 and 1000.
The 50 x 50mm labels are supplied in rolls of 250 and 500. eg:

| | |
|--------------------------------------|-------------------------------------|
| * 50 x 25 SAV 55F3414 (Roll of 250) | * 50 x 50 SAV 55F3373 (Roll of 250) |
| * 50 x 25 SAV 55F3415 (Roll of 500) | * 50 x 50 SAV 55F3374 (Roll of 500) |
| * 50 x 25 SAV 55F3413 (Roll of 1000) | |



| |
|-----------------------|
| * 50 x 25 SAV 55F3411 |
| * 50 x 25 SAV 55F3412 |
| * 50 x 25 SAV 55F3410 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3414 |
| * 50 x 25 SAV 55F3415 |
| * 50 x 25 SAV 55F3413 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3417 |
| * 50 x 25 SAV 55F3418 |
| * 50 x 25 SAV 55F3416 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3420 |
| * 50 x 25 SAV 55F3421 |
| * 50 x 25 SAV 55F3419 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3423 |
| * 50 x 25 SAV 55F3424 |
| * 50 x 25 SAV 55F3422 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3426 |
| * 50 x 25 SAV 55F3427 |
| * 50 x 25 SAV 55F3425 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3429 |
| * 50 x 25 SAV 55F3430 |
| * 50 x 25 SAV 55F3428 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3432 |
| * 50 x 25 SAV 55F3433 |
| * 50 x 25 SAV 55F3431 |



| |
|-----------------------|
| * 50 x 25 SAV 55F3435 |
| * 50 x 25 SAV 55F3436 |
| * 50 x 25 SAV 55F3434 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3373 |
| * 50 x 50 SAV 55F3374 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3375 |
| * 50 x 50 SAV 55F3376 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3377 |
| * 50 x 50 SAV 55F3378 |




| |
|-----------------------|
| * 50 x 50 SAV 55F3379 |
| * 50 x 50 SAV 55F3380 |




| |
|-----------------------|
| * 50 x 50 SAV 55F3381 |
| * 50 x 50 SAV 55F3382 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3383 |
| * 50 x 50 SAV 55F3384 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3385 |
| * 50 x 50 SAV 55F3386 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3387 |
| * 50 x 50 SAV 55F3388 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3389 |
| * 50 x 50 SAV 55F3390 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3367 |
| * 50 x 50 SAV 55F3368 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3369 |
| * 50 x 50 SAV 55F3370 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3371 |
| * 50 x 50 SAV 55F3372 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3359 |
| * 50 x 50 SAV 55F3360 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3361 |
| * 50 x 50 SAV 55F3362 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3363 |
| * 50 x 50 SAV 55F3364 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3365 |
| * 50 x 50 SAV 55F3366 |



| |
|-----------------------|
| * 50 x 50 SAV 55F3357 |
| * 50 x 50 SAV 55F3358 |

Packaging Labels



* 100 x 150 SAP 55F2187



* 100 x 150 SAP 55F2188




* 100 x 150 SAP 55F2190



* 100 x 150 SAP 55F2191



* 100 x 150 SAP 55F2189



* 100 x 150 SAP 55F2192



Custom made labels available please contact the sales office with your requirements



Asbestos Labels



500 labels per roll.



55F0552
* 25 x 50 SAV



55F0553
* 25 x 50 SAV



Fire Door Label Rolls (100 labels per roll)



* 100 x 100 SAV 55F3455



* 100 x 100 SAV 55F3456



* 100 x 100 SAV 55F3457



* 100 x 100 SAV 55F3458

Storage Area Marking

This range of signs is recommended for marking all areas which contain hazardous materials and is a legal requirement of the CoSHH regulations.



H 150 x 150 SAV 55F1948
H 150 x 150 PVC 55F1949
H 150 x 150 RPVC 55F1950



H 150 x 150 SAV 55F1951
H 150 x 150 PVC 55F1952
H 150 x 150 RPVC 55F1953



H 150 x 150 SAV 55F1954
H 150 x 150 PVC 55F1955
H 150 x 150 RPVC 55F1956



H 150 x 150 SAV 55F1957
H 150 x 150 PVC 55F1958
H 150 x 150 RPVC 55F1959



H 150 x 150 SAV 55F1960
H 150 x 150 PVC 55F1961
H 150 x 150 RPVC 55F1962



H 150 x 150 SAV 55F1963
H 150 x 150 PVC 55F1964
H 150 x 150 RPVC 55F1965



H 150 x 150 SAV 55F1966
H 150 x 150 PVC 55F1967
H 150 x 150 RPVC 55F1968



H 150 x 150 SAV 55F1969
H 150 x 150 PVC 55F1970
H 150 x 150 RPVC 55F1971



H 150 x 150 SAV 55F1972
H 150 x 150 PVC 55F1973
H 150 x 150 RPVC 55F1974



H 150 x 150 SAV 55F1975
H 150 x 150 PVC 55F1976
H 150 x 150 RPVC 55F1977

Non-Slip Floor Treads



Our non-slip treads are manufactured using a silicon carbide grit, giving an excellent slip resistance whilst being resistant to oil, fluid and grease. It has been engineered with an aggressive adhesive and is ideal for heavy duty, harsh environmental applications.

19 x 609mm (3/4" x 24") - Pack of 50
150 x 609mm (6" x 24") - Pack of 10
140 x 140mm (5 1/2" x 5 1/2") - Pack of 10

55F1982
55F1983
55F1984

Non-slip Floor Message Treads



Using the same heavy duty materials as the plain treads above, these have been pre-printed in high contrast colours with a safety message. Ideal where a visual warning is needed alongside its anti-slip properties.

150 x 609mm (6" x 24") "CAUTION" - Each
150 x 609mm (6" x 24") "WATCH YOUR STEP" - Each

55F1985
55F1986

Photoluminescent Tape

Our photoluminescent tape is ideal for creating clear, easy to use way finding systems for use when the lights go out. Exceeds the PSPA Class B classification for longevity and brightness.



* 20mm x 10m PHO 55A5245
* 40mm x 10m PHO 55A5246
* 80mm x 10m PHO 55F2113



* 40mm x 10m (Right) PHO 55A5248
* 40mm x 10m (Left) PHO 55A5250
* 80mm x 10m (Right) PHO 55F1988
* 80mm x 10m (Left) PHO 55F1989



* 40mm x 10m PHO 55A5252
* 80mm x 10m PHO 55F1990



* 40mm x 10m PHO 55A5243
* 80mm x 10m PHO 55F1991



* 40mm x 10m PHO 55A5241
* 80mm x 10m PHO 55F1992

Non-Slip Floor Tape




A vital tool in the modern workplace, this non-slip tape is extremely useful in providing a safe tread area on dangerous surfaces.

Tape measurements: 50mm x 18m

Black and Yellow Stripe
Black
Yellow

55F3790
55F3788
55F3789

Floor Marking Tape



Adhesive PVC tape for highlighting hazards and internal marking procedures.

Tape measurements: 50mm x 33m

Red and White stripes
Black and Yellow stripes
Green and White stripes
Yellow

55F3782
55F3783
55F3784
55F3785

Photoluminescent Floor Marking

These photoluminescent floor graphics have a strong adhesive backing with a tough anti-slip laminated face.

8 in a pack



Anti-slip Floor Arrow
* 65 x 55mm FLRPh 55F4207

12 in a pack



Anti-slip Floor Dot
* 65 x 55mm FLRPh 55F1510

Our photoluminescent tape which has been laminated with a tough non-slip PVC laminate.



Anti-slip Photoluminescent Tape
* 50mm x 18.25m FLRPh 55F1993

1 pair




Anti-slip Floor Footprints
* 90 x 240mm FLRPh 55F1987

Printed Tape

A choice from the most commonly used standard texts covering a multitude of applications. Printed in red text on white polypropylene, each roll is 50mm x 66m.


We can also supply tapes with your own details - please ask the sales office for further information.

HANDLE WITH CARE




50mm x 66m 55F3273

GLASS HANDLE WITH CARE




50mm x 66m 55F3274

FRAGILE




50mm x 66m 55F3275

**CONTENTS CHECKED
& SECURITY CHECKED**




50mm x 66m 55F3276

QC REJECTED




50mm x 66m 55F3277

QC INSPECTED




50mm x 66m 55F3278

QUARANTINE




50mm x 66m 55F3279

REJECT




50mm x 66m 55F3280

CHECKED




50mm x 66m 55F3281

HOLD



50mm x 66m 55F4279

↑ THIS WAY UP ↑ THIS WAY UP ↑ THIS WAY UP ↑




50mm x 66m 55F3282



Underground Tape

These underground tapes comply with electricity, safety, quality and continuity regulations. They alert excavation crews to imminent danger from buried electricity cables.

Manufactured from tough polythene, these tapes are brightly coloured for clear visibility. All 150mm x 365m.



55F2343



55F2344



55F2345



55F2346



55F2348



55F2349



55F2350



55F2351




55F2352



55F2353

Barrier Tape



Non adhesive polythene tape for prohibiting access and highlighting dangers. Ideal as an economic solution for crowd control. Suitable for use with posts and barriers. 75mm x 500m.

Red and White Stripes
Black and Yellow Stripes

55F3787
55F3786


The Health & Safety (Safety Signs and Signals) Regulations 1996 have made it a legal requirement that employers mark and identify hazardous materials in visible pipework.

The background colours of our pipe markers and tapes all conform to the recommendations specified in BS 1710 1984 Identification of Pipelines and Services, as shown below.

Basic Identification Colours

| Pipe Contents | Colour | BS 4800 | Example |
|--------------------------|----------------|---------|---|
| Water | Green | 12 D 45 |  |
| Steam | Silver-grey | 10 A 03 |  |
| Oils | Brown | 06 C 39 |  |
| Gases | Yellow Ochre | 08 C 35 |  |
| Acids & Alkalis | Violet | 22 C 37 |  |
| Air | Light Blue | 20 E 51 |  |
| Other Liquids | Black | 00 E 53 |  |
| Electrical & Ventilation | Orange | 06 E 51 |  |
| Fire Fighting | Red | 04 E 53 |  |
| Warning | Yellow | 08 E 51 |  |
| Fresh Water | Auxiliary Blue | 18 E 53 |  |

Application




Pipeline Flow Markers

Supplied in packs of 5, our markers have perforated arrowheads at either end to indicate the direction of flow - simply tear off the unneeded arrow and apply to the pipe with arrow pointing the direction of the flow.

All our markers are manufactured on a highly durable self adhesive polyester film, which is then laminated with clear polyester. This makes it extremely resistant to scratching, chemicals and solvents as well as extremes of temperature.

Other sizes and forms are available, please ask for details.



Water (Green) - 12 D 45



5 per sheet

55F1774



5 per sheet

55F1777




5 per sheet

55F1780



5 per sheet

55F1783




5 per sheet

55F1786



5 per sheet

55F1789




5 per sheet

55F1775



5 per sheet

55F1778



5 per sheet

55F1781




5 per sheet

55F1784



5 per sheet

55F1787



5 per sheet

55F1790




5 per sheet

55F1792



5 per sheet

55F1776



5 per sheet

55F1779



5 per sheet

55F1782



5 per sheet

55F1785



5 per sheet





55F1788



5 per sheet

55F1791

Steam (Silver-Grey) - 10 A 03













Electricity (Orange) - 06 E 51








Fire (Red) - 04 E 53






Gases (Yellow Ochre) - 08 C 35





Air (Light Blue) - 20 E 51









Acid and Alkali (Violet) - 22 C 37



Mineral Oils (Brown) - 06 C 39



Pipeline Identification Tape



For identification where pipes pass through walls and either side of valves, or to create your own colour banding as required.

See page 94 for our range, all tapes are coloured to BS1710 specifications. Other colours and sizes available.

Pipeline Identification Banding (non-adhesive)

This high quality identification tape is manufactured with the colour banding used to display the pipeline contents. It is protected with a clear lacquer and is usually used in conjunction with self adhesive identification tapes and flow markers. As this product is non-adhesive, use the double-sided adhesive tape to affix to the pipeline.

Manufactured in accordance with BS1710:1984, each roll is 400mm x 25m in length. Please note this product is not recommended for external use.

| Pipe Contents | Colour Banding Specification | Code |
|------------------------|------------------------------|---------|
| Water | | |
| Drinking | 150mm 100mm 150mm | 55F1874 |
| Cooling (primary) | | 55F1875 |
| Boiler feed | | 55F1876 |
| Condensate | | 55F1877 |
| Chilled | | 55F1878 |
| Central heating <100°C | | 55F1879 |
| Central heating >100°C | | 55F1880 |
| Cold, down service | | 55F1881 |
| Hot water supply | | 55F1882 |
| Hydraulic power | | 55F1883 |
| Sea, river, untreated | | 55F1884 |
| Fire extinguishing | | 55F1885 |

Oils

| | | |
|-----------------|--|---------|
| Diesel fuel | | 55F1886 |
| Furnace fuel | | 55F1887 |
| Lubricating | | 55F1888 |
| Hydraulic Power | | 55F1889 |
| Transformer | | 55F1890 |

Refrigeration


| | | |
|-------------------|--|---------|
| Refrigerant 12 | | 55F1891 |
| Refrigerant 22 | | 55F1892 |
| Refrigerant 502 | | 55F1893 |
| Anhydrous Ammonia | | 55F1894 |

Other Applications


| | | |
|------------------------|--|---------|
| Natural Gas | | 55F1895 |
| Compressed Air | | 55F1896 |
| Vacuum | | 55F1897 |
| Steam | | 55F1898 |
| Drainage | | 55F1899 |
| Electrical vents/ducts | | 55F1900 |
| Acid and alkalis | | 55F1901 |




Pipeline Identification Tape




50mm x 33m 55F1869



50mm x 33m 55F1870



50mm x 33m 55F1871




50mm x 33m 55F1872

High quality vinyl tape with laminate protection, overprinted with the identification text or symbol. Often used in conjunction with the pipe-wrap banding to denote the content or flow direction of the pipe.

Other texts available to order.

Double-Sided Adhesive Tape



Double-sided polypropylene tape with a clear adhesive for use with our non-adhesive pipewrap banding.

25mm x 50m 55F1873

Pre-printed Pipeline Identification Banding (non-adhesive)

This high quality identification tape is manufactured with the colour banding used to display the pipeline contents and incorporates the flow direction and pipe content information (which is printed in both direction).

Protected with a clear lacquer the tape is available in 400mm x 25m lengths. Use the double-adhesive tape to affix to the pipeline. Manufactured in accordance with BS1710:1984. Note this product is not recommended for external use.



| | | | | | |
|--|----------------------|---------|--|----------------------------|---------|
| | DRINKING WATER | 55F1902 | | DRAINAGE | 55F1913 |
| | CONDENSATE | 55F1903 | | RAINWATER | 55F1914 |
| | COLD DOWN SERVICE | 55F1904 | | STEAM | 55F1915 |
| | CHILLED WATER FLOW | 55F1905 | | FIRE MAIN | 55F1916 |
| | CHILLED WATER RETURN | 55F1906 | | BOOSTED COLD WATER SERVICE | 55F1917 |
| | HOT WATER FLOW | 55F1907 | | MAINS WATER SERVICE | 55F1918 |
| | HOT WATER RETURN | 55F1908 | | MTHW FLOW | 55F1919 |
| | LTHW FLOW | 55F1909 | | MTHW RETURN | 55F1920 |
| | LTHW RETURN | 55F1910 | | HTHW FLOW | 55F1921 |
| | HEATING FLOW | 55F1911 | | HTHW RETURN | 55F1922 |
| | HEATING RETURN | 55F1912 | | COLD WATER MAIN | 55F1923 |

Pipeline Identification Tapes (self adhesive)

Self adhesive tapes coloured to the BS1710 specification. Used in conjunction with our pipeline flow markers or to create pipeline banding. Other colours available on request.

| | | | | | |
|---|---|---|---|---|---|
| | | | | | |
| Green 12 D 45 | Silver-Grey 10 A 03 | Brown 06 C 39 | Yellow Ochre 08 C 35 | Light Blue 20 E 51 | Crimson 04 D 45 |
| 50mm x 33m 55F1924 150mm x 33m 55F1925 | 50mm x 33m 55F1926 150mm x 33m 55F1927 | 50mm x 33m 55F1928 150mm x 33m 55F1929 | 50mm x 33m 55F1930 150mm x 33m 55F1931 | 50mm x 33m 55F1932 150mm x 33m 55F1933 | 50mm x 33m 55F1934 150mm x 33m 55F1935 |
| | | | | | |
| Black 00 E 53 | Orange 06 E 51 | Violet 22 C 37 | Auxiliary Blue 18 E 53 | Red 04 E 53 | Yellow 08 E 51 |
| 50mm x 33m 55F1936 150mm x 33m 55F1937 | 50mm x 33m 55F1938 150mm x 33m 55F1939 | 50mm x 33m 55F1940 150mm x 33m 55F1941 | 50mm x 33m 55F1942 150mm x 33m 55F1943 | 50mm x 33m 55F1944 150mm x 33m 55F1945 | 50mm x 33m 55F1946 150mm x 33m 55F1947 |

Magnetic Letters & Numbers



Ideal for location identification on racking, shelving or steel cabinets, our letters are printed on white or yellow magnetic sheets.

Contents

Contains either the full alphabet or all numbers with some punctuation in varying quantities. Exact quantity of each character depends upon its commonality and the size chosen.



| Character height | White | Yellow |
|------------------|---------|---------|
| 17mm Letters | 55F2024 | 55F2028 |
| 17mm Numbers | 55F2025 | 55F2029 |
| 39mm Letters | 55F2026 | 55F2030 |
| 39mm Numbers | 55F2027 | 55F2031 |

Magnetic Location Markers (Pre-Cut)

An alternative to cutting your own lengths of tape, these pre-cut markers are ready for immediate use.

Available in packs of 10.



| Size (W x L) | White | Yellow |
|--------------|---------|---------|
| 20 x 80mm | 55F2032 | 55F2037 |
| 30 x 80mm | 55F2033 | 55F2038 |
| 50 x 80mm | 55F2034 | 55F2039 |
| 70 x 150mm | 55F2035 | 55F2040 |
| 90 x 150mm | 55F2036 | 55F2041 |

Magnetic Aisle Identifiers

Ideal for warehouse environments, these Aisle Identifiers have a magnetic strip on the rear to allow for fixing onto steel racking and framework. Used where forklifts are active, it ensures that any accidental impact will simply knock the Identifier down, rather than break it - saving time and money in costly replacements.



Available in singles without any text or graphics as standard. If you require we can apply your own text in advance, please call for a quotation.

| Face size | White | Yellow |
|-------------|---------|---------|
| 200 x 200mm | 55F2042 | 55F2045 |
| 150 x 150mm | 55F2043 | 55F2046 |
| 100 x 100mm | 55F2044 | 55F2047 |



Magnetic Strip (Self Adhesive)



Magnetic tape backed with a premium adhesive. Allows items to be attached to steel products without the need for drilling. Available in 2 widths, each roll is 30m long.

| | |
|--------------|---------|
| 12.7mm x 30m | 55F2048 |
| 25.4mm x 30m | 55F2049 |

Steel Strip (Self Adhesive)



Steel tape with a premium adhesive backing - apply this to none steel products to allow magnets to be attached without the need to drill.


| | |
|------------|---------|
| 13mm x 30m | 55F2050 |
|------------|---------|

Dry Wipe Markers



| | | |
|---|-------|---------|
| Dry wipe pens suitable for use on the 'Easy Wipe' magnetic materials. | Black | 55F2051 |
| | Blue | 55F2052 |
| | Red | 55F2053 |
| Supplied in packs of 10. | Green | 55F2054 |

Magnetic Tool / Knife Racks



Affix to a wall then store all your most commonly used steel tools or knives for easy accessibility.

| | |
|--------------|---------|
| 32mm x 330mm | 55F2055 |
| 50mm x 380mm | 55F2056 |

Magnetic Document Pockets



Tough blue PVC wallet with a clear front pocket providing protection for documents and papers. The magnetic strip at the top adheres to all steel materials. Supplied in singles.

| | |
|-------------------|---------|
| A4 (210 x 294mm) | 55F1994 |
| A5 (210 x 148mm) | 55F1995 |
| EA6 (210 x 105mm) | 55F1996 |

Magnetic Wrap-Around Pockets



Tough blue PVC wallet with a clear front pocket providing protection for documents and papers. The looped magnetic tags allow fixing to mesh or cages. Supplied in singles.

| | |
|-------------------|---------|
| A4 (210 x 294mm) | 55F1997 |
| A5 (210 x 148mm) | 55F1998 |
| EA6 (210 x 105mm) | 55F1999 |

Magnetic 'Easy Wipe' Racking Strip

A flexible magnetic strip that adheres to any steel surface. Easily cut to size, it has a gloss vinyl surface allowing you to write on locations easily (using dry-wipe pens) and clean off using a suitable solvent cleaner.


Available in 10m rolls, we hold white and yellow ex-stock in 5 different widths. Red, blue and green versions are also available to order.



Other colours available

| | White | Yellow |
|------------|---------|---------|
| 20mm x 10m | 55F2000 | 55F2005 |
| 30mm x 10m | 55F2001 | 55F2006 |
| 50mm x 10m | 55F2002 | 55F2007 |
| 70mm x 10m | 55F2003 | 55F2009 |
| 90mm x 10m | 55F2004 | 55F2010 |

Magnetic 'C' Section Label Holders



These label holders provide instant identification with easy interchangeability of messages. Each holder comes complete with a paper insert and a plastic cover for protection. To change the message, simply slip the paper insert out the side and replace. Supplied in packs of 10

| | |
|-------------|---------|
| 30mm x 80mm | 55F2010 |
| 50mm x 80mm | 55F2011 |

Magnetic Slide Pockets

Type A



Type B



These quality pockets have been manufactured so that the whole backplate is magnetic, with an accessible clear front pocket. Supplied in packs of 10, each pocket comes complete with its own internal card.

Sizes refer to pocket outer dimensions.

- Type A has a pocket open at the side
- Type B has a pocket open at the top and right side



| Type A | White | Yellow | Type B | White | Yellow |
|------------|---------|---------|------------|---------|---------|
| 25 x 110mm | 55F4212 | 55F2015 | 31 x 100mm | 55F2018 | 55F2021 |
| 50 x 110mm | 55F2013 | 55F4213 | 50 x 120mm | 55F4214 | 55F4215 |
| 70 x 210mm | 55F2014 | 55F2017 | 58 x 138mm | 55F2020 | 55F2023 |

Information, procedures and advice

| | |
|-----------------------------|-----------|
| Information and Regulations | 98 - 99 |
| Tags and permits | 99 |
| Locking off procedure | 100 - 101 |
| Getting back online | 102 |

Lockout Products

| | |
|-----------------------------------|-----------|
| Valve lockouts | 103 - 104 |
| Cable lockouts | 105 |
| Lockout hasps | 106 - 107 |
| Circuit breaker lockouts | 108 - 109 |
| Plug & Pneumatic lockouts | 110 |
| Electrical & Gas cylinder lockout | 111 |
| Electrical panel lockouts | 112 |
| Safety padlocks and accessories | 113 - 115 |
| Tags and wallets | 115 |
| Lockout tags, signs and A-Boards | 116 - 118 |
| Lock boxes and padlock cabinets | 119 |
| Lockout bags | 119 |
| Stations and kits | 120 - 122 |



This Lockout Tagout safety information and procedural advice is also available in a handy pocket size guide. Ask for your copy today.



Introduction

Every year large numbers of workers are injured in industrial accidents resulting from the **unexpected** energisation, start-up or release of stored energy. By ensuring that Lockout / Tagout procedures are followed the risk of such incidents and accidents can be prevented.

This energy can take many forms, which may include:

Electrical energy

- commonly found powering nearly all workplace equipment

Hydraulic energy

- commonly found powering forklifts, cutting equipment and pumps

Mechanical energy

- commonly found in all machinery with moving parts

Thermal energy

- commonly found in equipment such as ovens or freezers (hot **or** cold)

Pneumatic energy

- commonly found powering machinery via compressed air or gas

Potential

- commonly found in compressed springs or suspended weights



Current UK Legislation

Legislation has been put in place to prevent such accidents occurring by controlling unauthorised or accidental use of energy. *The Provision and Use of Work Equipment 1998, Section 19 Energy and Electricity at Work Regulations 1989, Regulation 13* both specifically cover these aspects.

In addition *The Health and Safety at Work Act 1974* and *The Management of Health & Safety at Work Regulations 1999*, both state that an employer should '**make suitable and sufficient assessment of the risks to the health and safety of his employees**' and ensure their '**health, safety and welfare at work**'.

In addition the Health and Safety at Work Act 1974 also states that it is also the responsibility of the employee to ensure the '**health and safety of himself and of other persons who may be affected by his acts or omissions of work**'.

What is Lockout / Tagout?

LOCKOUT is a physical method of keeping equipment from being re-energised, guard against unexpected movement, release of stored energy and the flow of gases and fluids.

E.g. to isolate an electrical circuit turn the appropriate breaker to the off position and place a lockout device in place to keep it in this position. A padlock is then put in place on the lockout device to ensure it can only be removed by the person who locked it off.

TAGOUT is a highly visible warning placed on the equipment which has been isolated. The tag should be of sufficient durability for the conditions, attached securely and provide details of the person who applied it.

Note that a TAGOUT system should not be used without an appropriate LOCKOUT procedure as it does not provide the same measure of protection.

When should Lockout / Tagout be used?

Lockout / Tagout procedure should be followed during repair or maintenance of equipment where a worker could be injured by the unexpected start up or release of stored energy, such as the need to:

- remove or bypass a guard or other safety device
- place any part of their body where it could be caught by moving machinery
- has to enter or partially enter the area where a machine or piece of equipment may operate (i.e. the danger area around a robotic arm)

An employer should put in place an appropriate Lockout / Tagout procedure and provide all the necessary equipment and training, but it is the responsibility of the employer and employee to follow this.

Depending on the machinery in question various different Lockout devices may be needed. Enough should be provided so that each employee has them when needed.

To make it easy to identify the person who has applied a LOCKOUT/TAGOUT, many companies issue each authorised worker with their own personalised padlock detailing their name and/or photograph.



Lockout Program Outline

An employer will create a written Lockout program which should cover the following steps. In addition there may be specific guidelines for particular machines or equipment.

STEP 1 - Equipment Identification

Identify the equipment which needs to be locked out

STEP 2 - Energy Sources & Energy Isolating Devices Identification

Identify the energy sources present and associated with that specific equipment, checking for any part that may operate dependant upon gravity or stored energy. (Also be aware of any other equipment which may be affected by the isolation of an energy source).

Training

An employer will create a written Lockout program which should cover the following steps. In addition there may be specific guidelines for particular machines or equipment. Only trained and authorised employees are allowed to perform repairs, servicing and maintenance on equipment. An employer must arrange for training of all affected personnel of which there may be up to 3 different categories:

Authorised employees

are those employees who will be performing the maintenance on the equipment. They shall be instructed in the recognition of applicable hazardous energy sources, the type and magnitude of the energy available and the methods and means necessary for energy isolation and control.

Affected employees

are those employees who will not perform maintenance on the equipment but who will be affected by the shutdown and isolation of the machine.

Other employees and third parties

are those employees, contractors or visitors who may work or pass through the same area as the equipment due to be locked out

All employees should be made aware of the Lockout / Tagout procedure with specific emphasis on the prohibition relating to attempts to restart or re-energise equipment which has been locked out.

What is Tagout?

Tags are an effective way of communicating the status of equipment which is undergoing maintenance. Appropriate tags should be provided by the employer and be fit for purpose. They need to be:

- Durable and hardwearing
- Resistant to moisture, oils and other contaminants
- Easy to read and understand
- Identify the person who installed it
- Be attached using a method which is secure and that cannot be easily released. They should also be able to be attached by hand and should not be re-used.

Tags should always be used in conjunction with an appropriate lockout device. In some instances where it is not possible to attach a lockout device then tags may be used if there is no other physical alternative of isolation.

In some organisations authorised personnel have their photo displayed on their tags for speed and ease of identification. This is particularly helpful in larger organisations with many employees or when using sub-contractors.



Permits to work

In many cases a permit to work will be required before service or maintenance will be authorised to proceed.

This is a written document which will have its own set of instructions which need to be followed. It is good practice to have this permit to hand when performing maintenance.

Keep these documents clean and protected by using an appropriate transparent wallet or holder.





Only trained and authorised personnel are permitted to lock off equipment.
Perform the locking off procedure in this order.



1 Prepare for shutdown

- Identify the type of energy used to operate the equipment.
- Ensure that any secondary energy sources are also identified.
- Identify the amount of energy used to operate the equipment.
- Identify the potential hazards of that energy.
- Locate the method of controlling that energy (switches, breakers, valves etc.)



2 Inform all affected employees

- Identify all employees who may be affected by the shutdown of equipment and inform them of the shutdown.
- Ensure they know who is locking off the equipment and why.



3 Turn off the equipment

- Turn off the equipment using the operator controls.
- Follow the standard procedure for shutdown and ensure no-one is at risk when doing so.



4 Isolate all energy sources

- Ensure that ALL energy sources have been isolated.
- Ensure that any secondary energy sources are isolated.
- Ensure that ALL stored energy in the equipment is dissipated, e.g.;
 - *relieving trapped pressure.*
 - *releasing tension in springs or block their movement.*
 - *block or brace parts that may fall due to gravity.*
 - *block parts in hydraulic and pneumatic systems that could move due to loss of pressure*
 - *bleeding, venting, flushing pipes with liquids or gases, ensuring appropriate precautions are taken against hazardous contents.*
 - *dissipating heat or cold and wear appropriate protective clothing.*
- Monitor and react to situations where stored energy can re-accumulate.





Only trained and authorised personnel are permitted to lock off equipment.
Perform the locking off procedure in this order.



5 Lock off switches

- Lock off all switches or other energy controls (e.g. valves, circuit breakers) by using a suitable lock off device.
- Only devices specifically designed for locking out should be used.
- Each person working on the equipment should have their own personal padlock.
- Each person working on the equipment should place their padlock on the locking off device.
- If the isolation device cannot support the number of padlocks needed, use a hasp or other suitable devices as necessary.
- Apply purpose designed tags to the lockout to warn employees of the danger of the re-energising the equipment. These tags should be fit for purpose - durable, resistant to environmental conditions and attached securely to the lockout device.
- Ensure the details of the tags are completed in full.



6 Test the equipment controls

- Make sure that all danger areas are clear from personnel and switch on the equipment.
- Press ALL the start buttons or activation controls on the equipment to test the correct circuits have been isolated.



7 Test all of the circuits

- Test all of the circuits using the appropriate testing equipment to ensure that they have all been isolated.
- Verify that the main disconnect switch or circuit breaker can not be turned on.



8 Perform maintenance

- When performing the maintenance of the equipment ensure that your actions will not reactivate the equipment.
- If modifying or installing new equipment do not bypass the lockout.





When maintenance is complete it is just as important to follow the procedures to reactivate the equipment.



1

Check with all involved personnel that all work has been completed

2

Check that the system is clear of all employees and clear of all tools and materials

3

Re-install any machine guards and remove any blocks put in place

4

Remove all locking off devices

5

Re-establish power supply and test the system

6

Remove work in progress, sign off the job and cancel permit to work

7

Notify all affected employees that the equipment is ready for use

A simple solution for isolating gate valves, these lockouts slip over the top of the handle once the valve is in the appropriate position, rotating freely around the valve stem and thus preventing access to the valve.

The different sizes cover most commonly used valve diameters. If a gate valve lockout cannot be used due to fitting or other restraints, consider using a cable lockout system to isolate the valve.

When fitted the valve handwheel is completely encapsulated within the lockout, which will rotate freely around the valve preventing operation.

- Resistant to cracking & abrasion
- 3 padlock holes
- Di-electric properties
- Rotate freely around valve covers
- Resistant to extreme temperatures
- Suitable for hasps and padlocks
- Available in 5 sizes
- Other colours available



Gate Valve Lockout

These gate valves are comprised of 2 flattened half moons with a hollow centre. Hinged at one side, they are placed over the valve and then closed, leaving the valve inside the lockout.

This can then be locked off using up to 3 padlocks directly, or more if used in conjunction with a hasp.




Adjustable Gate Valve Lockout

Working in a similar way to standard gate valve lockouts, adjustable lockouts are comprised of 2 separate pieces which whilst in place over the valve are slid into each other to enclose the handle.

This design allows it to fit valve handwheels from 25.5mm through to 165mm diameter.



| Dimensions | | | | |
|--------------|-----------------|-------------------|------------------|-------------------|
| Size | Inside dia. (A) | Inside depth. (B) | Outside dia. (C) | Outside depth (D) |
| 25 - 63.5mm | 70mm | 32mm | 76mm | 38mm |
| 63.5 - 127mm | 130mm | 34mm | 140mm | 44mm |
| 127 - 165mm | 170mm | 41mm | 177mm | 50mm |
| 165 - 254mm | 257mm | 50mm | 267mm | 63mm |
| 254 - 355mm | 355mm | 63mm | 368mm | 74mm |



Rotary Gate Valve Lockout

| Size | Code |
|--------------|---------|
| 25 - 63.5mm | 5581080 |
| 63.5 - 127mm | 5581081 |
| 127 - 165mm | 5581082 |
| 165 - 254mm | 5581083 |
| 254 - 355mm | 5581084 |

Adjustable Gate Valve Lockout


| Size | Code |
|--------------|---------|
| 25.5 - 165mm | 5581090 |

Ball Valve Lockouts

Available in 3 sizes these easy to use lockouts clamp over the valve lever, preventing the valve from operating. Please note that 5581150 can lock valves in the open or closed positions, whilst the larger 5581151 & 55F3202 can only be used in the locked position.

Butterfly Valve Lockouts

Working in a similar way to the standard Ball Valve lockouts, the wedge on the slider section sits between the compression handle and lever, preventing operation.



Place main body over the top of the valve handle, ensuring it sits inside the channel provided



Ensure the valve handle sits inside channel



Move slider section down the shaft of the lockout until tight against the valve body



Insert a padlock or hasp through the most appropriate hole which keeps the slider tight

Please note that the holes on the slider have a staggered repeat which ensures that at least one hole will be tight when placed against the valve. If more than one padlock is required then a hasp should be used on the hole which keeps the slider as tight to the valve as possible.

Ball Valve Lockout



| Ball Valve Lockout | |
|--------------------|---------|
| Size | Code |
| 9.5 - 31mm | 5581150 |
| 38 - 63mm | 5581151 |
| 50 - 203mm | 55F3202 |

Butterfly Ball Valve Lockout

When slid into position the wedge on the slider section prevents the compression handle being squeezed, preventing operation of the valve.



| Butterfly Valve Lockout | |
|-------------------------|---------|
| | Code |
| | 5581160 |

Cable lockouts are ideal when there is a need to lockout multiple energy sources with one device or when the design / placement of the energy source prevents other types of lockout being used.

Use the flexible cable to tie off the energy source and then secure using the grip handle. The handle traps the cable and prevents it from becoming loose. Multiple padlocks can be used on the handle to ensure the safety of multiple workers.

'Razor' Cable Lockout

This simple to use lockout uses a scissor action on the supplied vinyl coated cable to lockout a device.

The steel cable is vinyl coated and has a looped end for easy fixing.



'Razor' Cable Lockout


| Cable Type | Code |
|-------------------------|---------|
| 1m Steel cable (coated) | 5581170 |
| 3m Steel cable (coated) | 5581171 |

Multi-Purpose Cable Lockout

This cable lockout has been ergonomically designed to fit the hand, making placement and use fast and simple.

Route the cable where necessary to lockout the device then feed the cable down the centre of the open lockout. When the cable is tight and the source is locked out, squeeze the handle closed and apply padlock.

Available in vinyl coated steel and nylon cable versions.



Steel core



Nylon core

Multi Purpose Cable Lockout

| Cable Type | Code |
|------------------|---------|
| 2.5m Steel cable | 5581030 |
| 2.5m Nylon cable | 5581031 |

Safety lockout hasps are used when you wish to use multiple padlocks to isolate one energy source and the primary lockout device does not have enough integral lockout points.

A hasp is placed through the isolating point and closed, allowing each authorised person to place their own padlock on the hasp. The system is then locked out, preventing any re-energising until all padlocks are removed.



Standard Hasps



Made from hardened powder coated steel, our economy lockout hasp utilises a standard scissor action to isolate a machine.

The 25mm version has a double locking arrangement and 38mm has single locking.

Economy Lockout Hasp

| Size | Code |
|------|---------|
| 25mm | 5581115 |
| 38mm | 55F3219 |




Manufactured from high tensile steel sheet which has been electro-plated to prevent rusting.

The padlock fixing section has been vinyl coated for grip and greater visibility.

Vinyl Coated Lockout Hasp

| Size | Code |
|------|---------|
| 25mm | 5581130 |
| 38mm | 5581131 |




| Dimensions | | | |
|--------------|-------------------|----------------------|-------------------|
| Description | Jaw Size dia. (A) | # of holes (padlock) | Padlock hole dia. |
| Economy | 25mm | 6 | 9mm |
| Economy | 38mm | 6 | 9mm |
| Vinyl Coated | 25mm | 6 | 10mm |
| Vinyl Coated | 38mm | 6 | 10mm |

Sign Hasp

Manufactured from powder coated aluminium, this hasp combines the benefits of a standard hasp and tag simultaneously.

Supplied with spare label for detailing any subsequent lockout uses.



| Dimensions | | | |
|-------------------------------------|-------------------|----------------------|-------------------|
| Inside height. (A) | Inside width. (B) | # of holes (padlock) | Padlock hole dia. |
| 43mm | 81mm | 10 | 8mm |
| Dimensions (HxWxD): 190 x 77 x 14mm | | | |

Lockout Sign Hasp


| Size | Code |
|-----------|---------|
| See above | 5581120 |

Dual Lockout Hasp

This dual scissor action hasp has a steel body with a powder coating to prevent rusting. The aluminium pivot provides a smooth and lasting movement. The two different jaw sizes ensure the ultimate in adaptability when lock out conditions vary.

Dual Lockout Hasp

| Size | Code |
|-----------|---------|
| See right | 5581116 |



| Dimensions | | | | | |
|-------------------------------------|-------------------|--------------------|-------------------|----------------------|-------------------|
| Inside height. (A) | Inside width. (B) | Inside height. (C) | Inside width. (D) | # of holes (padlock) | Padlock hole dia. |
| 31mm | 45mm | 18mm | 20mm | 6 | 11mm |
| Dimensions (HxWxD): 190 x 77 x 14mm | | | | | |

Di-electric Hasp



55F3204 used with 5572928.
See page 113 for our range
of padlocks.



Accepts padlocks with a shackle diameter up to 9mm.

We recommend the use of 55F3204 with the universal MCB lockout device.

Manufactured from reinforced nylon, these hasps are tough, flexible and have the added benefit of being completely non-conductive.

Available in 3 different size options;

55F3204- 3 holes, 3mm thread thickness, 45mm clearance
55F3205- 6 holes, 6mm thread thickness, 80mm clearance
5581140- 6 holes, 6mm thread thickness, 80mm clearance

Di-electric Lockout Hasps

| # Holes / Thread size | Code |
|-----------------------|---------|
| 3 / 3mm | 55F3204 |
| 3 / 6mm | 55F3205 |
| 6 / 6mm | 5581140 |

Premier Di-electric Hasp



Our premier di-electric lockout hasp utilises a unique swing lock system to securely fasten the thread.

Available in 3mm and 6mm thread sizes, each has an integral 4 holes for multiple padlock use.

Premier Di-electric Lockout Hasps

| # Holes / Thread size | Code |
|-----------------------|---------|
| 4 / 3mm | 55F3267 |
| 4 / 6mm | 55F3268 |

Mini Circuit Breakers

Our range of miniature circuit breaker (MCB) lockouts have been designed to fit most modern single and multiple pole miniature circuit breakers.

The unique slider mechanism ensures that when the slider is retracted the 2 pins are pulled inwards towards the lockout body to allow fitting onto the MCB. When in position push the slider forwards to locate the pins into the receiver holes of the MCB.

The lockout thus prevents the circuit breaker toggle from being turned on, fit with an appropriate padlock to prevent unauthorised removal. These lockouts will also fit breakers connected with a cross bar.

5572930 - Pin out


Designed to fit most popular breakers up to 60 Amp

5572931 - Pin in

Designed to fit most popular breakers up to 60 Amp

5572932 - Pin out wide

Extra wide body to fit breakers greater than 60 Amp



Slider retracted for pin insertion into MCB



Slider in fitted position with pins extruded



Due to the size of these MCB lockouts should you need to use a hasp to increase the number of padlocks we recommend the di-electric hasp 55F3204.

| Mini Circuit Breaker Lockout | |
|------------------------------|---------|
| Fitting | Code |
| Pin 'out' (Yellow) | 5572930 |
| Pin 'in' (Green) | 5572931 |
| Pin 'out' wide (Blue) | 5572932 |

Supplied in packs of 6

Universal Circuit Breakers

This universal MCB lockout has been designed to fit on almost any size of MCB, regardless of size or the position of the holes on the breaker.

Simply turn off the breaker and place the lockout over the switch. Use the thumbscrew to tighten the internal grub screw onto the switch, locking the unit into place.

The thumbscrew will then fold down on its integral hinge, allowing a padlock to be fitted onto the lockout preventing the thumbscrew - and the unit from being removed.



Universal Circuit Breaker Lockout
Code
5572928



Working in the same way as the circuit breaker lockout above, these have a slimmer 10mm profile to fit into smaller MCB units.

| Universal Circuit Breaker Lockout | |
|-----------------------------------|---------|
| Fitting | Code |
| Type A | 55F3269 |
| Type B | 55F3270 |

3 Phase Circuit Breakers Lockout



Designed for 3 phase breakers, this large lockout fits over the switch and then the screw is tightened using the clock style section. When tight the clock section is locked to the main body through a sliding section fitted to the main body.

Will accept 3 separate padlocks with a shackle diameter up to 8mm.

3 Phase Breaker Lockout
Code
5572949

Pneumatic Lockout



Manufactured from solid stainless steel this pneumatic lockout is strong, durable and resistant to corrosion and fits virtually all pneumatic fittings used in manufacturing facilities.

Simple to use, place the pneumatic male fitting between the appropriate sized hole and close with a scissor action. This then prevents the hose from being used.

Once the lockout is in its closed position it can be locked using up to 2 safety padlocks.

Pneumatic Lockout

| Size | Code |
|-----------|---------|
| See above | 55F3213 |

3 pin Plug Lockout



Ideal for use with power supplies of computers and similar devices. This lockout inserts into the back of the power supply and the circular paddle is then rotated to lock the device in position. A padlock can then be used to prevent the device being removed.

3 pin Plug Lockout

| Size | Code |
|------|---------|
| | 55F3271 |

Plug Lockout



Manufactured from sturdy polystyrene, the unit has been developed to completely enclose electrical plugs to prevent a machine being energized. The plug completely sits inside the unit with the cable being fed through an access hole in the side.


The small unit is suitable for a variety of electrical connections up to 40mm diameter, with a locking mechanism taking up to 4 safety padlocks.

The large unit is suitable for standard and larger electrical plugs, including 3 phase connectors. It also has 4 holes of 3 different sizes suitable for pneumatic male air hose connectors. The unit has a locking mechanism suitable for up to 4 safety padlocks.



Plug / Pneumatic Lockout

| Size | Code |
|-------|---------|
| Small | 5581180 |
| Large | 5581181 |



Small Plug / Pneumatic Dimensions

| Inside height. (A) | Inside width. (B) | Inside depth. (C) | Padlock hole dia. | Electrical access holes (dia.) | Pneumatic access holes (dia.) |
|--|-------------------|-------------------|-------------------|--------------------------------|-------------------------------|
| 43mm | 81mm | 43mm | 8mm | 1 @ 13mm | - |
| Outside dimensions (HxWxD): 50 x 90 x 50mm | | | | | |

Large Plug / Pneumatic Dimensions


| Inside height. (A) | Inside width. (B) | Inside depth. (C) | Padlock hole dia. | Electrical access holes (dia.) | Pneumatic access holes (dia.) |
|---|-------------------|-------------------|-------------------|--------------------------------|-------------------------------|
| 85mm | 155mm | 85mm | 8mm | 1 @ 11mm | 1 @ 7.5mm |
| | | | | 1 @ 19mm | 2 @ 9.5mm |
| | | | | | 1 @ 12mm |
| Outside dimensions (HxWxD): 93 x 163 x 93mm | | | | | |

Electrical Cylinder Lockout



This large electrical plug lockout has 2 interlocking cover plates allowing plugs with various sizes of cable to be inserted inside. Interior size of 84mm dia. x 150mm and will accept cable widths up to 34mm dia.

1. Shown with both plates open allowing insertion of the plug.
2. Shown with cover plate A in place giving a cable access hole of 34mm.
3. Shown with cover plate B in place giving a cable access hole of 16mm.
4. Shown with both plates in place giving a cable access hole of 10 x 15mm.




Electrical Cylinder Lockout

Size

Code

97mm dia x 160mm 55F3208

Gas Cylinder Lockout



Used to prevent access to the main cylinder valve, the unit encloses the valve head and is locked in place with 2 interlocking plates.

Installs in seconds and provides quick and easy identification of a full cylinder with the security of a padlock to lock the device in place to prevent unauthorised use.

Each lockout is supplied with 2 extra labels, your choice of which can be fixed onto the lockout to depict if the cylinder currently being locked out is full or empty.

Interior size of 84mm dia. x 150mm, accepts neck rings up to 34mm dia.

Gas Cylinder Lockout

Size

Code

97mm dia x 160mm


55F3206

These units have been designed to lockout electrical panel buttons and switches with no inbuilt lockout provision.


Available in 3 different designs, they all work in a 2-stage operation. The base plate should be attached directly onto the electrical panel over the top of the relevant switch using the adhesive backing.

When in place the unit can then be isolated by placing the house unit over the top of this, preventing access to the switch. This can then be locked in place with a padlock (supplied).


The circular units are designed to fit over push / mushroom panel buttons, and the square units allow for handles which may extend outside of the house unit and different angles.




LOK064 - Small round panel lockout




Base plate fitted





LOK065 - Large round panel lockout




with cover and padlock





LOK066 - Square 45° panel lockout



Handle exit holes



LOK067 - Square 90 degree panel lockout



Handle exit holes

| Dimensions | | | | |
|----------------------------|---------------------|--------------------|--------------------|-------------------------|
| Description | Inside size HxW (A) | Plate size HxW (B) | Cover size HxW (C) | Number of padlock holes |
| 55F3214 - Small round | 35mm dia. | 50 x 50mm | 45mm dia. | 1 |
| 55F3215 - Large round | 45mm dia. | 60 x 60mm | 55mm dia. | 1 |
| 55F3216 - Square 45 degree | 65 x 74mm | 95 x 95mm | 85 x 85mm | 2 |
| 55F3217 - Square 90 degree | 65 x 74mm | 95 x 95mm | 85 x 85mm | 2 |

Each unit is supplied complete with one small brass padlock & 3 keys

| Electrical Panel Lockout | |
|--------------------------|---------|
| Size | Code |
| Small round | 55F3214 |
| Large round | 55F3215 |
| Large square 45° | 55F3216 |
| Large square 90° | 55F3217 |

Safety Lockout Padlocks

Compact high security padlocks designed with the user in mind. The nylon body is ribbed for easy gripping and handling with an individually keyed to differ 6-pin lock which will not release the key until the shackle is closed.

- 6-pin precision-machined cylinder for extra security
- Re-inforced nylon body is non-conductive, non-sparking and resistant to chemicals and corrosion
- Colour coded for easy identification with a photoluminescent label
- Individually keyed locks for optimum security
- Each padlock is supplied boxed with 1 key and keyring
- Supplied in packs of 6



| Safety Lockout Padlocks | |
|------------------------------------|---------|
| Colour | Code |
| Red | 5581062 |
| Yellow | 5581063 |
| Green | 5581064 |
| Blue | 5581065 |
| Black | 5581066 |
| Orange | 5581069 |
| Rainbow pack (1 of each colour) | 55F3272 |

Di-electric Safety Lockout Padlock





In addition to all the benefits of our standard safety padlocks opposite, our di-electric version has a hardened re-inforced nylon shackle which is completely non-conductive.

Ideal for adding an extra level of security when working in dangerous environments.

Supplied in singles, boxed with a keyring.

| Di-electric Safety Lockout | |
|----------------------------|---------|
| Colour | Code |
| Yellow | 55F3218 |






Personalised padlocks are ideal for identifying key personnel.

Great for companies with a large staff or when using contractors.

Please ask for further details



| Dimensions | | | | |
|--|-----------------|----------------|------------------|----------------|
| Shackle height (A) | Body height (B) | Body width (C) | Shackle dia. (D) | Body depth (E) |
| 40mm | 45mm | 42mm | 6mm | 20mm |
| Each padlock is supplied in a box with 1 key and keyring | | | | |

Lockout Tagout

Padlocks & Accessories

Blue Jacket Padlocks



Regular shackle brass padlock encapsulated in an injection moulded jacket. Supplied with warning label and 3 keys.

Blue Jacket Safety Padlock

| Size | Code |
|------|---------|
| 40mm | 55F3220 |

Laminated Padlocks

Double locking padlock with an innovative laminated construction to achieve exceptional levels of impact resistance.

Complete with protective vinyl bumper and 2 keys.



Laminated Padlocks

| Size | Code |
|--------------|---------|
| 40mm (4 pin) | 55F4281 |
| 50mm (5 pin) | 55F4282 |
| 60mm (5 pin) | 55F4283 |

Marine Padlocks



A very high quality padlock with a chrome plated brass body and hardened stainless steel shackle providing excellent resistance to inclement weather. Boasts a brass anti-pick pin, mushroom drivers and INOX (stainless steel) springs. Supplied with 2 keys.

Marine Padlocks

| Size | Code |
|------|---------|
| 40mm | 55F4287 |
| 50mm | 55F4288 |
| 60mm | 55F4289 |

Key Covers

24mm dia. coloured key covers. Available in 2 different styles in assorted colours. Pack of 50.



Key Covers

| Size | Code |
|-------------|---------|
| Ring style | 55F4290 |
| Cover style | 55F4291 |

Belt Clips



Self sprung nickel plated belt clips. Pack of 12.

Belt Clips

| Code |
|---------|
| 55F4280 |

Split Rings



Nickel plated split rings. Pack of 100.

Split Rings

| Size | Code |
|---------|---------|
| 25mm NP | 55F4284 |
| 30mm NP | 55F4285 |
| 38mm NP | 55F4286 |

Tie Wraps



Packs of natural coloured tie wraps

Tie Wraps

| Size | Code |
|----------------------|---------|
| 102 x 2.5mm (Pk 100) | 55F4292 |
| 160 x 2.5mm (Pk 100) | 55F4293 |
| 200 x 4.8mm (Pk 100) | 55F4294 |

Key Rings

Transparent acrylic key ring holder allowing for insertion of photograph.



Photo Key Ring Holder

| Size | Code |
|------------------|---------|
| 60 x 37mm (each) | 55F4295 |

Key Tags

Coloured key tags with paper inserts. Available in 2 sizes in assorted colours. Supplied in packs of 50.



| Key Tags | |
|-----------|---------|
| Size | Code |
| 52 x 22mm | 55F4296 |
| 55 x 30mm | 55F4297 |

Permit Document Wallet



Heavy duty transparent permit document holders ideal for storing important information at source in adverse conditions.

Complete with re-inforced eyelet and side zip. Supplied in packs of 10.

| Permit Document Wallet | |
|------------------------|---------|
| Size | Code |
| A4 | 5519100 |

Aluminium Padlock Tags



Aluminium padlock tags, complete with collars, fixing rings and rivets. Tags can be engraved or stamped with details of attached keys or equipment as needed.

| Aluminium Padlock Tags | |
|------------------------|---------|
| Size | Code |
| 51mm (5 pack) | 55F3203 |

Laser Cut / Engraved Tags

- Laser cut
- Laser engraved
- Ultra-fine detail
- Hundreds of colour options
- Any shape
- Any design
- Any text
- Any font



Any shape or design can be accommodated with ultra-fine detail achieved using our state of the art laser cutters and engravers.

The laminates are hard wearing, resistant to oils and temperature extremes and are available in hundreds of different colour combinations and finishes in any shape or design you require.

For further details or quotes please contact our sales office with the details you require.

Single Sided Lockout Tags

These highly visible warning tags should be applied alongside a lockout device to provide details of the lockout procedure. Manufactured from durable non-tear polypropylene which is resistant to water, oils and extreme temperatures.



These tags are printed using UV resistant inks, single-sided and supplied in packs of 10 complete with tie-wraps.

| Single-sided Lockout Tags | |
|---------------------------|-----------|
| Size | Code |
| 75 x 135mm | See above |

Double Sided Lockout Tags



These tags are printed on both sides with the details displayed above. Supplied in packs of 10 complete with tie-wraps.

| Double-sided Lockout Tags | |
|---------------------------|-----------|
| Size | Code |
| 75 x 135mm | See above |

Double Sided Lockout Tags



| FRONT | | | | | REVERSE |
|---------|---------|---------|---------|---------|---------|
| | | | | | |
| 55F3234 | 55F3235 | 55F3236 | 55F3237 | 55F3238 | |
| | | | | | |
| 55F3239 | 55F3240 | 55F3241 | 55F3242 | 55F3243 | |

These tags are printed on both sides with the details displayed above. Supplied in packs of 10 complete with tie-wraps.

Double-sided Lockout Tags

| Size | Code |
|------------|-----------|
| 75 x 135mm | See above |

Permanent Ultra-fine Tip Markers



These permanent ultra-fine marker pens can write on almost any surface.

The waterproof and smudge proof ink dries in seconds with almost no odour, and is ideal for use with our tags and padlocks.

Permanent Marker Pens

| Quantity | Code |
|------------|---------|
| Each | 55F3865 |
| Pack of 10 | 55F3866 |

Temporary Barriers

An easy way to cordon off equipment being locked off, these plastic chains and posts are easily moved (the post bases can be filled with water or sand for extra weight).



900mm Chain Posts with Base

| Description | Code |
|-------------------|---------|
| Red/White Post | 55F4298 |
| Yellow/Black Post | 55F4299 |

5m Plastic Chain & Accessories

| Description | Code |
|-----------------------|---------|
| White | 55F4300 |
| Red/White | 55F4301 |
| Yellow/Black Post | 55F4302 |
| Black Chain connector | 55F4303 |
| White Chain connector | 55F4304 |

Chain connectors in packs of 10

Heavy Duty A-Boards

These heavy duty polypropylene A-Boards are printed on both sides and are ideal for placement around the workplace and equipment being locked out.



These items can be customised to suit your requirements, please contact the sales office for details. See page 43 for our other A-Boards.

Heavy Duty A-Boards


| Size (HxWxD) | Code |
|-------------------|-----------|
| 620 x 300 x 450mm | See above |

Lockout Signs


Our lockout signs have been designed to be highly visible and can be used as a temporary or constant reminder to adhere to lockout procedures. Manufactured on rigid PVC, they can be fixed in place using adhesive or pierced and hung at the point of lockout.





P 300 x 200 RPVC 55F2209




P 300 x 200 RPVC 55F2210



P 300 x 200 RPVC 55F2211




P 300 x 200 RPVC 55F2212




P 300 x 200 RPVC 55F2213




P 300 x 200 RPVC 55F2214



P 300 x 200 RPVC 55F2215



P 300 x 200 RPVC 55F2216



P 300 x 200 RPVC 55F2217



P 300 x 200 RPVC 55F2218



P 300 x 200 RPVC 55F2219



P 300 x 200 RPVC 55F2220



P 300 x 200 RPVC 55F2221



P 300 x 200 RPVC 55F2222



P 300 x 200 RPVC 55F2223



P 300 x 200 RPVC 55F2224



P 300 x 200 RPVC 55F2225



P 300 x 200 RPVC 55F2226



P 300 x 200 RPVC 55F2227



P 300 x 200 RPVC 55F2228




P 300 x 200 RPVC 55F2229



P 300 x 200 RPVC 55F2230



P 300 x 200 RPVC 55F2231



P 300 x 200 RPVC 55F2232


Rigid PVC Lockout Signs

| Size | Code |
|-------------|-----------|
| 300 x 200mm | See above |

Magnetic Lockout Signs

Printed on a quality white faced magnetic substrate, these signs are easy to attach and provide clear and important messages at the point of isolation.

Custom designs available on request.



* 225 x 150 MAG 55F2233



* 225 x 150 MAG 55F2234



* 225 x 150 MAG 55F2235



* 225 x 150 MAG 55F2236



Magnetic Lockout Signs

| Size | Code |
|-------------|-----------|
| 225 x 150mm | See above |

Padlock Cabinet



Red powder coated steel padlock cabinet with interior racks for storage of up to 48 padlocks (2 per prong).

- Accepts up to 48 padlocks
- Quality powder coated steel
- 28 interior prongs
- Wall mountable - fixings included
- 3 keys included



Padlock Cabinet

| Size (HxWxD) | Code |
|------------------|---------|
| 460 x 390 x 55mm | 55F3209 |

Lockout Tagout Station



Yellow powder coated steel cabinet with 2 movable shelves and carry handle, for storage of lockout products.

- 2 interior shelves, 12 available shelf positions
- Quality powder coated steel
- Wall mountable - fixings included
- 2 keys included
- Carry handle on top



Lockout Tagout Station

| Size (HxWxD) | Code |
|-------------------|---------|
| 410 x 355 x 155mm | 55F3210 |

Lockout Bags



High quality nylon lockout bag available in 2 sizes.

Each bag comes complete with internal reinforcing around the rim for extra strength and adjustable shoulder strap.

- Made from reinforced nylon
- Water resistant
- Adjustable shoulder strap
- Internal & external pockets

Lockout Bags

| Size | Code |
|-------|---------|
| 300mm | 55F3211 |
| 400mm | 55F3212 |

Lock Box



Padlocks supplied separately

Red powder coated steel lock box for storage of keys or other machine activation devices.

Once a machine has been isolated and made safe, the keys are placed in the lock box; each authorised person working on the machine then applies their own padlock to the lock box, ensuring the keys cannot be accessed until every authorised user is satisfied the machine is safe.

- 13 (total) padlock fixing holes
- Carry handle on top
- Quality steel construction

Lock Box

| Size (HxWxD) | Code |
|-----------------|---------|
| 155 x 255 100mm | 5581040 |

Belt Pouch

Three pocket belt pouch made from woven nylon with 3 pockets and adjustable waist strap suitable for up to a 40" waist.



3 Pocket Belt Pouch

| Colour | Code |
|--------|---------|
| Red | 55F3221 |

Satchel

Large satchel type lockout bag is waterproof and suitable for carrying larger lockout equipment over the shoulder.



Lockout Satchel

| Colour | Code |
|--------|---------|
| Red | 55F3207 |

5 Station Lockout Board

Highly visible lockout board manufactured from durable acrylic. Ideal for the storage of lockout equipment and at the same time ensuring equipment is easy to find and access.

- 2 hooks for hasps
- 1 padlock bar (takes 5 padlocks)
- 2 pockets for lockout tags
- Holes for wall fixing
- Board dimensions (HxW): 290 x 395mm



5 Station Lockout Board

| Colour | Code |
|--------|---------|
| Yellow | 5581020 |

10 Station Lockout Board

Larger version suitable for displaying up to 10 padlocks with associated lockout equipment.

- 2 hooks for hasps
- 2 padlock bars (takes 10 padlocks)
- 2 pockets for lockout tags
- Holes for wall fixing
- Board dimensions (HxW): 345 x 345mm



10 Station Lockout Board

| Colour | Code |
|--------|---------|
| Yellow | 5581025 |

Lockout Station Kits

These highly visible lockout stations are designed to be displayed in a central location to ensure that there is a readily accessible stock of lockout products available to all relevant personnel.

These boards come pre-filled with a selection of useful lockout equipment.



5 Station Contents (55F3262)

- 1 x 5 Station Lock Board (5581020)
- 5 x Blue shackle padlocks (55F3220)
- 1 x 25mm Economy hasp (5581115)
- 1 x 38mm Economy hasp (55F3219)
- 1 x Pack (10) of 'Do not operate' tags (5581050)
- 5 x Lockout booklets



10 Station Contents (55F3201)

- 1 x 10 Station Lock Board (5581025)
- 10 x Blue shackle padlocks (55F3220)
- 1 x 25mm Economy hasp (5581115)
- 1 x 38mm Economy hasp (55F3219)
- 1 x Pack (10) of 'Do not operate' tags (5581050)
- 5 x Lockout booklet

Lockout Station Kits

| Kit size | Code |
|------------|---------|
| 5 Station | 55F3262 |
| 10 Station | 55F3201 |

Electrical Lockout Kit

Our electrical kits to provide the adaptability needed by the modern day electrician in compliance with 17th Edition regulations. Ideal to ensure an electrical source remains locked out while maintenance is being performed.



Contents:

- 1 x Belt pouch
- 1 x Red safety padlock
- 1 x Non-conductive hasp
- 1 x MCB lockout 'Pin in'
- 1 x MCB lockout 'Pin out'
- 1 x MCB lockout 'Pin out wide'
- 2 x Universal MCB lockout
- 1 x Pack (10) of 'Do not operate' tags
- 1 x Ultra-fine permanent pen

Electrical Lockout Kit 1

Code

55F3263

Electrical Lockout Kit

A slightly larger kit designed for 2 man teams and electricians working on multiple items of equipment. Please note the plug/pneumatic lockout does not fit inside the pouch but is recommended as an essential lockout product.



Contents:

- 1 x Belt pouch
- 2 x Safety padlocks (blue & red)
- 2 x Non-conductive hasp
- 1 x MCB lockout 'Pin in'
- 1 x MCB lockout 'Pin out'
- 1 x MCB lockout 'Pin out wide'
- 2 x Universal MCB lockout
- 1 x Pack (10) of 'Do not operate' tags
- 1 x Large plug / Pneumatic lockout
- 1 x Ultra-fine permanent pen

Electrical Lockout Kit 2

Code

55F3264

Medium Lockout Kit

Our Lockout kit bags are ideal for groups, departments and safety managers. Contains the most commonly used lockout equipment to isolate electrical and mechanical equipment, along with gate and ball valves.

Contents:

- 1 x 300mm lockout bag
- 1 x Small ball valve lockout
- 1 x Multi-purpose cable lockout
- 1 x 25mm Vinyl coated hasp
- 1 x 38mm Vinyl coated hasp
- 2 x Red safety padlocks
- 1 x Pack (10) of 'Do not operate' tags
- 1 x Ultra-fine permanent pen
- 1 x Caution Lockout in operation A-Board
- 1 x Adjustable gate valve
- 1 x MCB lockout 'Pin out'
- 2 x Universal MCB lockout
- 1 x Pneumatic lockout



Medium Lockout Kit

Code

55F3265

Large Lockout Kit



Contents:

- | | |
|--|--|
| 1 x 400mm lockout bag | 1 x 63.5-127mm Gate valve lockout |
| 1 x Small ball valve lockout | 1 x 127-165mm Gate valve lockout |
| 1 x Large ball valve lockout | 1 x Caution Lockout in operation A-Board |
| 2 x Multi-purpose cable lockout | 1 x Large plug / Pneumatic lockout |
| 2 x 25mm Vinyl coated hasp | 1 x MCB lockout 'Pin in' |
| 2 x 38mm Vinyl coated hasp | 1 x MCB lockout 'Pin out' |
| 6 x Red safety padlocks | 1 x MCB lockout 'Pin out wide' |
| 3 x Pack (10) of 'Do not operate' tags | 2 x Universal MCB lockout |
| 2 x Ultra-fine permanent pen | 1 x Pneumatic lockout |
| 1 x 25-63.5mm Gate valve lockout | 1 x 3-phase dial lockout |

Large Lockout Kit


Code

55F3266

Use our scaffolding safety inserts with our ClawTag holder at all legal entry points to the scaffold to provide relevant safety information alongside an inspection record to all users.

Should the scaffolding fail inspection the insert can be removed to display the message 'Do not use this equipment' or replace with the prohibition insert shown below. This should then be reported to the person in charge.

Scaffold Safety



SCAFFOLD SAFETY TAG

REF. No: _____
Location: _____
Date erected: _____

TO BE COMPLETED BY SUPERVISOR

LOAD CLASS 1 UDL 3.75 kN/m² 75 Kg/m² _____
LOAD CLASS 2 UDL 4.50 kN/m² 90 Kg/m² _____
LOAD CLASS 3 UDL 5.25 kN/m² 105 Kg/m² _____
LOAD CLASS 4 UDL 6.00 kN/m² 120 Kg/m² _____
LOAD CLASS 5 UDL 6.75 kN/m² 135 Kg/m² _____
LOAD CLASS 6 UDL 7.50 kN/m² 150 Kg/m² _____

IF LAST INSPECTION DATE EXCEEDS 7 DAYS INFORM SUPERVISOR IMMEDIATELY

INSPECTIONS MUST BE PERFORMED BY A COMPETENT PERSON

| DATE | TIME | SIGNATURE |
|------|------|-----------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Warning

Please be aware of the following hazards

FURTHER INFORMATION ON REVERSE

Warning

Unauthorised removal or interference with this tag could make you liable to prosecution and fines

FURTHER INFORMATION ON REVERSE

Scaffold must be inspected in the following conditions:

- following initial erection
- following exposure to any weather conditions that could affect its strength or stability
- following substantial alteration (addition or subtraction)
- at regular intervals not exceeding 7 days from previous inspection

Tag size: 75mm x 180mm
Material: Polypropylene

Inserts are designed for use with the ClawTag holder, see page 129 for further details.



The unique design of our ClawTag holder allows fitting even after the scaffold erection - so there is no need to dismantle part of the scaffold to fit it on!

Manufactured from a reinforced nylon, the ClawTag will slip easily over an existing pipe and can be further secured with a tie-wrap.

USE WITH



Scaffolding Safety

| Description & Contents | Code |
|--------------------------------------|---------|
| Single insert | 55F3791 |
| Pack of 10 inserts | 55F3792 |
| Pack of 50 inserts | 5512050 |
| KIT - 1 holder, 2 inserts, 1 pen | 55F3794 |
| BOX - 10 holders, 20 inserts, 2 pens | 55F3793 |

Scaffold Prohibition



REF. No: _____
Location: _____

No: _____
Location: _____

Do not use scaffold

Following inspection this structure has been found UNSAFE

Inspected by: _____
Date: _____

Do not use until made safe and re-inspected by the above named person

Do not use scaffold beyond this point

Side 1

To be displayed if the scaffold had failed inspection, warning users not to use the scaffold until it has been made safe and passed re-inspection.

Side 2

Can be used to temporarily prohibit access to certain sections of a scaffold.

Tag size: 75mm x 180mm
Material: Polypropylene

Inserts are designed for use with the ClawTag holder, see page 129 for further details.

USE WITH



Scaffolding Prohibition

| Description & Contents | Code |
|--------------------------------------|---------|
| Single insert | 55F3808 |
| Pack of 10 inserts | 55F3809 |
| Pack of 50 inserts | 5512020 |
| BOX - 10 holders, 20 inserts, 2 pens | 55F4305 |

Racking Safety

Due to the inherent weight, size and loads that modern day racking can attain, they must be checked regularly to ensure the safety of staff and visitors in the vicinity. Our racking tag holders are a modified version of the AssetTag Max system and are designed to be fixed to the crossbeams of the racking and display a racking specific safety message.

A checklist on the racking insert describes the checks which must be made to the racking with a space for inspection details to be recorded. An area is available for completion should intermediate work be required, whereas the insert should be removed totally if the racking is deemed unsafe to display the 'Do not use Unsafe racking' message.

Inserts are designed for use with the AssetTag RACKING holder, see page 129 for further details.

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |

| | | | |
|------|--------------------------|----------------|--------|
| DATE | INTERMEDIATE WORK NEEDED | DATE COMPLETED | SIGNED |
|------|--------------------------|----------------|--------|

Caution

This racking requires intermediate work

BACK

RACKING SAFETY RECORD TAG

| | |
|--|--|
| ID NO.: | SUPPLIED BY: |
| LOCATION: | SUPPLIER TEL: |
| TYPE: | SUPPLIED NEW (TICK): <input type="checkbox"/> YES: <input type="checkbox"/> NO: <input type="checkbox"/> |
| No. BAYS: HEIGHT: | INSTALLED BY: |
| MAXIMUM BAY LOAD (Kgs): | DATE OF INSTALLATION: |

INSPECTION RECORD
CONTAINED ON THE INSIDE

DISCONTINUE USE AND NOTIFY RESPONSIBLE PERSON
IMMEDIATELY IF DAMAGE IS IDENTIFIED ON THIS RACK

FRONT

[illegible]

Tag size (face): 75mm x 180mm
Material: Polypropylene

| Racking Safety | |
|--------------------------------------|---------|
| Description & Contents | Code |
| Single insert | 55F3811 |
| Pack of 10 inserts | 55F3812 |
| Pack of 50 inserts | 55F3813 |
| BOX - 10 holders, 20 inserts, 2 pens | 55F4306 |

Ladder Safety

| | | |
|--|--------------|---|
| <h1 style="margin: 0;">LADDER INSPECTION TAG</h1> | | DDER INSPECTION HECKLIST |
| REF. No: _____ | | USE LADDERS FOR LIGHT / SHORT DURATION WORK |
| LADDER CLASS: _____ | | RE-USE CHECKS |
| DUTY / USE: _____ | | for any wear, decay, dents, splits or warping. For any loose or missing rungs of the stiles to be in place and in conditions the rods to be in place under von wooden ladders. s must not be frayed or in any around. s must be clean, free of all oil, s, dirt & any other contaminants. ren ladders should not be painted s (only may be hidden). eading feet to be placed & worn joints to be replaced. |
| RISK ASSESSED INSPECTION PERIOD: _____ | | IN USE CHECKS |
| <h2 style="margin: 0;">NEXT LADDER INSPECTION TAG</h2> | | |
| DATE _____ | SIGNED _____ | ar to be on a sound base. er to be at an angle of 75° ratio of to 4 vertical. an 3 points of contact with the at all times. OT OVER REACH - move the ladder should be tied to prevent ing. impossible to secure the ladder, second person to foot the ladder. ot carry any equipment or tal when climbing the ladder. sion must be made for materials equipment to be carried in a tool shoulder bag or use a hoist line. using step ladders the rungs must face the work activity - do not work side on. • Step ladders must be on a firm & level surface. |

The Work at Height Regulations came into force in 2005. These regulations apply to work at height where there is a risk of fall liable to cause personal injury. This applies to both internal and external work at height, and includes below ground level and low height.

All ladders should be checked daily and prior to use for any damage, faults or wear and tear. In addition they should be inspected at defined intervals as part of a risk assessment programme. Use these inserts to manage the identification, safety, maintenance of ladders and help conform to the Work at Height Regulations 2005.

The AssetTag holder should be permanently fixed to the ladder in a suitable safe place. Perform an inspection of the ladder (a checklist is printed on the reverse) and record the result on the tag. If the ladder fails the inspection remove insert and inform a supervisor.

Inserts are designed for use with the AssetTag holder, see page 129 for further details. The AssetTag holder clearly states 'Do not use this equipment' when the tag is removed.


Tag size: 50mm x 181mm
Material: Polypropylene



| Ladder Safety | |
|-------------------------------------|---------|
| Description & Contents | Code |
| Single insert | 55F3799 |
| Pack of 10 inserts | 5517010 |
| Pack of 50 inserts | 5517050 |
| KIT - 1 holder, 2 inserts, 1 pen | 55F3801 |
| BOX - 10 holders, 10 inserts, 1 pen | 55F3800 |



LOLER Safety



The Lifting Operations and Lifting Equipment Regulations 1998 (LOLER) covers any equipment used at work for lifting or lowering loads, including anchoring or supporting attachment.

These regulations stipulate that the equipment is marked with the appropriate information for its safe use, such as safe working loads.

Daily and weekly checks should be made, in addition to a thorough recorded examination every 6 to 12 months. If the equipment is installed, the location must also be examined at the following points:

- after installation but before first use
- after assembly but before first use on a site or in a new location

Should the equipment be hired it should be accompanied by a physical copy of the last examination report.

The AssetTag holder should be permanently fixed to the equipment in a suitable safe place. Perform a thorough inspection of the equipment and complete the insert. In the result of a inspection failure remove insert and inform a supervisor.

Inserts are designed for use with the AssetTag holder, see page 129 for further details. The AssetTag holder clearly states 'Do not use this equipment' when the tag is removed.

Tag size: 50mm x 181mm
Material: Polypropylene



MEWP Safety

| MEWP SAFETY TAG | | | |
|--|--------|--|-------------------|
| ID NO.: | | | |
| SWL: | | | |
| The pre-use check must be carried out by the trained operator in accordance with the requirements of the Lifting Operations Lifting Equipment Regulations 1998 (LOLER 98) and the Provision and Use of Work Equipment Regulations 1998 (PUWER 98). | | | |
| DAILY / WEEKLY INSPECTION | | | DEFECTS YES NO |
| DATE | SIGNED | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Should any defects be found remove this tag from holder and report the issue to your supervisor. Make safe the equipment and ensure it is not used until repairs have been made and the equipment has been verified as safe to use. | | | |
| Next Thorough Inspection due no later than: | | | |
| to be performed by Competent Person | | | |
| DAILY CHECKLIST ON REVERSE | | | |

| Warning | |
|--|--|
| Unauthorised removal or interference with this tag could make you liable to prosecution and fines | |
| Wheels and Tyres Tyre condition, pressure & wheel nuts | |
| Fluid Levels and Leaks Levels of fuel, oil, water, coolant, brake fluid, battery fluid and hydraulics Leaks of any type | |
| Hoses and Cables Corrosion or abrasion Fixed securely to boom or body | |
| Structure Main frame and weld points Outriggers and Stabilisers Turntable System Boom and Cage condition Safety gate and guard rails Harness anchor points Pins and retainers | |
| Controls and Instruments Steering and Travel Controls Lights, beacons, flashing indicators Brakes and handbrake Horn, reverse warning horn Hydraulics Forward, reverse, raise, lower and slew Emergency lowering controls | |
| Miscellaneous Valid Thorough Inspection Certificate Cleanliness, decals clean and legible | |
| TO BE COMPLETED ON REVERSE | |

The Work at Height Regulations came into force in 2005. These regulations apply to work at height where there is a risk of fall liable to cause personal injury. It states that 'equipment for work at height is properly inspected and maintained'. MEWPs (Mobile Elevating Work Platforms), scissor lifts, booms and cherry pickers are included under this instruction.

A daily pre-work inspection should be carried out and recorded on these tags.

The AssetTag MAX holder should be permanently fixed to the equipment in a suitable safe place. Perform an inspection (a checklist is printed on the reverse) and record the result on the tag. In the event of the equipment failing the inspection, remove insert and inform a supervisor.

Inserts are designed for use with the AssetTag MAX holder, see page 129 for further details. The AssetTag MAX holder clearly states 'Do not use this equipment' when the tag is removed.

Tag size: 75mm x 180mm
Material: Polypropylene



LOLER Safety

| Description & Contents | Code |
|-------------------------------------|---------|
| Single insert | 55F3815 |
| Pack of 10 inserts | 55F3816 |
| Pack of 50 inserts | 55F3817 |
| BOX - 10 holders, 10 inserts, 1 pen | 55F4307 |

| Description & Contents | Code |
|--------------------------------------|---------|
| Single insert | 55F3819 |
| Pack of 10 inserts | 55F3820 |
| Pack of 50 inserts | 55F3821 |
| BOX - 10 holders, 20 inserts, 2 pens | 55F4308 |

Mini Inserts

Our smallest inserts are designed for use with our AssetTag Mini tag holders to display relevant identification and safety information at point of use.

When the insert is removed (due to equipment fault, maintenance or testing) the message on the holder clearly states 'Do not use this equipment'.



Ref. No.

Next Test Date

Next Test

A general purpose insert ideal for use on a variety of equipment and machinery which requires regular safety checks. Suitable for electrical equipment, steps and stools.

ID Number:

Inspection Date:

Next Inspection:

Inspected by:

Harness Inspection

To be displayed on a harness strap giving identification and inspection details. These are often colour coded giving 'at a glance' safety information from a distance.

Ref. No.

S.W.L.

Next Insp. Date Due

Safe Working Load

Helps comply with legislative requirements by informing employees of an items safe working load (S.W.L.)

REF. NO.

VIB. MAGNITUDE

(M/S²)

MAX. DAILY USE

NOISE LEVEL

dB(A)

TEST DATE

Vibration Control

Designed to help manage Hand Arm Vibration Syndrome (H.A.V.S.) and dangerous noise levels, these display the relevant safety information to the user.

PASSED FOR ELECTRICAL SAFETY

BY

DATE

NEXT DUE

REF:

PAT Testing

Designed for Portable Appliance Testing (PAT) this clearly displays the date of test, when next due, item reference along with the tester's name.



USE WITH



Description & Contents

CODE

Green

Yellow


Red

Blue

| | | | | |
|--|---------|---------|---------|---------|
| Next Test - Pack of 20 inserts | 5519020 | 5519040 | 5519030 | 55F3823 |
| Next Test Kit - 20 holders, 40 inserts, 1 pen | 55F3825 | 55F3827 | 55F3826 | 55F3824 |
| Safe Working Load - Pack of 20 inserts | 55F3830 | 55F3834 | 55F3832 | 55F3828 |
| Safe Working Load Kit - 20 holders, 40 inserts, 1 pen | 55F3831 | 55F3835 | 55F3833 | 55F3829 |
| PAT Testing - Pack of 20 inserts | 55F3838 | 55F3842 | 55F3840 | 55F3836 |
| PAT Testing Kit - 20 holders, 40 inserts, 1 pen | 55F3839 | 55F3843 | 55F3841 | 55F3837 |
| Vibration Control - Pack of 20 inserts | 55F3846 | 55F3850 | 55F3848 | 55F3844 |
| Vibration Control Kit - 20 holders, 40 inserts, 1 pen | 55F3847 | 55F3851 | 55F3849 | 55F3845 |
| Harness Inspection - Pack of 20 inserts | 55F3854 | 55F3859 | 55F3857 | 55F3852 |
| Harness Inspection Kit 1 - 20 holders, 40 inserts, 1 pen | 55F3855 | 55F3860 | 55F3858 | 55F3853 |
| Harness Inspection Kit 2 - 20 holders, 40 inserts (10 of each colour), 1 pen | 55F3855 | | | |

Forklift Safety

Tag size: 50mm x 181mm
Material: Polypropylene



| <h1 style="margin: 0;">FORKLIFT TRUCKS</h1> <h2 style="margin: 0;">OPERATOR CHECKLIST</h2> | |
|---|-----------------------------------|
| Make & Model: _____ | |
| Identification No.: _____ | |
| This forklift must only be operated by trained and authorized personnel. Ignition key or starter device must be removed by driver when unattended. | |
| CHECKS BEFORE STARTING TRUCK | Type condition, pressure & nuts |
| | Seat & seat belts |
| | Forks & attachments |
| | Chains, mast & fixing bolts |
| | Hydraulic fuel levels & hoses |
| CHECKS WHEN ENGINE RUNNING | Safety guards / covers |
| | Mirrors & bodywork |
| | Hoil, tilt, reach & extension |
| | Steering |
| | Service & parking brakes |
| CHECKS WHEN STOPPED | Horn, lights & beacons / alarms |
| | Hydraulic functions |
| | Operating system & controls |
| | Gauges / Instruments |
| | DEPENDANT ON FORKLIFT TYPE |
| LPG, PETROL, DIESEL | Fuel, oil & water levels |
| | Fuel pipes (damaged / kinked) |
| | Battery |
| | LPG bottle security |
| | |
| ELECTRIC | Seat switch & emergency stop |
| | Electrolyte levels |
| | Cable connections |
| Battery charge conditions | |
| TO BE COMPLETED ON REVERSE | |

Tag size: 75mm x 180mm
Material: Polypropylene



Forklift Safety Inserts

| Description & Contents | Code |
|-------------------------------------|---------|
| Single insert | 55F3795 |
| Pack of 10 inserts | 5514100 |
| Pack of 50 inserts | 5514050 |
| BOX - 10 holders, 10 inserts, 1 pen | 55F4310 |

Chemical Safety

Our Chemical Insert has been specifically designed to display important and relevant information in one concise place. Details include:

- Chemical name(s) and emergency telephone numbers
- Supplier details, references and emergency contact numbers
- Immediate action & first aid along with notes for medical personnel
- Spillage treatment and disposal
- Appropriate fire extinguishing and P.P.E. information

Removal of the insert instantly display's the 'Do not use' message on the holder. The insert can be taken with a patient to the hospital to provide information vital for treatment.

Inserts are designed for use with the AssetTag MAX holder, see page 129 for further details.

Tag size: 75mm x 180mm
Material: Polypropylene



Please note that these inserts should not be considered a replacement for material safety sheets or any other safety documents and procedures which may be required by law.


USE WITH



Chemical Safety

| Description & Contents | Code |
|-------------------------------------|---------|
| Single insert | 55F3796 |
| Pack of 10 inserts | 55F3797 |
| Pack of 50 inserts | 55F3798 |
| BOX - 10 holders, 10 inserts, 1 pen | 55F4311 |

Isolation Tags



Help prevent inadvertent energising of a system with this 2-part perforated tag. Each part is completed by the person in charge with the top half attached to the isolation point and the bottom attached to the permit to work. When both are re-attached to each other the isolation can be classed as removed.

Tag size: 75mm x 180mm
Material: Polypropylene



Isolation Tags

| Description & Contents | Code |
|------------------------|---------|
| Single insert | 55F3803 |
| Pack of 10 inserts | 5515110 |
| Pack of 50 inserts | 5515150 |
| KIT- 50 inserts, 1 pen | 55F3804 |

Flange Tags

These 3-part perforated tags are designed to help control the inspection and maintenance procedure when a flange breaks. Assists the user to clearly identify the various stages from initial break through to the re-energisation of the system.

Tag size: 75mm x 180mm
Material: Polypropylene



Flange Tags

| Description & Contents | Code |
|------------------------|---------|
| Single insert | 55F3805 |
| Pack of 10 inserts | 55F3806 |
| Pack of 50 inserts | 5519150 |
| KIT- 50 inserts, 1 pen | 55F3807 |

Holders



55F3862

Designed with the user in mind, all these holders can be fixed using the following methods:

- Tie wraps
- Rivets
- Adhesive strips or glue
- Inbuilt Claw (Claw Tag only)
- Keyring or Splitring (AssetTag MINI only)

Each holder also has a 'break' in the edge wall to allow for easy removal of the insert. Slip a screw driver in at this point behind the tag and flip the insert out.



55F3861



55F3863



55F3864



Durable, flexible material



55F3867

Holders

| Description & Contents | Code |
|------------------------------|---------|
| ClawTag - Pack of 5 | 55F3861 |
| AssetTag MAX - Pack of 5 | 55F3863 |
| AssetTag RACKING - Pack of 5 | 55F3867 |
| AssetTag - Pack of 5 | 55F3864 |
| AssetTag Mini - Pack of 5 | 55F3862 |



Our largest tag holder to date, the ClawTag has been designed with an innovative 'claw' which is flexible and allows for easy attachment to enclosed pipework and structures.

With no insert in place the message 'Do not use this equipment Information tag is missing', along with 'Ref: No.' is displayed.

Tag Specifications

Height: 280mm
Width: 80mm
Depth: 6mm
Material: Nylon 6

Insert Specifications

Height: 180mm
Width: 75mm
Depth: 0.5mm
Material: Polypropylene



The same size as our ClawTag but without the claw, our AssetTag MAX tag is used in situations where more information is needed on the tag but the claw is not needed.

With no insert in place the message 'Do not use this equipment Information tag is missing', along with 'Ref: No.' is displayed.

Tag Specifications

Height: 213mm
Width: 80mm
Depth: 6mm
Material: Nylon 6

Insert Specifications

Height: 180mm
Width: 75mm
Depth: 0.5mm
Material: Polypropylene



The AssetTag multi-purpose tag holder is great for many purposes including fitting onto industrial ladders (with our ladder tag). Different inserts greatly expand the possible applications.

With no insert in place, 'Do not use this equipment Information tag is missing', along with 'Ref: No.'

Tag Specifications

Height: 210mm
Width: 55mm
Depth: 6mm
Material: Nylon 6

Insert Specifications

Height: 181mm
Width: 50mm
Depth: 0.5mm
Material: Polypropylene



Designed for area's where there is restricted space, our AssetTag MINI is great for use on cables, smaller machinery or on fall arrest equipment. As well as the usual fixing methods, it also has a hole suitable for keyring or split rings.

Displays 'Do not use this equipment' without an insert in place.


Tag Specifications

Height: 82mm
Width: 36mm
Depth: 6mm
Material: Nylon 6

Insert Specifications

Height: 47mm
Width: 31mm
Depth: 0.5mm
Material: Polypropylene

Accessories




| Accessories | |
|---|---------|
| Description & Contents | Code |
| Ultra-fine permanent marker pen - Each | 55F3865 |
| Ultra-fine permanent marker pen - Pack of 10 | 55F3866 |
| 40mm x 25mm heavy duty sticky pads - Pack of 2 | 55F4312 |
| 102mm x 2.5mm natural tie wraps - Pack of 100 | 55F4313 |
| 300mm x 4.8mm natural tie wraps - Pack of 50 | 55F4314 |
| Heavy duty rivetting gun - Each | 55F4315 |
| 4mm x 10.3mm rivet pack - Pack of 20 | 55F4316 |
| A4 permit wallets (water resistant with zip) - Pack of 10 | 55I9100 |
| 25mm dia. NP split rings - Pack of 4 | 55F4317 |

Tag Customisation

As manufacturers we can produce almost any type of insert or holder you may require. We can modify existing tags to include a specific company brand or logo, or create a completely new design with colours and details to your exact specifications.

Although most inserts are designed for use with our holders this is not always necessary as tags can be designed to almost any shape you require, complete with perforations or holes or other shapes.

We can even design new holder systems should any of our standard holder systems be unsuitable. Please contact us to discuss the options available.



Index

- A**
- A boards 43
 - Access and situational awareness 36-38
 - Accessories and banding 86
 - Accident report book and Folder 67
 - Acrylic key ring 114
 - Agricultural 40-41
 - Aluminium hanging frame 69
 - Aluminium padlock tags 115
 - Anti rotation post clips 72
 - Arrow 6-7
 - Asbestos 38, 87
 - Assembly point 8
 - Assembly point numbers and letters 8
 - Asset management 123-130
 - Asset management accessories 130
 - AssetTag 129
 - AssetTag max 129
 - AssetTag mini 129
 - AssetTag racking 129
- B**
- Ball valve lockout 104
 - Banding and accessories 72
 - Banners and barriers 44
 - Barrier tape 89
 - Belt clips 114
 - Belt pouch 119
 - Bespoke signs 30
 - Bi-lingual 19, 25
 - Blue jacket padlocks 114
 - Breathing mandatory 51
 - Brushed gold effect 55
 - Brushed silver effect 55
- C**
- Cable lockout 105
 - Caps and posts 86
 - Caution 36
 - CCTV 35, 51, 57
 - Chemical hazard warning 33-34, 41
 - Chemical safety 128
 - Children prohibition 48
 - Chrome effect 54
 - ClawTag 129
 - Cleaning hazards 39
 - Cones 75
 - Construction 45-50
 - Contract Braille labels 64
 - Custom floor graphics 42
 - Custom signs 30, 56, 73
- D**
- Danger hazard warning 31-33, 36-39, 41, 49-51
 - Desk signs 20
 - Di-electric hasp 107
 - Di-electric safety lockout padlock 113
 - Directional road signs 46
 - Disabled 40
 - Disc labels 21
 - Discs 7
 - Door discs 21, 23, 25, 56
 - Door entrance signs 44
 - Door labels 85
 - Door sign plates 56
 - Door slider systems 70
 - Double sided adhesive tape 93
 - Double sided lockout tags 116-117
 - Drinking water 9, 22, 38, 52
 - Dry wipe magnetic boards 68
 - Dry wipe markers 96
 - Dual lockout hasp 106
- E**
- Ears 23, 49, 51
 - Economy A Board 43
 - Electric 9
 - Electrical cylinder lockout 111
 - Electrical label sheets 85
 - Electrical lockout kit 121
 - Electrical panel lockout 112
 - Electrical safety 31
 - Emergency exit 7, 11
 - Emergency eye wash 9, 11, 17, 48
 - Emergency fire assembly point 8, 48
 - Emergency shower 9, 11, 17
 - Emergency stop 9, 11, 52
 - Emergency telephone 11
 - Engraved/laser cut tags 115
 - Exit 6-9, 18
 - Eyes 23, 51
- F**
- Face masks - mandatory 24
 - Face shield - mandatory 24
 - Finger plates 56, 64
 - Fire - action 11, 25, 49
 - Fire - alarm 12, 14, 16-17, 48, 51
 - Fire - assembly point 8, 11, 17, 48
 - Fire - assembly point numbers and letters 8
 - Fire - blanket 12, 15-16
 - Fire - break glass 9
 - Fire - bucket 16
 - Fire - door 11, 14, 24-25-26, 49, 51, 87
 - Fire - dry riser 16
 - Fire - emergency stop 9, 16
 - Fire - escape 7, 25-26
 - Fire - exit 6-7, 10, 13-14, 24, 48, 52, 59
 - Fire - exit keep clear 7, 10
 - Fire - extinguisher 12, 14-17, 48, 51, 59
 - Fire extinguisher location panels 17
 - Fire - foam inlet 16
 - Fire - hose reel 12, 15, 17
 - Fire - hydrant 16
 - Fire - main control valve 16
 - Fire - sprinkler stop valve 16
 - Fire - phone 16-17
 - Fire - point 12, 16-17, 48, 51
 - Fire - prevention 28
 - Fire - pull to open 9, 11, 14
 - Fire - push to open 8, 11, 13-14, 48
 - Fire -refuge point 7-8, 11, 13
 - Fire Safety & Safe Condition 6-9, 12, 42, 52
 - Fire safety log book 67
 - Fire - slide to open 9
 - Fire - turn to open 9, 10
 - Fire - use the stairs 9, 11
 - Fire - wet riser 16
 - First aid and treatment 9, 11, 13, 17, 25, 48, 52
 - Five station lockout board 120
 - Flammable & gaseous 34-35, 50
 - Flange tags 128
 - Floor graphics 42
 - Floor marking photoluminescent 11
 - Floor marking tape 88
 - Food 28-30
 - Footwear mandatory 29, 49, 51
 - Forklift safety 127
 - Forklifts - prohibition 22
- G**
- Gas cylinder lockout 111
 - Gate valve lockout 103
 - General and smoking permitted 57
 - Gloves - mandatory 23, 49
 - Glow sticks 11
- H**
- Hair - mandatory 28
 - Handle with care 87
 - Hands mandatory 23, 28, 51
 - Harmonised electric labels 85
 - Hasps 106
 - Hazardous substance labels 81
 - Hazardous substance sheets 83
 - Hazard warning 31-42, 51, 59
 - Hazchem holders and signs 75
 - Heavy duty A Board 43, 117
 - Helmets - mandatory 23
 - Highway maintenance 75
 - Hi-vis mandatory 24, 49
 - Hospital & radiology 40
 - Hygiene and food preparation 28-29

- I**
- Industrial stencils 79-80
 - Industrial stencil aerosols 80
 - Industrial stencil applicators 80
 - International pictorial stencils 80
 - Isolation tags 128
- K**
- Keep clear 25-26, 49
 - Keep locked 51
 - Keep off 26, 51
 - Keep out 26, 37, 49, 51
 - Key covers 114
 - Key tags 115
- L**
- Labels 81-87
 - Labels rolls 86
 - Ladder safety 124
 - Laser cut/engraved tags 115
 - Light sticks 11
 - Literature holder 69
 - Lockable pin boards 68
 - Lockable poster frames 68
 - Lock box 119
 - Lockout bags 119
 - Lockout kits 121-122
 - Lockout signs 118
 - Lockout stations and kits 120
 - Lockout storage and transport 119
 - Lockout Tagout 97-122
 - Lockout tagout station 119
 - LOLER safety 125
- M**
- Machine safety 21, 27-28, 51
 - Magnetic aisle identifiers 96
 - Magnetic C section label holders 95
 - Magnetic document pockets 95
 - Magnetic easy wipe racking strip 95
 - Magnetic letters and numbers 96
 - Magnetic location markers 96
 - Magnetic lockout signs 118
 - Magnetic slide pockets 95
 - Magnetic strip 96
 - Magnetic tool/knife racks 96
 - Magnetic wrap around pockets 95
 - Maintenance labels 85
 - Mandatory 11, 23-30, 42, 51, 59
 - Marine padlocks 114
 - Menu frame stands 69
 - Metallic effect signs 55
 - MEWP safety 125
 - Mini circuit breakers 108
 - Mini inserts 126
 - Mini signs 51-54
 - Mirrors 78
 - Miscellaneous fixings and Hanging kits 69
 - Mobiles - prohibition 22
 - Motorway maintenance 75
 - Multi message 50
 - Multi packs 26
 - Multi purpose cable lockout 105
- N**
- Naked lights prohibition 19
 - No children 21
 - No cycling 21
 - No dogs 22
 - No entry 18, 20-21, 48, 51
 - No exit 18, 20-21, 51
 - Noise 39
 - No HGV 21
 - No parking 21-22, 48, 51
 - No smoking prohibition 18-22, 42, 48, 51
 - Non-reflective road signs 78
 - Non slip floor message treads 88
 - Non slip floor tape 88
 - Non slip floor treads 88
 - Not drinking water 18
 - Now wash your hands 24, 51
 - Numbers 8
- P**
- Packs of labels 82
 - Padlock cabinet 119
 - Padlocks and accessories 113-115
 - Parking and miscellaneous access 21
 - Parking hazards 40
 - PAT testing labels 85
 - Pavement signs 69
 - Pedestrians - prohibition 22
 - Permanent road signs 71-73
 - Permanent ultra fine tip markers 117
 - Permit document wallet 115
 - Personal protective equipment 23
 - Pin boards 68
 - Pipeline identification Banding 93-94
 - Pipeline identification tape 92-94
 - Pipeline flow markers 90
 - Phones - prohibition 51
 - Photoluminescent 10-14
 - Photoluminescent floor Marking 88
 - Photoluminescent tape 88
 - Pipeline identification 90-94
 - Plug lockout 110
 - Pneumatic lockout 110
 - Polished brass signs 7, 25
 - Polished gold effect 53
- Q**
- Polished stainless steel signs 7, 25
 - Posters 9, 15, 65-67
 - Posts and fixings 72
 - Premier di-electric hasp 107
 - Printed tape 89
 - Privacy, hygiene and general 22
 - Prohibition 59
 - Projection signs 17
 - Protective clothing mandatory 24, 29
 - Protective footwear mandatory 23
 - Pull to open 9, 11, 14
 - Push to open 8-9, 11, 13-14, 48, 52
 - Quality control labels 84
 - Q-signs temporary plastic road signs 76
- R**
- Racking safety 124
 - Razor cable lockout 105
 - Refuge fire exit 7
 - Refuge point 8, 10, 13
 - Regulation and safety guidance 65
 - Roll-up signs - classic 76
 - Roll-up signs - TriFlex 77
 - Running Man 6-7, 10, 52, 55
 - Respirator mandatory 24
 - Restricted access 20
 - Road and traffic 71-78
 - Road signs 46, 74-76, 78
 - Road sign frames 74
 - Rolls of labels 82
 - RoSPA safety posters 67
- S**
- Safe condition 11
 - Safe practice and procedure 27
 - Safety harness mandatory 24
 - Safety helmets mandatory 23, 49
 - Safety light sticks 11
 - Safety lockout padlocks 113
 - Safety lockout tags 116-117
 - Safety posters and literature 65
 - Satchel lockout bag 119
 - Satin anodized aluminium signs 7, 25
 - Satin stainless steel signs 7, 25
 - Scaffolding incomplete 20, 48
 - Scaffold prohibition 123
 - Scaffold safety 123
 - Self laminating labels 84
 - Single labels 81
 - Single sided lockout tags 116

| | |
|----------------------------------|-------|
| Sign hasp | 106 |
| Site safety | 47 |
| Slide to open | 9, 52 |
| Smoking area | 11 |
| Smoking - prohibition | 18-22 |
| Smoking permitted | 57 |
| Snap frames | 68 |
| Stanchions | 74 |
| Stainless steel | 52 |
| Standard hasps | 106 |
| Station lockout boards | 120 |
| Steel strip | 96 |
| Stencils | 79-80 |
| Stencil - letter and number kits | 80 |
| Storage area marking | 87 |
| Stretcher | 11 |
| Strictly no admittance | 20 |

T

| | |
|--------------------------------------|--------------------------|
| Taktyle Braille | 13-14, 18, 24, 33, 58-64 |
| Tapes and floor treads | 11 |
| Tapes photoluminescent | 11 |
| Temporary barriers | 117 |
| Temporary road signs | 74-76 |
| Ten station lockout board | 120 |
| Three phase circuit breakers lockout | 109 |
| Three pin plug lockout | 110 |
| Tie wraps | 114 |
| Traffic cones | 75 |
| Turn to open | 9, 10 |

U

| | |
|----------------------------|-----|
| Underground tape | 89 |
| Universal circuit breakers | 109 |
| Universal and forklift | 127 |
| Universal safety | 127 |
| UN Placards to IMDG code | 83 |

V

| | |
|----------------------|-------|
| Visitors - mandatory | 26 |
| Vista signs | 70 |
| Visual display | 68 |
| Voltage | 31-33 |

W

| | |
|--------------------------|--------|
| Warning | 33 |
| Wash hands - mandatory | 23, 28 |
| Welding mask - mandatory | 24 |

————— End —————

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

Lined area for notes.